



Hager Companies 139 Victor St. St. Louis, MO 63104 Phone: (800) 325-9995

Phone: (314) 772-4400 Fax: (800) 782-0149

E-mail: webmaster@hagerco.com

www.hagerco.com

This MANU-SPEC® utilizes the Construction Specifications Institute (CSI) *Project Resource Manual* (PRM), including *MasterFormat*[™]. SectionFormat[™] and PageFormat[™]. A MANU-SPEC is a manufacturer-specific proprietary product specification using the proprietary method of specifying applicable to project specifications and master guide specifications. Optional text is indicated by brackets []; delete optional text in final copy of specification. Specifier Notes typically precede specification text; delete notes in final copy of specification. Trade/brand names with appropriate symbols typically are used in Specifier Notes; symbols are not used in specification text. Metric conversion, where used, is soft metric conversion.

This MANU-SPEC specifies special function hinges. These products are manufactured by Hager Companies. Revise MANU-SPEC section number and title below to suit project requirements, specification practices and section content. Refer to CSI *MasterFormat* for other section numbers and titles.

SECTION 08 71 00 DOOR HARDWARE

PART 1 GENERAL

1.01 SUMMARY

- A. Section Includes:
 - Spring Hinges:
 - a. Full mortise.
 - b. Half surface.
 - 2. Anchor hinges.
 - Pivots:
 - a. Reinforcing pivots.
 - b. Ball and thrust.
 - c. Reconteur.
 - d. Camtrol.

Specifier Note: Revise paragraph below to suit project requirements. Add section numbers and titles per CSI *MasterFormat* and specifier's practice.

B.	Related	Sections:

1.	Section [01 33 00 - Submittal Procedures] [].
2.	Section [01 45 00 - Quality Control] [].
3.	Section [01 78 00 - Closeout Submittals] [].
4.	Section [08 11 00 - Metal Doors and Frames] [].
_	

5. Section [08 11 16 - Aluminum Doors and Frames] [_____].

Specifier Note: Article below may be omitted when specifying manufacturer's proprietary products and recommended installation. Retain Reference Article when specifying products and installation by an industry reference standard. If retained, list standard(s) referenced in this section. Indicate issuing authority name, acronym, standard designation and title. Establish policy for indicating edition date of standard referenced. Conditions of the Contract or Division 01 References Section may establish the edition date of







Hager Companies

standards. This article does not require compliance with standard, but is merely a listing of references used. Article below should list only those industry standards referenced in this section. Retain only those reference standards to be used within the text of this Section. Add and delete as required for specific project.

1.02 REFERENCES

- A. American National Standards Institute/Builders Hardware Manufacturers Association (ANSI/BHMA):
 - ANSI/BHMA A156.1 Butts & Hinges.
 - 2. ANSI/BHMA A156.18 Materials & Finishes.

Specifier Note: Article below includes submittal of relevant data to be furnished by Contractor before, during or after construction. Coordinate this article with Architect's and Contractor's duties and responsibilities in Conditions of the Contract and Division 01 Submittal Procedures Section.

1.03 SUBMITTALS

- A. General: Submit listed submittals in accordance with Conditions of the Contract and Division 01 Submittal Procedures.
- B. Product Data: Submit manufacturer's complete product literature for specified hardware items, detailed installation diagrams and instructions, including:
 - 1. Preparation instructions and recommendations.
 - 2. Storage and handling requirements and recommendations.
 - 3. Installation methods.
 - 4. Manufacturer's SPEC-DATA® product sheet.
- C. Samples:

Specifier Note: Describe specific types and quantities of samples required to determine style, finish or other characteristics.

- 1. Submit samples upon request.
- 2. Identify each sample by label indicating applicable specification paragraph number, brand name and number, finish and hardware package number.
- 3. After approval, samples will be returned for incorporation in the work.
- D. Templates: Submit templates detailing installation procedures, including layout, dimensions and placement of hardware.
- E. Closeout Submittals: Submit the following:
 - Warranty: Manufacturer's standard warranty document executed by authorized company official. Manufacturer's warranty is in addition to, and not a limitation of, other rights Owner may have under Contract Documents.

1.04 QUALITY ASSURANCE

A. Qualifications: Installer experienced in performing work of this section who has specialized in installation of work similar to that required for this project.

1.05 DELIVERY, STORAGE & HANDLING

- A. General: Comply with Division 01 Product Requirements.
- B. Ordering: Comply with manufacturer's ordering instructions and lead time requirements to avoid construction delays.
- C. Delivery, Storage and Protection:
 - 1. Deliver, store and handle in accordance with Section [01 61 00 Common Product Requirements] [______]
 - 2. Deliver, store and handle materials in accordance with manufacturer's written instructions.
 - 3. Deliver in original packaging with labels and identification intact.
 - 4. Ship hardware items in lots coordinated with openings, as numbered in opening schedule.
 - 5. Inspect hardware items upon delivery to ensure that specified products have been received.
 - 6. Store hardware items in secure dry location, protected from weather until ready for installation.
- D. Waste Management and Disposal:







_				Hager Companies		
				nment: The disposal of packaging waste into landfill site demonstrates an inefficient use of natural resources and ndfill space.		
		1.	Sepa Was	arate waste materials for [Reuse] [And] [Recycling] [] in accordance with Section [01 74 19 - Construction te Management and Disposal] [].		
		2.	Rem	ove from site and dispose of packaging materials at appropriate recycling facilities.		
		3.		ect and separate for disposal [Paper] [Plastic] [Polystyrene] [Corrugated cardboard] [] packaging material [In opriate onsite bins] [] for recycling.		
1.06	PR	PROJECT CONDITIONS				
	A.			environmental conditions (temperature, humidity and ventilation) within limits recommended by manufacturer for results. Do not install products under environmental conditions outside manufacturer's absolute limits.		
Spec	ifier I	Note:	Coordi	inate article below with Conditions of the Contract and with Division 01 Closeout Submittals (Warranty) Section.		
1.07	WA	RRAN	NTY			
	A.	Proj	ect Wa	arranty: Refer to Conditions of the Contract for project warranty provisions.		
	B.	auth	norized	urer's Warranty: Submit, for Owner's acceptance, manufacturer's standard warranty document executed by discompany official. Manufacturer's warranty is in addition to, and not a limitation of, other rights Owner may have intract Documents. Manufacturer's standard warranty: one calendar year from date of delivery to Project.		
PAR	Г 2 Р	ROD	UCTS			
stand ambig	lards guity	and on specific	descrip ecificat	article below for proprietary method specification. Add product attributes, performance characteristics, material otions as applicable. Use of such phrases as "or equal" or "or approved equal" or similar phrases may cause tions. Such phrases require verification (procedural, legal and regulatory) and assignment of responsibility for 'products.		
2.01	HAG	GER I	HINGE	:S		
	A. Manufacturer: Hager Companies.			ırer: Hager Companies.		
		1.		act: 139 Victor St., St. Louis, MO 63104; Telephone: (800) 325-9995, (314) 772-4400; Fax: (800) 782-0149; ail: website: www.hagerco.com .		
	B.	Spri	ing Hir	nges:		
				at the following article when more than one type of full mortise spring hinge is required for project. Refer to Hager ware catalog when selecting and specifying hinges.		
		1.	Full I	Mortise:		
			a.	Applicable Standard: ANSI/BHMA A156.1.		
			b.	[Single acting] [Reverse action, single acting] [Spring hinges only] [Combination spring hinges and ball bearing hinges] [].		
			c.	Material: [Steel] [Stainless steel] [].		
			d.	Listing: [UL] [None] [].		
			e.	Corners: [Square corners] [1/4 inch (6.4 mm) radius] [5/8 inch (15.9 mm) radius] [Square corner spring hinge set] [].		
				to Hager Companies product catalog for product finish designations and availability per series selection. BHMA available on the Hager Companies website.		
			f.	Finish: To ANSI/BHMA A156.18, BHMA [], [].		
			g.	Hinge Size: [inches () mm] × [inches () mm].		
			h.	Screws: [].		



Specifier Note: Select or delete following sentences to suit chosen hardware. Refer to Hager Companies product catalog for description



Hager Companies

of item number and specify to suit project. Hager Companies full mortise spring hinge numbers are: single acting 1150, 1250, 1252 and 1256 - square corner; 1251 - 1/4 inch (6.4 mm) radius corners; 1252 - 5/8 inch (15.9 mm) radius corners; single acting 1257 - square corner; 1258 - 1/4 inch (6.4 mm) radius; 1259 - 5/8 inch (15.9 mm) radius corners.

i. Acceptable Material: Hager Companies full mortise spring hinges Item Number [

Specifier Note: Repeat the following article when more than one type of half surface spring hinge is required for project. Refer to Hager Companies door hardware catalog when selecting and specifying hinges.

- Half Surface:
 - a. Applicable Standard: ANSI/BHMA A156.1.
 - b. Single acting, [Spring hinges only] [Combination spring hinges and ball bearing hinges].
 - c. Material: Steel.
 - d. Listing: UL.

Specifier Note: Refer to Hager Companies product catalog for product finish designations and availability per series selection. BHMA finish designations are available on the Hager Companies website.

€.	Finish: To ANSI/BHMA A156.18, BHMA [], [].
	Hinge Size: [inches () mm] x [inches () mm].
J.	Screws: [].

Specifier Note: Select or delete following sentences to suit chosen hardware. Refer to Hager Companies product catalog for description of item number and specify to suit project.

h. Acceptable Material: Hager Companies full mortise spring hinges Item Number 1253.

Specifier Note: Repeat the following article when more than one type of anchor hinges is required for project. Refer to Hager Companies door hardware catalog when selecting and specifying hinges.

- C. Anchor Hinges:
 - 1. Applicable Standard: ANSI/BHMA A156.1.
 - 2. Anchor hinges for [Standard] [{Square} {Beveled} edge doors] [_____].
 - 3. Knuckle: [Three] [Five] [____].
 - 4. Bearings: [Concealed] [Ball] [____].
 - 5. Weight: Standard.
 - 6. Material: [Steel] [Brass] [Stainless steel] [_____]
 - 7. Pin and Plug: [Non-rising, removable, concealed {Steel} {Brass} {Stainless steel} pin] [Non-rising removable {Concealed} {Steel} {Brass} {Stainless steel} pin head {And plug}] [_____].
 - 8. Leaf: [One anchor leaf (frame)] [Two anchor leaves, {15} {18} screw holes] [_____].
 - 9. Hand: [].

Specifier Note: Refer to Hager Companies product catalog for product finish designations and availability per series selection. BHMA finish designations are available on the Hager Companies website.

10.	Finish: To ANS	I/BHMA A156.18,	BHMA []	, [].	
11.	Hinge Size: [inches () mm] × [inches () mm].
12.	Screws: [1.			

Specifier Note: Select or delete following sentences to suit chosen hardware. Refer to Hager Companies product catalog for description of item number and specify to suit project. Hager Companies anchor hinge numbers are: three-knuckle hinges AB7505, AB8505, three-knuckle for square edge doors, AB7506, AB8506, AB8508, AB8507, AB8507; three-knuckle for beveled edge doors AB7508, AB8508,







es

		Hager Companie
		; five-knuckle hinges BB1160, BB1190; for square edge doors BB1162, BB1192, BB1165, BB1195; five-knuckle d doors BB1166, BB1196, BB1167, BB1197.
	13.	Acceptable Material: Hager Companies anchor hinges Item Number [].
D.	Pivots	
		epeat the following article when more than one type of reinforcing pivot is required for project. Refer to Hager hardware catalog when selecting and specifying pivots.
	1.	Reinforcing Pivots:
		a. Applicable Standard: ANSI/BHMA A156.1.
		b. Full Surface: Surface mounted.
		c. Hand: [].
		d. Material: [Steel] [Brass] [Stainless steel] [].
		efer to Hager Companies product catalog for product finish designations and availability per series selection. BHMA s are available on the Hager Companies website.
		e. Finish: To ANSI/BHMA A156.18, BHMA [], [].
		f. Hinge Size: [inches () mm] × [inches () mm].
		g. Screws: [].
		elect or delete following sentences to suit chosen hardware. Refer to Hager Companies product catalog for description and specify to suit project. Hager Companies reinforcing pivot numbers are: 251, 252, 253, 254.
		h. Acceptable Material: Hager Companies reinforcing pivot Item Number [].
		epeat the following article when more than one type of ball and thrust bearing pivot is required for project. Refer to s door hardware catalog when selecting and specifying pivots.
	2.	Ball and Thrust Bearing Pivot:
		a. Applicable Standard: ANSI/BHMA A156.1.
		b. Knuckles: 2.
		c. Hand: [].
		d. Material: [Steel] [Brass] [Stainless steel] [].
		efer to Hager Companies product catalog for product finish designations and availability per series selection. BHMA s are available on the Hager Companies website.
		e. Finish: To ANSI/BHMA A156.18, BHMA [], [].
		f. Screws: [].
		elect or delete following sentences to suit chosen hardware. Refer to Hager Companies product catalog for description and specify to suit project. Hager Companies ball and thrust bearing pivot numbers are: 495 top, 496 intermediate, 497
		g. Acceptable Material: Hager Companies ball and thrust bearing pivot Item Number [].
		epeat the following article when more than one type of reconteur single acting pivot is required for project. Refer to s door hardware catalog when selecting and specifying pivots.

- Reconteur Single Acting Pivot:
 - Applicable Standard: ANSI/BHMA A156.1.







	Hager Companies
b	Rack and pinion; opens door 105 degrees maximum.
C.	Hand: Non-handed.
d	Material: [Steel] [Brass] [Stainless steel] [].
	er to Hager Companies product catalog for product finish designations and availability per series selection. BHMA are available on the Hager Companies website.
е	Finish: To ANSI/BHMA A156.18, BHMA [], [].
f.	Screws: [].
	ect or delete following sentences to suit chosen hardware. Refer to Hager Companies product catalog for description If specify to suit project.
g	Acceptable Material: Hager Companies reconteur single acting pivot Item Number [500] [550].
	beat the following article when more than one type of camtrol double acting pivot is required for project. Refer to door hardware catalog when selecting and specifying pivots.
4. C	amtrol:
а	Applicable Standard: ANSI/BHMA A156.1.
b	Hospital set rescue hardware.
c.	Material: [Steel] [Brass] [Stainless steel] [].
	er to Hager Companies product catalog for product finish designations and availability per series selection. BHMA are available on the Hager Companies website.
d	Finish: To ANSI/BHMA A156.18, BHMA [], [].
е	Screws: [].
of item number and	ect or delete following sentences to suit chosen hardware. Refer to Hager Companies product catalog for description If specify to suit project. Hager Companies camtrol double acting pivot numbers are: 510 head and floor pivots; 600 with door release; 610 door release.
f.	Acceptable Material: Hager Companies camtrol double acting pivot Item Number [].
	t Paragraph below to suit project requirements. If substitutions are permitted, edit text below. Add text to refer to Requirements (Product Substitutions Procedures) Section.

2.02 PRODUCT SUBSTITUTIONS

Substitutions: No substitutions permitted.

PART 3 EXECUTION

3.01 MANUFACTURER'S INSTRUCTIONS

Specifier Note: Article below is an addition to the CSI SectionFormat and a supplement to MANU-SPEC. Revise article below to suit project requirements and specifier's practice.

- Compliance: Comply with manufacturer's written data, including product technical bulletins, product catalog installation instructions, product carton installation instructions and Hager Companies SPEC-DATA sheets for hinges.
- Furnish metal door and frame manufacturers with complete instructions and templates for preparation of work to receive B. hinges.
 - 1. Furnish manufacturer's instructions for proper installation of each hinge component.

3.02 EXAMINATION

Site Verification of Conditions: Verify that substrate conditions are acceptable for product installation in accordance with manufacturer's instructions.







Hager Companies

3.03 INSTALLATION

Specifier Note: Note that there are special hinge mounting height requirements for elementary schools and accessible doors.

Specifier Note: Check frame types for hinge mounting locations. Some frame manufacturers have predetermined mounting heights for hinges.

- A. Install hinges to standard hardware location dimensions in accordance with Hager Companies Standard Hardware Locations Chart.
- B. Use only manufacturer's supplied fasteners. Failure to comply may void manufacturer's warranties and applicable licensed labels. Use of "quick" type fasteners, unless specifically supplied by manufacturer, is unacceptable.

3.04 ADJUSTING

- A. Adjust door hinges for optimum, smooth operating condition.
- B. Lubricate hinges where directed by manufacturer.
- C. Adjust door hinges to provide tight fit at contact points with frames.

3.05 CLEANUP

- A. Proceed in accordance with Section [01 74 00 Cleaning and Waste Management] [_____].
- B. Clean hinges with damp rag and approved nonabrasive cleaner, and polish hinges in accordance with manufacturer's instructions.
- C. Remove protective material from hinges where present.
- D. Upon completion and verification of performance of installation, remove surplus materials, excess materials, rubbish, tools and equipment.

END OF SECTION



