

2025 HS4 & KS List Price Book

version 8.06



powered by **SALTO**

TABLE OF CONTENTS

IMPORTANT NOTE REGARDING KS

- With the introduction of HSE technology on most lock types, the HS4 price book now includes KS products.
- Locking hardware that is both HS4 (SPACE) and KS compatible are have a BLUEnet + HSE platform option (platform variable M).
- If you are planning a KS project, the locking hardware must include the M platform variable and BLE reader technology.
- KS specific infrastructure components and KS specific locks can be found at the end of the price book. Refer to the Table of Contents for specific page numbers.
- There are "KS Ready" and "KSR" markings where applicable denoting KS Compatibility

TRAINING

Hager Authorized Salto Partner (HASP) Training	4
--	---

MOBILE APPS

Mobile App	4
BLE Module & Service Fees	4, 50

STARTER KIT

SVN Starter Kit	5-6
-----------------	-----

LOCKING DEVICES

HS4 Wide Body	7-9	KS Ready
HS4 Mini	10-11	KS Ready
HS4 Deadbolt Touch	12	KS Ready
HS4 Interconnected Touch	13-14	KS Ready
HS4 AElement	15-17	
HS4 AElement Fusion	18-19	
HS4 Locker Lock	38	KS Ready
HS4 Exit Device Trim	39-40	KS Ready
HS4 Storefront Lock	41-42	KS Ready
HS4 Glass Door Locks	43-44	KS Ready

GEO CYLINDERS

HS4 GEO Mortise	20
HS4 GEO Rim	21
HS4 GEO Deadbolt (Single Cylinder)	22
HS4 GEO Deadbolt (Double Cylinder)	23
HS4 GEO with 3710 Interconnected	24-25
HS4 GEO and Conversion Kit (for 3710 or 3215)	26
HS4 GEO Padlock	27
HS4 GEO Cam Lock	28
HS4 GEO Grips	37
HS4 GEO Installation Tools	37

NEO CYLINDERS

HS4 NEO Mortise	29	KS Ready
HS4 NEO Rim	30	KS Ready
HS4 NEO Deadbolt (Single Cylinder)	31	KS Ready
HS4 NEO Deadbolt (Double Cylinder)	32	KS Ready
HS4 NEO with 3710 Interconnected	33-34	KS Ready
HS4 NEO Padlock	35	KS Ready
HS4 NEO Cam Lock	36	KS Ready

continued on next page

HS4 NEO Installation Tools	37
----------------------------	----

CARD READERS & CONTROL UNITS

HS4 Wall Readers	45
HS4 Control Units	45-46
HS4 Long Range Readers	46
HS4 RFnet & BLUEnet Gateways & Nodes	47

KS Ready (ANSI readers only)

MANAGEMENT TOOLS

HS4 Portable Programming Device	48
HS4 Card Encoder (NCoder)	48

SOFTWARE & CREDENTIALS

ProAccess Space Software	49-50
HS4 Smart Credentials	51-52
BLE Module & Service Fees	50

DEMO BLOCKS

Demo Blocks & Marketing Skins	53
-------------------------------	----

POWER SUPPLIES

29T Series	54-56
------------	-------

KS Specific Components

Control Units	57
IQ Hubs	57
Subscriptions	57
Access Tags	58
Card	58

SYSTEM DESIGN

Compatibility Chart	59
---------------------	----

What's new in this version?

version: 8.01

List Pricing

- 2025 list pricing.
- hardware increased 2.7% on average and software increased 10% on average.
- 29T Power Supplies increased 6.1%

Stocks Numbers & Ordering Codes

- when Hager implemented our new ERP system, it forced some part numbers to change and how we build them.
- we have added some new wristband sizes

HS4 Deadbolt Touch and Interconnected Touch

- designed to replace existing mechanical locking products.

This is the 2025 list price book for HS4, the Hager powered by Salto access control locking platform.

HS4 HASP Annual Requirements

It is mandatory and without exception that any Hager customer intending to sell and or install the HS4 must first successfully complete the Hager Authorized Salto Partner (HASP) training program.

Refer to Hager the Hager price book for Terms and Conditions
Minimum Annual Purchase Requirement - HASP Distributors are required to complete a \$50,000 minimum annual purchase requirement in order to maintain HASP status.

Hager Authorized Salto Partner

Any customer intending to sell and/or install the HS4 platform must be authorized

Training			
HASP Authorization	HASPSTART	\$4,120.00	
<i>includes HASP training and start up</i>			
onsite	HASP	\$3,090.00	
<i>\$3,000 is the net price and does not include additional daily travel expenses</i>			

All HASP distributors will be required to reach a \$50,000 annual minimum beginning in 2019.

Salto JustIN Mobile App

BLE enabled devices can be operated with a BLE enabled smart device by using Salto's JustIN Mobile App that allows users to use their smartphone as their credential on SVN and RFnet locks

App			
Android		no charge	
iOS		no charge	
BLE Service Fees			
User Fee	SPACE-OPT-0016-1	\$7.49	197329
<i>annual fee per registered phone number starting at the beginning of year 2</i>			

SVN Starter Kit

The HS4 Starter Kit includes all necessary components for a two reader SVN system.

Starter Kits are intended for system users to try the system with minimal investment. As an incentive to system users, Hager is offers a list price discount on Starter Kits.

SPABASxxxx includes:	Individual Item List Price:
(2) Wall Readers (select style and color)	\$817.07
Control Unit (with gray housing)	\$2,321.47
Portable Programming Device	\$1,145.63
BLE (USB & Ethernet) NCoder	\$1,235.85
ProAccess SPACE Basic Software	\$1,134.34
Credentials (pack of 50)	\$662.28
Individual Item Total	\$7,316.65
Starter Kit List Price	\$5,347.80
Starter Kit List Savings	\$1,968.85

SPAONLxxxx includes:	Individual Item List Price:
(2) Wall Readers (select style and color)	\$817.07
Control Unit (with gray housing)	\$2,321.47
Portable Programming Device	\$1,145.63
BLE (USB & Ethernet) NCoder	\$1,235.85
ProAccess SPACE Online Software	\$2,117.24
Credentials (pack of 50)	\$662.28
Individual Item Total	\$8,299.55
Starter Kit List Price	\$5,888.45
Starter Kit List Savings	\$2,411.10

Starter Kit Ordering Notes

Starter kits will not be allowed as a value engineering solution for project quotes.
Limit 1 starter kit to each purchase order

Please note that if the customer needs a software add-on, it must be ordered separately from the starter kit. Add-ons cannot be ordered until the starter kit ships.

Description	2025 List	Product Code	Qty.
<u>Software</u>			
ProAccess SPACE - Basic	\$5,347.80	HS4 STARTKIT BASIC	
ProAccess SPACE - Online	\$5,888.45	HS4 STARTKIT ONLINE	
<u>Reader #1 Type</u>			
ANSI Proximity BLE Mifare/DESfire Wall Reader	-	ANSI	1
Mullion Proximity BLE Mifare/DESfire Wall Reader	-	MUL	1
Keypad Reader		KEY	1
<u>Reader #1 Color</u>			
White	-	WHT	
Black	-	BLK	
<u>Reader #2 Type</u>			
ANSI Proximity BLE Mifare/DESfire Wall Reader	-	ANSI	1
Mullion Proximity BLE Mifare/DESfire Wall Reader	-	MUL	1
Keypad Reader		KEY	1
<u>Reader #2 Color</u>			
White	-	WHT	
Black	-	BLK	
<u>Encoder</u>			
USB & Ethernet connection to PC	-	ETH	1
<u>Credentials</u>			
Mifare Hager powered by Salto - 4k	-	-	50
<u>Portable Programming Device</u>			
USB connection to PC	-	-	1
<u>Control Unit</u>			
CU42E0GUS	-	-	1

HS4 Wide Body

The HS4 Wide Body escutcheon is a robust, hardened steel escutcheon that can be used on any HS4 installation



example: HS4 HE38 HSE 32D BLE BLK JOS 2-3/4"

Cylindrical & Mortise

Passage

Entrance (storeroom)

Push Button Privacy

Thumbturn Privacy

Interior & Exterior Applications

(exterior requires optional outdoor kit)



3-Hour Fire Rating

[Wide Body Cylindrical Product Webpage](#)

[Wide Body Mortise Product Webpage](#)

	Description	2025 List	Product Code	Qty.
	Lock Functions:			
	Grade 1 Cylindrical Lock Functions:			
	Passage Function	\$662.63	HS4 HB34	1
	Storeroom Function (entrance)	\$1,539.98	HS4 HE34	1
	Privacy Function	\$1,541.24	HS4 HP34	1
	Grade 1 Mortise Lock Functions:			
	Passage Function	\$686.01	HS4 HB38	1
	3810 Mortise			
	Storeroom Function (entrance)	\$1,558.18	HS4 HE38	1
	3880 Mortise			
	Push Button Privacy	\$1,542.57	HS4 HP38	1
	3880 Mortise			
	Thumbturn Privacy	\$1,567.28	HS4 HT38	1
	3881 Mortise			
	Platform:			
KSR	BLUEnet & HSE	-	HSE	
KSR	BLUEnet & HSE with Keypad	\$176.45	HSE-KP	
	Finishes:			
	US32D - Satin Stainless Steel	-	32D	
	US32 - Bright Stainless Steel	\$31.85	320	
	US3 - Bright Brass (PVD)	\$32.23	300	
	US4 - Satin Brass (PVD)	-	400	
	BLK - Satin Chrome Black (William and Withnell levers)	\$67.68	BLK	
	BIO - Satin Stainless Steel BioCote	\$101.55	BIO	

continued on next page

Reader Technology:				
KSR	Mifare/DESfire	standard	MD	
	optional on RFnet keypad locks only			
	Mifare/DESfire + BLE	\$67.68	BLE	
Reader Color:				
	Black	standard	BLK	
	White	-	WHT	
Lever Styles:				
	Archer	-	ARC	2
	Available in US32D, US4, Black and BioCote (US32D)			
				
	Joshua		JOS	2
	Available in US32D, US32, US3, US4, Black and BioCote (US32D)			
				
	William	-	WLM	2
	Available in US32D, US32, US3, US4, Black and BioCote (US32D)			
				
	Withnell	-	WTN	2
	Available in US32D, US32, US3, US4, Black and BioCote (US32D)			
				
Backset:				
	2-3/4" (70mm)		2-3/4"	
	2-3/8" (60mm) (cylindrical only)		2-3/8"	
Door Thickness:				
	1-3/8" - 1-3/4"	standard		
	1-3/4" - 2-3/8"	-	DT2	
	2-3/8" - 3"	-	DT3	
	3" - 3-1/2"	-	DT4	
	3-1/2" - 4-1/8"	-	DT5	
Strike:				
	Standard Strike (Mortise Standard)	standard		1
	Extended Lip Strike 1-1/2" lip (mortise)	-	EL15	1
	Round Corner Extended Lip Strike 1-1/2" lip (mortise)	-	RCEL15	1
	No Lip Strike (mortise)	-	NLS	1
	Flat Lip Strike - 7/8" lip (mortise)	-	FL-P	1
	Flat Lip Strike - 1-3/16" lip (mortise)	-	FL1C	1
	Round Corner Strike 1-3/16" lip (mortise)	-	RCS	1
	ASA strike (Cylindrical Standard)	standard		1
Key Override:				
	No Key Override	standard		
	Key Override, less cylinder*	-	KONC	

continued on next page

Optional Features

Description	Product Name	2025 List	Item Number	Qty.
Outdoor Kit				
<i>use when the escutcheon is installed on an exterior door</i>	SP226850	\$21.86	100203438	1
<i>March 2024: please note the part number and quantity change</i>				
Door Position Switch (wood openings)				
<i>Online platforms only</i>	RFDTCTW18W01	\$126.60	118845	1
Door Position Switch (metal openings)				
<i>Online platforms only</i>	RFDTCTS18W01	\$126.60	118838	1
Wireless Antenna				
<i>Online platforms only</i>	RFMODULEW01	\$273.37	Contact Hager	1
<i>used to convert an SVN lock that is wireless capable to a RFnet lock</i>				

HS4 Wide Body Product Ordering Notes

* - Key Override: standard straight cam required for 1-1/8" mortise cylinder

Finish Notes

Finish	Description	Armor Front	Strike
US32D	Satin Stainless Steel	US32D	US32D
US32	Bright Stainless Steel	US32D	US32D
US3	Bright Brass (PVD)	US3	US3
US4	Satin Brass (PVD)	US4	US4
BLK	Satin Chrome Black	US32D	US32D
BIO	Satin Stainless Steel with BioCote	US32D	US32D

HS4 Mini

The HS4 Mini is a small footprint but powerful smart lock intended for interior applications



example: HS4 HM34 HSE 26D BLK AUG ASA 2-3/4"

- Cylindrical
- Entrance (storeroom)
- Interior Application
- 45-Minute Fire Rating
- [Mini Product Webpage](#)

Description		2025 List	Product Code	Qty.
Lock Functions:				
Grade 1 Cylindrical Lock Functions:				
Storeroom Function (entrance)		\$1,197.61	HS4 HM34	1
Platform:				
KSR	SVN + BLUEnet HSE	standard	HSE	
Finishes:				
US26D - Satin Chromium		-	26D	
US26 - Bright Chromium		\$27.80	260	
US3 - Bright Brass (PVD)		\$59.17	300	
US4 - Satin Brass (PVD)		\$59.17	400	
BLK - Satin Chrome Black		\$59.17	BLK	
10BE - Dark Bronze (PVD)		\$59.17	10B	
BIO - Satin Chromium BioCote		\$88.64	BIO	
Reader Technology:				
KSR	Mifare/DESfire + BLE	standard	BLE	
Reader Color:				
Black		-	BLK	
White		-	WHT	
Lever Styles:				
Archer		-	ARC	2
		Available in US26D, US4, Black, 10BE, and BioCote (US26D)		
August		-	AUG	2
		Available in all finishes.		
Withnell		-	WTN	2
		Available in US26D, US4, Black, 10BE, and BioCote (US26D)		

continued on next page

Strike:				
ASA strike (cylindrical)			ASA	
Backset:				
2-3/4" (70mm)	standard	2-3/4"		
2-3/8" (60mm)	-	2-3/8"		
3-3/4" (95mm)	-	3-3/4"		
5" (127mm)	-	5"		
Door Thickness:				
1-3/8" - 1-3/4"	standard	STD		
1-3/4" - 2-3/8"	-	DT2		
2-3/8" - 3"	-	DT3		
3" - 3-1/2"	-	DT4		
3-1/2" - 4-1/8"	-	DT5		
4-1/8" - 4-3/4"	-	DT6		
Key Override:				
No Key Override	standard			
Key Override, less cylinder*	-	KONC		1
SFIC Key Override	-	SFIC		1

HS4 Mini Product Ordering Notes

Key Override - requires 3960 conventional cylinder with tailpiece #9. Installed in lever.

Finish Notes

Finish	Description	Armor Front	Strike
US26D	Satin Chromium	US26D	US26D
US26	Bright Chromium	US26D	US26D
US3	Bright Brass (PVD)	US3	US3
US4	Satin Brass (PVD)	US3	US3
BLK	Satin Chrome Black	US26D	US26D
BIO	Satin Stainless Steel with BioCote	US26D	US26D

Optional Features

Description	Product Name	2025 List	Item Number	Qty.
Door Spacers - for use on a 1-3/8" thick door				
Single Pack	SP226233.01-BM	\$13.39	Contact Hager	1
Double Pack	SP226233.02-BM	\$22.43	Contact Hager	2

HS4 Deadbolt

The HS4 Deadbolt is a small footprint deadbolt with an exterior side clutching thumbturn.



- Grade 2 Deadbolt
- Interior Application
- 3-Hour Fire Rating
(metal doors)
- Capacitive Touchscreen
(illuminates with contact)
- [Deadbolt Touch Product Webpage](#)

example: HD32 HSE BLK BLE 2-3/4" FB1

	Description	2025 List	Product Code	Qty.
	Lock Functions:			
	Grade 2 Deadbolt Lock Functions:			
	Deadbolt	\$588.15	HD32	1
	Platform:			
KSR	SVN + BLUEnet HSE	standard	HSE	
	Finishes:			
	US26D - Satin Chromium	-	US26D	
	US26 - Bright Chromium	\$27.80	US26D	
	US4 - Satin Brass (PVD)	\$59.17	US4	
	BLK - Satin Chrome Black	\$59.17	BLK	
	Reader Technology:			
KSR	Mifare/DESfire + BLE	standard	BLE	
	Keypad:			
	Black	-		
	Backset:			
	2-3/4" (70mm)		2-3/4"	
	2-3/8" (60mm)		2-3/8"	
	Faceplates			
	1-1/8" Square	-	FP1B	
	1" Square	-	FB1	
	1" Round with 1/4" Radius	-	FB1RC	

HS4 Interconnected Touch

The HS4 Interconnected Touch provides a stylistic design that includes a touchscreen keypad and credential reader.



Grade 2 Interconnected

4" or 5-1/2" CTC

Interior Application

3-Hour Fire Rating
(metal doors)

example: HS4 INT HSE BLK BLE WTN 2-3/4" 4" CTC

Description		2025 List	Product Code	Qty.
Lock Function:				
Grade 2 Interconnected Lock Functions:		\$982.00	HD37	1
Platform:				
KSR	SVN + BLUEnet HSE	standard	HSE	
Lever Finish:				
US26D - Satin Chromium		-	26D	
US26 - Bright Chromium		\$28.49	260	
US4 - Satin Brass (PVD)		\$60.61	400	
BLK - Satin Chrome Black		\$60.61	BLK	
Reader Technology:				
KSR	Mifare/DESfire + BLE	standard	BLE	
Lever Styles: price includes 2 levers				
Archer		-	ARC	2
				
William		-	WLM	2
				
Withnell		-	WTN	2
				
Backset:				
2-3/4" (70mm)			2-3/4"	
2-3/8" (60mm)			2-3/8"	

continued on next page

Door Thickness:		
1-9/16" - 1-31/32"	standard	
1-3/4" - 2-3/16"	-	TBD
2-3/16" - 2-9/16"	-	TBD
2-9/16" - 2-15/16"	-	TBD
2-15/16" - 3-11/32"	-	TBD
Center to Center		
4"	-	4 CTC
5-1/2"	-	5.5 CTC
Faceplates		
1" Square	standard	
1-1/8" Square	-	NAF
1" Round with 1/4" Radius	-	RCAF

HS4 AElement

The HS4 AElement provides an elegant, customizable design for most interior openings



Grade 1 Mortise

Entrance (storeroom)

Push Button Privacy

Thumbturn Privacy

Interior Application

90-Minute Fire Rating

(metal doors)

[AElement Product Webpage](#)

example: HS4 HA38 BLN 32D BLE BL 32D WLM

Description	2025 List	Product Code	Qty.
Lock Function:			
Grade 1 Electrified Mortise Lock Functions:			
Storeroom Function (entrance) mortise without deadbolt	\$1,206.71	HS4 HA38	1
Electronic Privacy mortise without deadbolt	\$1,227.56	HS4 HC38	1
Thumbturn Privacy mortise with deadbolt	\$1,227.56	HS4 HU38	1
<i>Levers are priced separately on the next page</i>			
Platform:			
SVN + BLUEnet (specify "B" as Credential variable)	\$67.68	BLN	
Lever Finish:			
US32D - Satin Stainless Steel	-	32D	
US32 - Bright Stainless Steel	\$42.97	320	
US3 - Bright Brass (PVD)	\$42.97	300	
US4 - Satin Brass (PVD)	-	400	
BLK - Satin Chrome Black	\$49.48	BLK	
<i>Finish applies to the lock trim (i.e. thumb turn). See Finish Notes to see which finishes are supplied.</i>			
Reader Technology:			
Mifare/DESfire + BLE	-	BLE	
Reader & Battery Cover Color:			
Black Reader w/ Light gray Battery Cover	-	BL	1
Black Reader w/ Anthracite (black) Battery Cover	-	BA	1
Black Reader w/ Gold Battery Cover	-	BG	1
Black Reader w/ Iron Blue Battery Cover	-	BI	1
White Reader w/ Light gray Battery Cover	-	WL	1
White Reader w/ Anthracite Battery Cover	-	WA	1
White Reader w/ Gold Battery Cover	-	WG	1
White Reader w/ Iron Blue Battery Cover	-	WI	1

continued on next page

Lever Styles: *(when ordering AElement levers, specify handing)*

price includes 2 levers

No Lever, No Thumbturn

-

NLEV

additional customer levers on next page

Archer

-

US32D - Satin Stainless Steel

\$242.15

32D ARC

2

US4 - Satin Brass

\$242.15

400 ARC

2



Joshua

-

US32D - Satin Stainless Steel

\$242.15

32D JOS

2

US32 - Bright Stainless Steel

\$242.15

320 JOS

2

US3 - Bright Brass

\$242.15

300 JOS

2

US4 - Satin Brass

\$242.15

400 JOS


2

BLK - Satin Chrome Black

\$242.15

BLK JOS

2



William

-

US32D - Satin Stainless Steel

\$242.15

32D WLM

2

US32 - Bright Stainless Steel

\$242.15

320 WLM

2

US3 - Bright Brass

\$242.15

300 WLM

2

US4 - Satin Brass

\$242.15

400 WLM

2

BLK - Satin Chrome Black

\$242.15

BLK WLM

2



Withnell

-

US32D - Satin Stainless Steel

\$242.15

32D WTN

2

US4 - Satin Brass

\$242.15

400 WTN

2



Custom levers can be found on the next page and are ordered as a separate line item

Backset:

2-3/4" (70mm)

standard

2-3/4"

Door Thickness:

1-3/8" - 1-3/4"

standard

1-3/4" - 2-1/8"

-

DT2

2-1/8" - 2-9/16"

-

DT3

2-9/16" - 3"

-

DT4

3" - 3-3/8"

-

DT5

3-3/8" - 3-3/4"

-

DT6

3-3/4" - 4-1/8"

-

DT7

4-1/8" - 4-1/2"

-

DT8

4-1/2" - 4-15/16"

-

DT9

Strike:

Standard Strike (Mortise)

standard

1

continued on next page

Optional Features

Description	Product Name	2025 List	Item Number	Qty.
RFnet Antenna				
<i>RFnet platform only</i>	RFMODULEW02	\$273.49	Contact Hager	1
<i>used to convert an SVN lock that is wireless capable to a RFnet lock</i>				
Optional Strikes				
1-1/2" Extended Lip Strike, Square Corner (US32D)	CE1T1AL80IM	\$41.77	Contact Hager	1
1-3/4" Extended Lip Strike, Square Corner (US32D)	CE1T1AL40IM	\$41.77	Contact Hager	1
2" Extended Lip Strike, Square Corner (US32D)	CE1T1AL50IM	\$40.57	Contact Hager	1
<i>doors over 1-3/4" may require an extended lip strike (sold separately)</i>				

HS4 AElement Product Ordering Notes


Door Monitoring - all AElement locks come standard with a door position switch when ordered as RFnet
Key Override - please contact Hager Technical Service for more information

Finish Notes

Finish	Description	Armor Front	Strike
US32D	Satin Stainless Steel	US32D	US32D
US32	Bright Stainless Steel	US32D	US32D
US3	Bright Brass (PVD)	US3	US3
US4	Satin Brass (PVD)	US3	US3
BLK	Satin Chrome Black	US32D	US32D

Additional Custom Levers

order lock as "No Lever, No Thumbturn"

		Product Name	2025 List	Qty.
		see below	\$296.37	2
		US32D	US32	US3
		Satin Stainless Steel	Bright Stainless Steel	Bright Brass (PVD)
	with Thumbturn	2-679-0984	2-679-0985	2-679-0986
	without Thumbturn	2-679-0981	2-679-0982	2-679-0983
	with Thumbturn	2-679-0990	2-679-0991	2-679-0992
	without Thumbturn	2-679-0987	2-679-0988	2-679-0989
	with Thumbturn	2-679-0973	2-679-0974	2-679-0975
	without Thumbturn	2-679-0944	2-679-0954	2-679-0972
	with Thumbturn	2-679-0947	2-679-0979	2-679-0980
	without Thumbturn	2-679-0976	2-679-0977	2-679-0978

HS4 AElement Fusion

The HS4 AElement Fusion offers a simplistic design with clean lines.



example: HS4 HV38 BLN 32D BLE BLK NLEV

Grade 1 Mortise

Entrance (storeroom)

Thumbturn Privacy

Interior Application

90-Minute Fire Rating

(metal doors)

45-Minute Fire Rating

(wood doors)

[Fusion Product Webpage](#)

Description	2025 List	Product Code	Qty.
Lock Function:			
Grade 1 Electrified Mortise Lock Functions:			
Storeroom Function (entrance) mortise without deadbolt	\$1,372.08	HS4 HV38	1
Thumbturn Privacy mortise with deadbolt	\$1,391.61	HS4 HW38	1
<i>Levers are priced separately on the next page</i>			
Platform:			
SVN + BLUEnet	standard	BLN	
Front Plate Finishes:			
US32D - Satin Stainless Steel	-	32D	
US32 - Bright Stainless Steel	\$42.97	320	
US3 - Bright Brass (PVD)	\$42.97	300	
US4 - Satin Brass (PVD)	-	400	
BLK - Satin Chrome Black	\$49.48	BLK	
<i>Finish applies to the lock trim (i.e. thumb turn). See Finish Notes to see which finishes are supplied.</i>			
Reader Technology:			
Mifare/DESfire + BLE	standard	BLE	
<i>BLE is required for BLUEnet</i>			
Reader & Battery Cover Color:			
Black Reader	-	BLK	1
White Reader	-	WHT	1

continued on next page

Lever Styles: *(when ordering AElement levers, specify handing)*

No Lever, No Thumbturn	-	NLEV	
Archer	-		
US32D - Satin Stainless Steel	\$242.15	32D ARC	2
US4 - Satin Brass	\$242.15	400 ARC	2
Joshua	-		
US32D - Satin Stainless Steel	\$242.15	32D JOS	2
US32 - Bright Stainless Steel	\$242.15	320 JOS	2
US3 - Bright Brass	\$242.15	300 JOS	2
US4 - Satin Brass	\$242.15	400 JOS	2
BLK - Satin Chrome Black	\$242.15	BLK JOS	2
William			
US32D - Satin Stainless Steel	\$242.15	32D WLM	2
US32 - Bright Stainless Steel	\$242.15	320 WLM	2
US3 - Bright Brass	\$242.15	300 WLM	2
US4 - Satin Brass	\$242.15	400 WLM	2
BLK - Satin Chrome Black	\$242.15	BLK WLM	2
Withnell	-		
US32D - Satin Stainless Steel	\$242.15	32D WTN	2
US4 - Satin Brass	\$242.15	400 WTN	2

Custom levers can be found in the AElement section and are ordered as a separate line item

Backset:

2-3/4" (70mm)	standard	2-3/4"
---------------	----------	--------

Door Thickness:

1-3/8" - 1-3/4"	standard	
1-3/4" - 2-1/8"	-	DT2
2-1/8" - 2-9/16"	-	DT3
2-9/16" - 3"	-	DT4
3" - 3-3/8"	-	DT5
3-3/8" - 3-3/4"	-	DT6
3-3/4" - 4-1/8"	-	DT7
4-1/8" - 4-1/2"	-	DT8
4-1/2" - 4-15/16"	-	DT9

Strike:

Standard Strike (Mortise)	standard		1
---------------------------	----------	--	---

Refer to How to Order guide for handing, lock offset, and DPS variables

Fusion Product Ordering Notes

* - Key Override: mechanical override is available. Contact Hager Technical Service for cylinder options

Finish Notes

Finish	Description	Armor Front	Strike
US32D	Satin Stainless Steel	US32D	US32D
US32	Bright Stainless Steel	US32D	US32D
US3	Bright Brass (PVD)	US3	US3
US4	Satin Brass (PVD)	US3	US3
BLK	Satin Chrome Black	US32D	US32D

HS4 GEO Mortise

The HS4 GEO mortise is ideal for retrofit locks where a traditional escutcheon is not practical



example: HS4 HG02 OFFL 26D MD WHT IP55 1-1/4"

- IP66 Rated**
 dust and water resistance for outdoor use
 (optional)
- Retrofit & New Construction**
 (fits most existing mortise cylinders)
- 20-Minute Fire Rating**
 (for "A" label single doors)
- [GEO Cylinders Product Webpage](#)

Description	2025 List	Product Code	Qty.
Mortise profile electronic cylinder	\$721.21	HS4 HG02	1
Standard cam installed (for mortise GEO Cylinders) and a spare Adams Rite cam in the box.			
Platform:			
RFID SVN	standard	OFFL	
Finishes:			
US26D - Satin Chromium	-	26D	
US26 - Bright Chromium	-	260	
US3 - Bright Brass	\$67.74	300	
US4 - Satin Brass	\$67.74	400	
BLK - Satin Chrome Black	\$19.97	BLK	
10BE - Dark Bronze (PVD)	\$30.81	10B	
BIO - Satin Chromium BioCote	\$91.56	BIO	
Reader Technology:			
Mifare/DESfire	standard	MD	
Reader Color:			
Black	-	BLK	
White	-	WHT	
IP Rating:			
IP55 (protection from dust infiltration)	standard	IP55	
IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	
Mortise Cylinder Length:			
1-1/4" (32mm)	-	1-1/4"	
1-3/8" (35mm)	-	1-3/8"	
1-1/2" (38mm)	-	1-1/2"	
1-5/8" (41mm)	-	1-5/8"	
1-3/4" (44mm)	-	1-3/4"	
2" (50mm)	-	2"	

HS4 GEO Rim

The HS4 GEO rim is ideal for most surface mounted locks and exit devices



example: HS4 HG01 OFFL 26D MD BLK IP55

IP66 Rated
dust and water resistance for outdoor use
(optional)

Retrofit & New Construction

20-Minute Fire Rating
(for "A" label single doors)

[GEO Cylinders Product Webpage](#)

Description	2025 List	Product Code	Qty.
Rim profile electronic cylinder	\$721.21	HS4 HG01	1
Platform:			
RFID SVN	standard	OFFL	
Finishes:			
US26D - Satin Chromium	-	26D	
US26 - Bright Chromium	-	260	
US3 - Bright Brass	\$67.74	300	
US4 - Satin Brass	\$67.74	400	
BLK - Satin Chrome Black	\$19.97	BLK	
10BE - Dark Bronze (PVD)	\$30.81	10B	
BIO - Satin Chromium BioCote	\$91.56	BIO	
Reader Technology:			
Mifare/DESfire	standard	MD	
Reader Color:			
Black	-	BLK	
White	-	WHT	
IP Rating:			
IP55 (protection from dust infiltration)	standard	IP55	
IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	

HS4 GEO Deadbolt (Single Cylinder)

The HS4 GEO deadlock is ideal for installations where audit trails are needed at fire rated deadlock openings



example: HS4 HG32 OFFL 26D MD BLK 2-3/8" STD IP55 SGL

IP66 Rated

dust and water resistance for outdoor use
(optional)

Retrofit & New Construction

20-Minute Fire Rating

(for "A" label single doors)

[GEO Cylinders Product Webpage](#)

Description	2025 List	Product Code	Qty.
3215 Deadlock + Conversion Kit + GEO	\$861.81	HS4 HG32	1/1/1
Platform:			
RFID SVN	standard	OFFL	
Finishes:			
US26D - Satin Chromium	-	26D	
US26 - Bright Chromium	-	260	
10BE - Dark Bronze (PVD)	\$30.81	10B	
US3 - Bright Brass	\$67.74	300	
US4 - Satin Brass	\$67.74	400	
Reader Technology:			
Mifare/DESfire	standard	MD	
Reader Color:			
Black	-	BLK	
White	-	WHT	
Backset:			
2-3/8" (60mm)	standard	2-3/8"	
2-3/4" (70mm)	-	2-3/4"	
Door Thickness:			
1-3/8" - 1-3/4"	standard	STD	
IP Rating:			
IP55 (protection from dust infiltration)	standard	IP55	
IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	
Deadbolt Type:			
Single Cylinder (15 Function) (uses Hager part no. 3215)	-	SGL	
Classroom (18 Function)	-	CLA	

HS4 GEO Deadbolt (Double Cylinder)

The HS4 GEO deadlock is ideal for installations where audit trails are needed at deadlock openings




example: HS4 HG32 OFFL 26D MD BLK 2-3/8" STD IP55 DBL

- IP66 Rated
- dust and water resistance for outdoor use (optional)
- Retrofit & New Construction
- 20-Minute Fire Rating
- (for "A" label single doors)
- [GEO Cylinders Product Webpage](#)

Description	2025 List	Product Code	Qty.
Deadlock + GEO + GEO	\$1,737.83	HS4 HG32	1/2/2
Platform:			
RFID SVN	standard	OFFL	
Finishes:			
US26D - Satin Chromium	-	26D	
US26 - Bright Chromium	-	260	
10BE - Dark Bronze (PVD)	\$30.81	10B	
US3 - Bright Brass	\$135.42	300	
US4 - Satin Brass	\$135.42	400	
Reader Technology:			
Mifare/DESfire	standard	MD	
Reader Color:			
Black	-	BLK	
White	-	WHT	
Backset:			
2-3/8" (60mm)	standard	2-3/8"	
2-3/4" (70mm)	-	2-3/4"	
Door Thickness:			
1-3/8" - 1-3/4"	standard	STD	
IP Rating:			
IP55 (protection from dust infiltration)	standard	IP55	
IP66 (protection from dust infiltration and projected water streams)	\$79.11	IP66	
Deadbolt Type:			
Double Cylinder (14 Function)	-	DBL	1
<i>double cylinder requires two GEO cylinders</i>			
<i>deadbolt operated by card from either side</i>			
<i>backset 2-3/4" (70mm) or 2-3/8" (60mm)</i>			
GEO is available in US26D only			

HS4 GEO with Interconnected Lock & Conversion

The HS4 GEO's compatibility allows it to be used with Hager's 3710 Interconnected



- Grade 2
- ADA Compliant
- Retrofit & New Construction
- 20-Minute Fire Rating
(for "A" label single doors)
- [GEO Cylinders Product Webpage](#)

example: HS4 HG37 OFFL 26D MD BLK WTN 2-3/8" STD TEE IP55

Description	2025 List	Product Code	Qty.
3710 Interconnected + Conversion Kit + GEO	\$976.31	HS4 HG37	1/1/1
Platform:			
RFID SVN	standard	OFFL	
Finishes:			
US26D - Satin Chromium	-	26D	
US26 - Bright Chromium	-	260	
US3 - Bright Brass	\$67.74	300	
US4 - Satin Brass	\$67.74	400	
BLK - Satin Chrome Black	\$19.97	BLK	
10BE - Dark Bronze (PVD)	\$30.81	10B	
BIO - Satin Chromium BioCote (GEO only)	\$91.56	BIO	
Reader Technology:			
Mifare/DESfire	standard	MD	
Reader Color:			
Black	-	BLK	
White	-	WHT	
Lever Styles:			
Archer	-	ARC	2
			
August	-	AUG	2
			
Withnell	-	WTN	2
			
Backset:			
2-3/8" (60mm)	standard	2-3/8"	
2-3/4" (70mm)	-	2-3/4"	

continued on next page

Door Thickness:			
1-3/8" - 1-3/4"	standard	STD	
Strike:			
Full Lip Square Corner	-	FULL	1
Full Lip Round Corner	-	FLRC	1
Tee Strike	standard	TEE	1
IP Rating:			
IP55 (protection from dust infiltration)	standard	IP55	
IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	

HS4 GEO with Conversion

The HS4 GEO's compatibility allows it to be used with Hager's 3700 Series Interconnected locks and 3200 Series deadlocks (20-Minute Fire Rating)



example: HS4 HG03 OFFL 26D MD BLK IP55

Lock Types

Hager 3710 Grade 2 Interconnected

Hager 3215 Deadlock and most other existing deadlocks

Retrofit & New Construction

20-Minute Fire Rating

(for "A" label single doors)

[GEO Cylinders Product Webpage](#)

Description	2025 List	Product Code	Qty.
Conversion Kit + GEO	\$804.56	HS4 HG03	1/1
Platform:			
RFID SVN	standard	OFFL	
Finishes:			
US26D - Satin Chromium	-	26D	
US26 - Bright Chromium	-	260	
US3 - Bright Brass	\$67.74	300	
US4 - Satin Brass	\$67.74	400	
BLK - Satin Chrome Black	\$19.97	BLK	
10BE - Dark Bronze (PVD)	\$30.81	10B	
BIO - Satin Chromium BioCote	\$91.56	BIO	
Reader Technology:			
Mifare/DESfire	standard	MD	
Reader Color:			
Black	-	BLK	
White	-	WHT	
IP Rating:			
IP55 (protection from dust infiltration)	standard	IP55	
IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	

Conversion Kit Only

Required for GEO installation with Hager's 3700 (3710) and 3200 (3215)

GEO and Lock will be supplied separately

US3	2-639-0320	\$35.83	098363
US4	2-639-0321	\$35.83	098344
US26	2-639-0325	\$35.83	098331
US26D	2-639-0326	\$35.83	098320

For lock specifications, please refer to the Hager 3700 Series, model 3710 or 3200 Series, model 3215

HS4 GEO Padlock

The HS4 GEO padlock is a unique product that allows users access control capabilities on padlocks deployed throughout a building



example: HS4 HG10 OFFL 260 MD BLK IP66 SMLRG

IP66 Rated
dust and water resistance for indoor use
for outdoor user, refer to NEO padlock

Battery Powered
40,000 - 60,000 transactions

Three Shackle Size Options

[GEO Cylinders Product Webpage](#)

Description	2025 List	Product Code	Qty.
Geo Padlock	\$986.74	HS4 HG10	1
Platform:			
RFID SVN	standard	OFFL	
Finishes:			
US26 - Bright Chromium	-	260	
Reader Technology:			
Mifare/DESfire	standard	MD	
Reader Color:			
Black	-	BLK	
White	-	WHT	
IP Rating:			
IP66 (protection from dust infiltration and projected water streams)	standard	IP66	
Shackle Size & Length			
48mm Padlock: 1-3/16" (30 mm) (with 8mm shackle diameter)	-	SMSM	
48mm Padlock: 2-3/8" (60 mm) (with 8mm shackle diameter)	-	SMMED	
48mm Padlock: 3-9/16" (90 mm) (with 8mm shackle diameter)	-	SMLRG	
58mm Padlock: 1-3/16" (30 mm) (with 10 mm shackle diameter)	\$63.82	LRGSM	
58mm Padlock: 2-3/8" (60 mm) (with 10 mm shackle diameter)	\$63.82	LRGMED	
58mm Padlock: 3-9/16" (90 mm) (with 10 mm shackle diameter)	\$63.82	LRGLRG	

HS4 GEO Cam Lock

The HS4 GEO cam provides additional security to installed cam locks



example: HS4 HG11 OFFL 26D MD BLK IP55 SBLC

IP66 Rated

dust and water resistance for outdoor use
(optional)

Cabinets with Cam Locks

20-Minute Fire Rating

(for "A" label single doors)

[GEO Cylinders Product Webpage](#)

Description	2025 List	Product Code	Qty.
Cam Lock Electronic Cylinder	\$721.21	HS4 HG11	1
<u>Platform:</u>			
RFID SVN	standard	OFFL	
<u>Finishes:</u>			
US26D - Satin Chromium	-	26D	
US26 - Bright Chromium	-	260	
US3 - Bright Brass (PVD)	\$67.74	300	
US4 - Satin Brass (PVD)	\$67.74	400	
BLK - Satin Chrome Black	\$19.97	BLK	
10BE - Dark Bronze (PVD)	\$30.81	10B	
BIO - Satin Chromium BioCote	\$91.56	BIO	
<u>Reader Technology:</u>			
Mifare/DESfire	standard	MD	
<u>Reader Color:</u>			
Black	-	BLK	
White	-	WHT	
<u>IP Rating:</u>			
IP55 (protection from dust infiltration)	standard	IP55	
IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	
<u>Body Length & Cam Height</u>			
5/8" Body Length / 1-1/8" CAM Height	-	SBSC	1
5/8" Body Length / 1-9/16" CAM Height	-	SBLC	1
7/8" Body Length / 1-1/8" CAM Height	-	LBSC	1
7/8" Body Length / 1-9/16" CAM Height	-	LBLC	1

HS4 NEO Mortise

The HS4 NEO mortise is ideal for retrofit locks where a traditional escutcheon is not practical



example: HS4 HN02 HSE 26D BLE BLK IP55 1-1/4"

IP66 Rated

dust and water resistance for outdoor use
(optional)

Retrofit & New Construction

(fits most existing mortise cylinders)

90-Minute Fire Rating

(for "A" label single doors)

[NEO Cylinders Product Webpage](#)

	Description	2025 List	Product Code	Qty.
	Mortise profile electronic cylinder	\$751.79	HS4 HN02	1
	Standard cam installed (for mortise NEO Cylinders).			
	Platform:			
KSR	SVN + BLUEnet + HSE	standard	HSE	
	Finishes:			
	US26D - Satin Chromium	-	26D	
	US26 - Bright Chromium	-	260	
	US3 - Bright Brass	\$67.74	300	
	US4 - Satin Brass	\$67.74	400	
	BLK - Satin Chrome Black	\$19.97	BLK	
	10BE - Dark Bronze (PVD)	\$30.81	10B	
	BIO - Satin Chromium BioCote	\$91.56	BIO	
	Reader Technology:			
KSR	Mifare/DESfire + BLE	standard	BLE	
	Reader Color:			
	Black	-	BLK	
	White	-	WHT	
	IP Rating:			
	IP55 (protection from dust infiltration)	standard	IP55	
	IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	
	Mortise Cylinder Length:			
	1-1/4" (32mm)	-	1-1/4"	
	1-3/8" (35mm)	-	1-3/8"	
	1-1/2" (38mm)	-	1-1/2"	
	1-5/8" (41mm)	-	1-5/8"	
	1-3/4" (44mm)	-	1-3/4"	
	2" (50mm)	-	2"	

HS4 NEO Rim

The HS4 NEO rim is ideal for most surface mounted locks and exit devices



example: HS4 HN01 HSE 26D BLE BLK IP55

IP66 Rated
dust and water resistance for outdoor use
(optional)

Retrofit & New Construction

90-Minute Fire Rating
(for "A" label single doors)

[NEO Cylinders Product Webpage](#)

Description		2025 List	Product Code	Qty.
Rim profile electronic cylinder		\$751.79	HS4 HN01	1
Platform:				
KSR	SVN + BLUEnet + HSE	standard	HSE	
Finishes:				
	US26D - Satin Chromium	-	26D	
	US26 - Bright Chromium	-	260	
	US3 - Bright Brass	\$67.74	300	
	US4 - Satin Brass	\$67.74	400	
	BLK - Satin Chrome Black	\$19.97	BLK	
	10BE - Dark Bronze (PVD)	\$30.81	10B	
	BIO - Satin Chromium BioCote	\$91.56	BIO	
Reader Technology:				
KSR	Mifare/DESfire + BLE	standard	BLE	
Reader Color:				
	Black	-	BLK	
	White	-	WHT	
IP Rating:				
	IP55 (protection from dust infiltration)	standard	IP55	
	IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	

HS4 NEO Deadbolt (Single Cylinder)

The HS4 NEO deadlock is ideal for installations where audit trails are needed at fire rated deadlock openings



example: HS4 HN32 HSE 26D BLE BLK STD 2-3/8" IP55 SGL

- IP66 Rated
dust and water resistance for outdoor use
(optional)
- Retrofit & New Construction
(fits most existing mortise cylinders)
- 90-Minute Fire Rating
(for "A" label single doors)
- [NEO Cylinders Product Webpage](#)

	Description	2025 List	Product Code	Qty.
	Deadlock + NEO	\$1,011.07	HS4 HN32	1
	Platform:			
KSR	SVN + BLUEnet + HSE	standard	HSE	
	Finishes:			
	US26D - Satin Chromium	-	26D	
	US26 - Bright Chromium	-	260	
	10BE - Dark Bronze (PVD)	\$30.81	10B	
	US3 - Bright Brass	\$67.74	300	
	US4 - Satin Brass	\$67.74	400	
	Reader Technology:			
KSR	Mifare/DESfire + BLE	standard	BLE	
	Reader Color:			
	Black	-	BLK	
	White	-	WHT	
	Backset:			
	2-3/4" (70mm)	standard	2-3/8"	
	2-3/8" (60mm)	-	2-3/4"	
	Door Thickness:			
	1-3/8" - 1-3/4"	standard	STD	
	IP Rating:			
	IP55 (protection from dust infiltration)	standard	IP55	
	IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	
	Deadbolt Type:			
	Single Cylinder (15 Function)	-	SGL	
	Classroom (18 Function)	-	CLA	

HS4 NEO Deadbolt (Double Cylinder)

The HS4 NEO deadlock is ideal for installations where audit trails are needed at deadlock openings



example: HS4 HN32 HSE 26D BLE BLK STD 2-3/8" IP55 DBL

- IP66 Rated
dust and water resistance for outdoor use
(optional)
- Retrofit & New Construction
(fits most existing mortise cylinders)
- 90-Minute Fire Rating
(for "A" label single doors)
- [NEO Cylinders Product Webpage](#)

	Description	2025 List	Product Code	Qty.
	Deadlock + NEO + NEO	\$1,848.48	HS4 HN32	1/2/2
	Platform:			
KSR	SVN + BLUEnet + HSE	standard	HSE	
	Finishes:			
	US26D - Satin Chromium	-	26D	
	US26 - Bright Chromium	-	260	
	10BE - Dark Bronze (PVD)	\$30.81	10B	
	US3 - Bright Brass	\$270.97	300	
	US4 - Satin Brass	\$270.97	400	
	Reader Technology:			
KSR	Mifare/DESfire + BLE	standard	BLE	
	Reader Color:			
	Black	-	BLK	
	White	-	WHT	
	Backset:			
	2-3/8"	standard	2-3/8"	
	2-3/4"	-	2-3/4"	
	Door Thickness:			
	1-3/8" - 1-3/4"	standard	STD	
	IP Rating:			
	IP55 (protection from dust infiltration)	standard	IP55	
	IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	
	Deadbolt Type:			
	Double Cylinder (14 Function)	-	DBL	1
	<i>double cylinder requires two NEO cylinders deadbolt operated by card from either side backset 2-3/4" (70mm) or 2-3/8" (60mm)</i>			

HS4 NEO with Interconnected Lock & Conversion

The HS4 NEO's compatibility allows it to be used with Hager's 3710 Interconnected



Grade 2

ADA Compliant

Retrofit & New Construction

90-Minute Fire Rating
(for "A" label single doors)

[NEO Cylinders Product Webpage](#)

example: HS4 HN37 HSE 26D BLE WHT WTN STD 2-3/8" TEE IP55

	Description	2025 List	Product Code	Qty.
	3710 Interconnected + Conversion Kit + NEO	\$1,011.07	HS4 HN37	1/1/1
	Platform:			
KSR	SVN + BLUEnet + HSE	standard	HSE	
	Finishes:			
	US26D - Satin Chromium	-	26D	
	US26 - Bright Chromium	-	260	
	10BE - Dark Bronze (PVD)	\$30.81	10B	
	US3 - Bright Brass	\$67.74	300	
	US4 - Satin Brass	\$67.74	400	
	Reader Technology:			
KSR	Mifare/DESfire + BLE	standard	BLE	
	Reader Color:			
	Black	-	BLK	
	White	-	WHT	
	Lever Styles:			
	Archer	-	ARC	2
				
	August	-	AUG	2
				
	Withnell	-	WTN	2
				
	Backset:			
	2-3/8"	standard	2-3/8"	
	2-3/4"	-	2-3/4"	
	Door Thickness:			
	1-3/8" - 1-3/4"	standard	STD	

continued on next page

Strike:			
Full Lip Square Corner	-	FULL	1
Full Lip Round Corner	-	FLRC	1
Tee Strike	standard	TEE	1
IP Rating:			
IP55 (protection from dust infiltration)	standard	IP55	
IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	

HS4 NEO Padlock (Gen 2)

The HS4 GEO padlock is a unique product that allows users access control capabilities on padlocks deployed throughout a building



example: HS4 HN10 HSE 320 BLE BLK IP68 1"

- IP66 & IP68 Rated
 - dust and water resistance for indoor use
 - submersion
- Battery Powered (alkaline)
 - Up to 10,000 transactions
- Four Shackle Size Options
- [NEO Cylinders Product Webpage](#)

Description		2025 List	Product Code	Qty.
NEO Padlock		\$715.66	HS4 HN10	1
KSR	Platform:			
	SVN + BLUEnet HSE	standard	HSE	
	Finishes:			
	US32 - Bright Stainless Steel	standard	320	
	Reader Technology:			
	Mifare/DESfire + BLE	standard	BLE	
	Reader Color:			
	Black	standard	BLK	
	IP Rating/Grade:			
	IP66 (dust and water infiltration protection) and IP68 (submersion)	standard	IP68	
	Shackle Lengths			
	1"	standard		
	1-3/16"			
	2-3/8"			
	3-9/16"			
	Shackle Diameter			
	5/16"	standard		
	Options			
	Chain (used to protect the cylinder from drops)	\$44.24	PSC	

HS4 NEO Cam Lock

The HS4 NEO cam provides additional security to installed cam locks



example: HS4 HN11 HSE 26D BLE BLK IP55 SBLC

IP66 Rated

dust and water resistance for outdoor use
(optional)

Cabinets with Cam Locks

(fits most existing mortise cylinders)

90-Minute Fire Rating

(for "A" label single doors)

[NEO Cylinders Product Webpage](#)

	Description	2025 List	Product Code	Qty.
	Cam lock electronic cylinder	\$751.16	HS4 HN11	1
	Platform:			
KSR	SVN + BLUEnet + HSE	standard	HSE	
	Finishes:			
	US26D - Satin Chromium	-	26D	
	US26 - Bright Chromium	-	260	
	US3 - Bright Brass	\$67.74	300	
	US4 - Satin Brass	\$67.74	400	
	BLK - Satin Chrome Black	\$19.97	BLK	
	10BE - Dark Bronze (PVD)	\$30.81	10B	
	BIO - Satin Chromium BioCote	\$91.56	BIO	
	Reader Technology:			
KSR	Mifare/DESfire + BLE	standard	BLE	
	Reader Color:			
	Black	-	BLK	
	White	-	WHT	
	IP Rating:			
	IP55 (protection from dust infiltration)	standard	IP55	
	IP66 (protection from dust infiltration and projected water streams)	\$39.56	IP66	
	Body Length & Cam Height			
	5/8" Body Length / 1-1/8" CAM Height	-	SBSC	1
	5/8" Body Length / 1-9/16" CAM Height	-	SBLC	1
	7/8" Body Length / 1-1/8" CAM Height	-	LBSC	1
	7/8" Body Length / 1-9/16" CAM Height	-	LBLC	1

HS4 GEO Grips

Description	Product Name	2025 List	Product Code	Qty.
<u>ADA Grips</u>				
<i>BioCote antimicrobial protection</i>				
<i>DDA compliant (Disability Discrimination Act)</i>				
Yellow	SALTOGEOGRIPAY	\$59.78	Contact Hager	1
Blue	SALTOGEOGRIPAB	\$59.78	197312	1
White	SALTOGEOGRIPAW	\$59.78	Contact Hager	1
Black	SALTOGEOGRIPAN	\$59.78	197317	1
Green	SALTOGEOGRIPAG	\$59.78	Contact Hager	1
Red	SALTOGEOGRIPAR	\$59.78	Contact Hager	1
<u>Rigid Grips</u>				
<i>BioCote antimicrobial protection</i>				
Yellow	SALTOGEOGRIPHY	\$59.78	Contact Hager	1
White	SALTOGEOGRIPHW	\$59.78	Contact Hager	1
Black	SALTOGEOGRIPHN	\$59.78	Contact Hager	1
Green	SALTOGEOGRIPHG	\$59.78	Contact Hager	1
Red	SALTOGEOGRIPHR	\$59.78	Contact Hager	1

HS4 GEO Installation Tools

Description	Product Name	2025 List	Product Code	Qty.
<u>Cylinder Wrench</u>				
<i>tool used to removed cylinder from lock</i>	SP2207640	\$4.04	146738	1
<u>Installation Cup</u>				
<i>tool used to keep mortise cylinder in position when installing included with all mortise cylinder purchases</i>	SP2204120	\$11.82	050298	1

HS4 NEO Installation Tools

Description	Product Name	2025 List	Product Code	Qty.
<u>Cylinder Wrench</u>				
<i>tool used to removed cylinder from lock</i>	SP2255420	\$45.56	035005	1
<u>Installation Cup</u>				
<i>tool used to keep mortise cylinder in position when installing</i>	SP220412N	\$11.75	Contact Hager	1
NEO Padlock Assembly Tool	SP2260090	\$35.27	014467	
NEO Padlock Chain 300mm Length	SP2263350	\$61.60	014459	

HS4 Locker Lock

The HS4 locker lock is the perfect solution for gym lockers, visitor lockers, pharmaceutical cabinets, mobile cabinets such as ambulances, and many more



example: HS4 LOKR HSE ANT BLE DT2

- Gym Lockers
- Visitor Lockers
- Office Cabinets
- Medical Cabinets
- pharmacies
- hospitals
- medical offices
- ambulances

[Locker Locks Product Webpage](#)

Description		2025 List	Product Code	Qty.
HS4 Locker Lock		\$587.11	HS4 LOKR	1
Platform:				
KSR	SVN + BLUEnet HSE	standard	HSE	
Finish:				
	Anthracite (black)	-	ANT	
	White	-	WHT	
all Locker Locks come standard with BioCote protection				
Reader Technology:				
KSR	Mifare/DESfire + BLE	standard	BLE	
Door Thickness				
	25/64" - 25/32"	-	DT1	
	25/32" - 1-3/16"	-	DT2	
	1-3/16" - 1-37/64"	-	DT3	
	1-37/64" - 1-31/32"	-	DT4	

HS4 Exit Device Trim

HS4 Exit trim are supplied with an adaptor kit for easy installation with a Hager 4500 series exit device.
Trim kits for additional manufacturers and models are available. Contact Hager Companies.



example: HS4 HF45 HSE 32D BLE BLK WLM RIM

Compatible with most exit devices

Hager 4501 standard
Adaptor kits available for competitive models

Interior & Exterior Applications

(exterior requires optional outdoor kit)


3-Hour Fire Rating

[Exit Device Trim Product Webpage](#)

	Description	2025 List	Product Code	Qty.
	Exit Device Adaptor Kit			
	Hager 4500 Series RIM (includes adaptor kit and trim, exit sold separately)	\$1,907.06	HS4 HF45	1
	Von Duprin 98/99 Series	\$1,907.06	HS4 HF99	1
	Platform:			
KSR	BLUEnet & HSE	-	HSE	
KSR	BLUEnet & HSE with Keypad	\$176.45	HSE-KP	
	Finishes:			
	US32D - Satin Stainless Steel	-	32D	
	US32 - Bright Stainless Steel	\$31.85	320	
	US3 - Bright Brass (PVD)	-	300	
	US4 - Satin Brass (PVD)	-	400	
	BLK - Satin Chrome Black	\$67.74	BLK	
	Reader Technology:			
	Mifare/DESfire	standard	MD	
KSR	Mifare/DESfire + BLE	\$67.68	BLE	
	Reader Color:			
	Black	standard	BLK	
	White		WHT	

continued on next page

Lever Styles:

Archer	Available in US32D	-	ARC	1
				
Joshua	Available in US32D, US32, US3, US4, Black and BioCote (US32D)	-	JOS	1
				
William	Available in US32D, US32, US3, US4, Black and BioCote (US32D)	-	WLM	1
				
Withnell	Available in US32D, US32, US3, US4, Black and BioCote (US32D)	-	WTN	1
				

Door Thickness

1-3/8" - 1-3/4"	standard	
1-3/4" - 2-3/8"	-	DT2
2-3/8" - 3"	-	DT3
3" - 3-1/2"	-	DT4
3-1/2" - 4-1/8"	-	DT5
4-1/8" - 4-3/4"	-	DT6

Exit Type

Adaptor for RIM device	\$53.70	RIM
Adaptor for Hager SVR device	\$53.70	SVR

Key Override:

No Key Override	standard	
Key Override, less cylinder*	-	KONC
* - Key Override: standard straight cam required for 1-1/8" mortise cylinder		

Optional Features

Description	Product Name	2025 List	Product Code	Qty.
Outdoor Kit				
use when the escutcheon is installed on an exterior door	SP226850	\$21.86	100203438	1
March 2024: please note the part number and quantity change				
Door Position Switch (wood doors)				
Online platforms only	RFDTCTW18W01	\$126.60	118845	1
Door Position Switch (metal doors)				
Online platforms only	RFDTCTS18W01	\$126.60	118838	1
RX Pigtail Harness for Wireless Exit Trims				
Used on Hager 4501 Rim with RX to connect to the trim	SP01030-WPB	\$33.54	027068	1
Competitive Exit Kits available for Von Duprin 98/99, Sargent 8888, Dorma AD4300/AD4400/9300, Corbin Russwin ED5200, Yale 7100, Cal Royal 9800, and Falcon 2500. Contact Hager Technical Support for more information.				

HS4 Storefront
 Designed for retrofit storefront applications with Adams Rite, LSDA, and ALPRO deadlatches





example: HS4 HE28 HSE 32D BLE BLK ARC 32D IP55

3-Hour Fire Rating

[Storefront Product Webpage](#)

	Description	2025 List	Product Code	Qty.
	Lock Functions:			
	Storeroom Function (entrance) Two levers	\$1,926.59	HS4 HE28	1
	Push Button Privacy Two levers with electronic privacy	\$1,926.59	HS4 HP28	1
	Interior Paddle <i>Exterior lever, interior paddle (not included)</i>	\$1,874.52	HS4 HF28	1
	<i>latchguard is included with all functions</i>			
	Platform:			
KSR	SVN + BLUEnet HSE	standard	HSE	
	Finishes:			
	US32D - Satin Stainless Steel	-	32D	
	BLK - Satin Chrome Black (William and Withnell levers)	\$67.74	BLK	
	BIO - Satin Stainless Steel BioCote	\$101.55	BIO	
	Reader Technology:			
KSR	Mifare/DESfire + BLE	standard	BLE	
	Reader Color:			
	Black	-	BLK	
	White	-	WHT	

continued on next page

Lever Styles:				
Archer	Available in US32D, Black and BioCote (US32D)	-	ARC	2*
				
Joshua	Available in US32D, Black and BioCote (US32D)	-	JOS	2*
				
Withnell	Available in US32D, Black and BioCote (US32D)	-	WTN	2*
				
Door Thickness:				
1-3/4" - 2"		standard		
2-1/4" - 2-1/2"		-	DT1	
2-3/4" - 3"		-	DT2	
3-1/4"		-	DT3	
Latch Guard				
US32D - Satin Stainless Steel		-	32D	
BLK - Satin Chrome Black (William and Withnell levers)		-	BLK	
BIO - Satin Stainless Steel BioCote		-	BIO	
IP Rating:				
IP55 (protection from dust infiltration)		standard	IP55	

HS4 Storefront Product Ordering Notes

* - two levers are supplied with entrance and privacy functions. One lever is supplied where a paddle is used on the interior.

HS4 Glass Door Lock (DIN)

The HS4 Glass Door Lock is an aesthetically appealing locking hardware design that can be implemented in to any SVN and RFnet installation. All glass door locks meet DIN requirements (NOT ANSI).



example: HS4 HE91 BLN 32D BLE BLK JOS GDS

Hardened Anti-Drill Plates


Concealed Fasteners

Entrance Function

Passage Function

Optional Strikes for Most Applications

[Glass Door Product Webpage](#)


	Description	2025 List	Product Code	Qty.
	Lock Functions:			
	Glass Door Lock Functions:			
	Passage Function	\$2,199.95	HS4 HB91	1
	Storeroom Function (entrance)	\$2,499.36	HS4 HE91	1
	Platform:			
KSR	SVN + BLUEnet	standard	BLN	
	Finishes:			
	US32D - Satin Stainless Steel	standard	32D	
	Reader Technology:			
KSR	Mifare/DESfire + BLE	standard	BLE	
	Reader Color:			
	Black	standard	BLK	
	Lever Styles:			
	Joshua	-	JOS	2
				
	William	-	WLM	2
				
	Backset:			
	2-1/4" (57mm)	standard		
	Door Thickness:			
	8-14mm	standard		
	Strike:			
	Glass Door Lock Strike (for use with wood, metal, and aluminum frames)	standard	GDS	1
	Double Door Glass Door Strike (for use with glass door to glass frame/wall)	\$626.80	DGDS	1

continued on next page

Handing:		
Left Hand	-	LH
Left Hand Reverse	-	LHR
Right Hand	-	RH
Right Hand Reverse	-	RHR

Glass Door Lock Product Ordering Notes

Reverse models (LHR/RHR) are only compatible for GLASS frames



HS4 Wall Readers - ANSI

Wall readers can be used as either online or offline access update points and mounts to a single gang box

	Description	Product Name	2025 List	Product Code	Qty.
	Proximity HSE Mifare/DESfire Wall Reader				
KSR	White	WRDM0A4W	\$669.49	100207294	1
KSR	Black	WRDM0A4B	\$669.49	100207293	1
	Proximity HSE Mifare/DESfire Wall Reader with ADA Keypad				
KSR	White	WRDM0A4WV	\$1,001.77	100207292	1
KSR	Black	WRDM0A4BV	\$1,011.77	100207291	1

HS4 Wall Readers - Euro

Wall readers can be used as either online or offline access update points

	Description	Product Name	2025 List	Product Code	Qty.
	Proximity HSE Mifare/DESfire Wall Reader				
	White	WRDM0E4W	\$762.85	197088	1
	Black	WRDM0E4B	\$762.85	197089	1
	Proximity HSE Mifare/DESfire Wall Reader with Keypad				
	White	WRDM0E4WK	\$1,119.50	Contact Hager	1
	Black	WRDM0E4BK	\$1,119.50	Contact Hager	1

HS4 Wall Readers - Mullion Mounted Readers

Small footprint wall readers can be used as either online or offline access update points

	Description	Product Name	2025 List	Product Code	Qty.
	Proximity HSE Mifare/DESfire Wall Reader				
	White	WRDM0M4W	\$762.85	100207296	1
	Black	WRDM0M4B	\$762.85	100207295	1
	Panel Reader Mifare/DESfire				
	PCB	WRDM0P400	\$762.85	84466	1

HS4 Control Units

Control units connect the wall readers to the Software to provide updates

	Description	Product Name	2025 List	Product Code	Qty.
	Ethernet Controller with Housing				
	controls 2 readers and up to 4 auxiliary controllers				
	with translucent housing	CU42E0TUS	\$2,167.41	195396	1
	with gray housing	CU42E0GUS	\$2,167.41	195394	1
	without housing	CU42E0US0	\$2,167.41	145966	1
	Auxiliary Controller with Housing				
	controls 2 readers				
	with translucent housing	CU4200TUS	\$1,083.11	195399	1
	with gray housing	CU4200GUS	\$1,083.11	195397	1
	Expansion Unit with Housing				
	8 relay outputs and 4 inputs to control additional access control locking products such as a strike				
	with translucent housing	CU4EB8TUS	\$936.00	195413	1
	with gray housing	CU4EB8GUS	\$936.00	195412	1
	without housing	CU4EB8US0		195411	1

continued on next page

One Door BLUEnet Controller					
<i>controls 1 reader</i>					
KSR	with translucent housing	CUC1B0GUS	\$941.99	100207209	1

Optional Features

Description	Product Name	2025 List	Product Code	Qty.
RJ45 Port				
<i>used when connecting Wall Reader to CU42xx via RJ45 cable for Reader 1 and Reader 2</i>	SP2248610	\$87.65	195409	1
RJ45 Port				
<i>used when connecting Wall Reader to CU42xx via RJ45 cable for one wall reader</i>	SP2248950	\$88.53	195410	1

HS4 Long Range Reader

Typically used in applications such as parking structures

Description	Product Name	2025 List	Product Code	Qty.
Long Distance Reader				
Black	WRLUD24BUS	\$7,534.53	197300	1
Wiegand Signal Converter				
	WRLUDSIC1	\$863.07	197301	1
WRLUD Wall Reader Components				
4 Pin Connector for WRLUD Wall Reader	WRLUD4PC0	\$270.78	197302	1
Mounting Base for WRLUD Wall Reader	WRLUDMB40	\$1,153.37	Contact Hager	1
Screw Kit for WRLUD Wall Reader	WRLUDMBK1	\$27.99	Contact Hager	1
USB to RE485 Converter	WRLUDSNG3	\$1,305.67	197305	1
24V Power Supply for WRLUDSNG3 Converter	WRLUSPS24	\$931.45	197306	1
POC-UHF Field Detector for WRLUD Wall Reader	WRLUDPOC08	\$833.12	197336	1
Set of 4 Test Transponders for WRLUD Wall Reader	WRLUD4TT08	\$839.63	197337	1
UHF Long Distance Reader 10 meters cable (33 ft.)	WRLUDC100	\$402.28		1
WRLUD Credentials				
Combination Cards - DESfire/UHF for WRLUD Wall Readers (Blank), 8k	PCD08KUH8	\$70.33	197340	1
Combination Cards - Mifare/UHF for WRLUD Wall Readers (Blank), 4k	PCM04KUH8	\$58.58	Contact Hager	1
Windshield Transponder ISO-Format UHF for WRLUD Wall Reader	PWU008B	\$39.05	197350	1
Metal Transponder ISO-Format UHF for WRLUD Wall Reader	PMU008B	\$109.38	Contact Hager	1
Long Range Reader Kit	2-679-0807	\$10,251.96	198392	
WRLUD24BUS - long range reader (black)				1
WRLUDSIC1 - Wiegand signal converter				1
WRLUD4PC0 - 4-pin connector for WRLUD wall reader				1
WRLUDMB40 - mounting base for WRLUD wall reader				1
WRLUDMBK1 - screw kit for WRLUD wall reader				1
WRLUDC10 - UHF long distance reader 10 meter cable (33 ft.)				1
Long Range Reader Frequency Conversion Kit	2-679-0808	\$2,237.11	Contact Hager	
WRLUDSNG3 - USB to RE485 Converter				1
WRLUSPS24 - 24V power supply for WRLUDSNG3 converter				1

HS4 RFnet Gateways & Nodes

Gateways and Nodes connects the HS4 locks to the wireless (802.15) network

Description	Product Name	2025 List	Product Code	Qty.
RFnet Gateway				
<i>controls an additional 6 nodes plus the integrated node that controls 16 doors</i>				
<i>PoE capable</i>				
White	GATEWAYW2CUS	\$1,051.83	195310	1
Black	GATEWAYB2CUS	\$1,051.83	195311	1
RFnet Nodes				
White	RFNODE0W0	\$185.38	Contact Hager	1
Black	RFNODE000	\$185.38	195313	1
RF Tester				
Wireless Test Kit	RFTESTERW01	\$820.10	195317	1
<i>measures the RF signal between two devices</i>				
<i>includes tester and DUT device</i>				

HS4 BLUEnet Gateways & Nodes

Gateways and Nodes connects the HS4 locks to the Bluetooth (BLE) network

Description	Product Name	2025 List	Product Code	Qty.
Gateway				
<i>controls an additional 6 nodes plus the integrated node that controls 16 doors</i>				
<i>PoE capable</i>				
White	GATEWAYW3CUS	\$1,051.83	097497	1
Black	GATEWAYB3CUS	\$1,051.83	097495	1
Nodes				
Gray	RFNODE300	\$201.14	096070	1
White	RFNODE3W0	\$201.14	010089	1
Repeater				
White	REPEATER3US	\$201.14	Contact Hager	1

HS4 Management Tools

Management tools are necessary on all projects to deploy and maintain proper credentials

Description	Product Name	2025 List	Product Code	Qty.
Portable Programming Device				
<i>PPDs are used to initialize locks and open them as needed</i>				
USB connection to PC	PPD800000	\$1,069.60	195470	1
PPD Replacement Cable	SPA001050	\$123.24	199580	1
Proximity Card NCoder Mifare/DESfire				
USB & Ethernet connection to PC	EC904B0US	\$1,153.83	011129	1
DHCP Addressing				
Desktop Reader Capabilities				

ProAccess SPACE Software

HS4 software is a one-time charge with free updates (when released)

Description	Product Name	2025 List	Product Code	Qty.
ProAccess SPACE - Basic				
4,000,000 users, 65,000 doors, no expiration period, no licensing fees locker, online monitoring, event engine, AMOK	SPABASIC	\$1,134.34	195473	1
ProAccess SPACE - Online				
4,000,000 users, 65,000 doors, no expiration period, no licensing fees Basic + lockdown, antipassback, event stream, automatic key assignment, roll call, limited occupancy	SPAONLINE	\$2,117.24	195475	1
ProAccess SPACE - ID System				
4,000,000 users, 65,000 doors, no expiration period, no licensing fees Online + visitor management, badging module	SPAIDSYS	\$4,367.81	195494	1
ProAccess SPACE - Partitional				
4,000,000 users, 65,000 doors, no expiration period, no licensing fees ID System + partitions	SPAPART	\$5,109.52	195495	1
ProAccess SPACE - Demonstration				
10 users, 10 doors, no expiration period, no licensing fees all features	SPADEMO	\$524.44	195497	1
ProAccess SPACE - Trial				
4,000,000 users, 65,000 doors, 90-day expiration period, no licensing fees all features	SPATRIAL	no charge	195498	1
Upgrade from SPATRIAL0 to SPABASIC0	2-679-1016	\$1,134.34	Contact Hager	
Upgrade from SPATRIAL0 to SPAONLINE	2-679-1017	\$2,117.24	Contact Hager	
Upgrade from SPATRIAL0 to SPAIDSYS0	2-679-1018	\$4,367.81	Contact Hager	
Upgrade from SPATRIAL0 to SPAPART00	2-679-1019	\$5,109.52	Contact Hager	

ProAccess SPACE Software Upgrades

HS4 software can be upgraded at anytime or add modules as needed

			Upgrade to				
			SPAONLINE	SPAIDSYS0	SPAPART00		
Existing Software	SPABASIC	\$896.71	2-679-0890	2-679-0891	2-679-0892		
			\$777.00	\$2,556.11	\$3,142.43		
	SPAONLINE	\$1,673.71		2-679-0893	2-679-0894		
				\$1,779.11	\$2,365.44		
	SPAIDSYS0	\$3,452.82			2-679-0895		
					\$586.33		
	SPAPART00	\$4,039.15					

continued on next page

ProAccess SPACE Software Modules

HS4 software can be upgraded at anytime or add modules as needed

Description	Product Name	2025 List	Product Code	Qty.
ProAccess SPACE - Platform Modules				
RFnet Comms <i>enable the communication between system and RFnet locks and cylinders</i> <i>price per system, one time fee</i>	SPACE-OPT-0021	\$142.06	197414	1
BLUEnet Comms <i>enable the communication between system and BLE locks and cylinders</i> <i>price per door, one time fee</i>	SPACE-OPT-0033	\$179.81	097487	1
ProAccess SPACE - Add-On Modules				
Database Synchronization <i>establishes the link between databases to integrate different applications into different databases</i>	SPACE-OPT-0017	no charge	197330	1
Event Alarms & Communication Module <i>enables event alarms and sends emails to the operators when events are triggered</i>	SPACE-OPT-0032	\$1,489.45	197152	1
Matrix Locations & Functions <i>simplifies and streamlines the link between users and doors, making access planning simple and straightforward</i>	SPACE-OPT-0015	\$215.52	197328	1
ProAccess SPACE - Graphical Mapping				
Interface	GMI4SPACE	\$2,656.66	199213	1
Graphical Mapping	SPACE-OPT-0019	\$361.86	197332	1
Graphical Mapping Kit (includes GMI4SPACE & SPACE-OPT-0019)	2-679-0962	\$3,018.53	064045	
ProAccess SPACE - Mobile User Modules				
BLE Annual Fee (<i>per registered mobile phone number</i>) <i>Rates start in year 2 and are billed annually thereafter (subscription begins when software is activated)</i> <i>Users that are added during the billing period will be pro-rated</i> <i>BLE requires Ethernet Encoder (EC90ENUS0)</i>	SPACE-OPT-0016-1	\$7.49	197329	1
ProAccess SPACE - Salto Host Interface Protocol (SHIP)				
Alarm event engine for CCTV, fire alarm, etc. Feature is not included with a software package	SPACE-OPT-0018	\$1,429.51	197331	1
ProAccess SPACE - Hotel Module				
<i>enables ProAccess SPACE to work with rooms, guests, suites, group check-in, re-rooming through RF and extended stay through RF.</i>	SPACE-OPT-0022	no charge	197333	1
ProAccess SPACE - Elevator Protocol				
<i>enables ProAccess SPACE elevator communication module, allowing the software to manage third party systems such as Schindler PORT protocol.</i>	SPACE-OPT-0035	\$1,490.17	039067	1

HS4 Smart Cards

Smart cards are available in 2K or 4K (4K is recommended for multi-application and/or more than 20 transactions per day)

Description	Product Name	2025 List	Product Code	Qty.
4K Mifare				
Hager powered by Salto - 4K	PCM04KHA0001-50	\$602.07	139362	50
4K DESfire				
PVC material with NXP Mifare DESFire 4K technology				
Design - White	CCVD407SW	\$646.68	Contact Hager	50
Design - Blue	CCVD407SB	\$646.68	100207289	50
Design - Red	CCVD407SR	\$646.68	Contact Hager	50
Design - Green	CCVD407SG	\$646.68	Contact Hager	50
Design - Black	CCVD407SN	\$646.68	Contact Hager	50
Blank	CCVD40700	\$652.01	100207210	50
Design - White + One Side Blank	CCVD407SH	\$646.68	Contact Hager	50
Pre-Marked DESfire				
Blank, Pre-Marked - 2K	CCVD20700PM-50	\$375.66	Contact Hager	50
Blank, Pre-Marked - 4K	CCVD40700PM-50	\$482.00	Contact Hager	50
Construction Card				
Salto branded with Construction Card logo - 1K	PCM01KC00	\$59.23	195617	1
DESfire Smart Sticker (25mm diameter)				
2K - Blank	CSV5D20700-50	\$1,018.29	Contact Hager	50
4K - Blank	CSV5D40700-50	\$1,114.74	Contact Hager	50

HS4 Smart DESfire Silicone Wristbands

Description	Product Name	2025 List	Product Code	Qty.
• 2K NXP Mifare DESfire • waterproof				
				
Medium (44mm inside diameter)				
Blue	CWSMD207BE00-5	\$232.99	Contact Hager	5
White	CWSMD207WH00-5	\$232.99	Contact Hager	5
Green	CWSMD207GR00-5	\$232.99	Contact Hager	5
Yellow	CWSMD207YE00-5	\$232.99	Contact Hager	5
Red	CWSMD207RE00-5	\$232.99	Contact Hager	5
Pink	CWSMD207PK00-5	\$232.99	Contact Hager	5
Black	CWSMD207BK00-5	\$232.99	Contact Hager	5
Large (50mm inside diameter)				
Blue	CWSLD207BE00-5	\$232.99	Contact Hager	5
White	CWSLD207WH00-5	\$232.99	Contact Hager	5
Green	CWSLD207GR00-5	\$232.99	Contact Hager	5
Yellow	CWSLD207YE00-5	\$232.99	Contact Hager	5
Red	CWSLD207RE00-5	\$232.99	Contact Hager	5
Pink	CWSLD207PK00-5	\$232.99	Contact Hager	5
Black	CWSLD207BK00-5	\$232.99	Contact Hager	5

continued on next page

HS4 Smart DESfire Key FOBs

Description	Product Name	2025 List	Product Code	Qty.
• waterproof • middle is quarter-sized 				
Colored Frame with White Center				
2K - Blue	CFAD207BEST-10	\$90.00	Contact Hager	10
2K - Red	CFAD207REST-10	\$90.00	Contact Hager	10
2K - Green	CFAD207GRST-10	\$90.00	Contact Hager	10
2K - Yellow	CFAD207YEST-10	\$90.00	Contact Hager	10
2K - Black	CFAD207BKST-10	\$90.00	Contact Hager	10
4K - Blue	CFAD407BEST-10	\$123.11	Contact Hager	10
4K - Red	CFAD407REST-10	\$123.11	Contact Hager	10
4K - Black	CFAD407BKST-10	\$123.11	Contact Hager	10

HS4 Demo Blocks

Lightweight demonstration blocks that showcase specific HS4 locking hardware or component.

Description	Product Name	2025 List	Product Code	Qty.
Demo Blocks (blank - does not include Marketing skin or hardware)				
Wide Body Mortise Lock Prep	SP225460-AN	\$125.63	061461	1
Wide Body & Mini Cylindrical Lock Prep	SP225460-CA	\$125.63	061458	1
AElement Fusion Lock Prep	SP2255460-AFAN	\$125.63	Contact Hager	1
Peripheral (i.e. reader and control unit)	SP225460-PE	\$125.63	Contact Hager	1
Marketing Skin - Hardware Specific (front skin)				
Wide Body	TBD		Contact Hager	1
Mini	TBD		Contact Hager	1
AElement Fusion	TBD		Contact Hager	1
Readers	TBD		Contact Hager	
Marketing Skin - Vertical Market (back skin)				
Assisted Living(mortise)	TBD		Contact Hager	1
Assisted Living (cylindrical)	TBD		Contact Hager	1
Commercial (mortise)	TBD		Contact Hager	1
Commercial (cylindrical)	TBD		Contact Hager	1
Education (mortise)	TBD		Contact Hager	1
Education (cylindrical)	TBD		Contact Hager	1
Multi-Family (mortise)	TBD		Contact Hager	1
Multi-Family (cylindrical)	TBD		Contact Hager	1

Power Supplies

HS4 power supply enclosures are designed specifically for HS4 control units, power supply modules and components.

How to Order Guide

29T HS4 Power Supplies	4 Four Openings	00 (default)	BLK Black	000000 (default)	C 12/24VDC Field Selectable
	X Ten Openings				

Description	Product Name	2025 List	Product Code	Qty.
Power Supply Enclosure Configuration				
4-Door Enclosure	29T4	\$1,785.59	008893	1
Accommodates two HS4 Controllers (CU42E0, CU4200, CU4EB) Sold Separately				

Enclosure Includes:

- 2-679-1162
 - 6A access control power supply sub-assembly
 - converts 120VAC, 60Hz input into a single 12VDC or 24VDC output
- 2-679-0999
 - converts a 24VDC input into a regulated 5VDC or 12VDC selectable output at up to 6A supply current
- 2-679-1000
 - designed to steer the power from either two (2) low voltage AC or DC power sources
- 2-679-0997
 - Designed to be powered by one common power source which will provide power for both the board operation and locking devices, or two (2) totally independent power sources, one (1) providing power for board operation and the other for lock / accessory power

continued on next page

10-Door Enclosure

29TX

\$3,292.68

008888Accommodates five HS4 Controllers (CU42E0, CU4200, CU4EB) *Sold Separately**Enclosure Includes:***2-679-1163**

- 6A access control power supply sub-assembly

- converts 120VAC, 60Hz input into a single 12VDC or 24VDC output

2-679-1164

- 10A access control power supply sub-assembly

- converts 120VAC, 60Hz input into a single 12VDC output

2-679-1000

- designed to steer the power from either two (2) low voltage AC or DC power sources

2-679-0998

- Designed to be powered by one common power source which will provide power for both the board operation and locking devices, or two (2) totally independent power sources, one (1) providing power for board operation and the other for lock / accessory power

Finishes:

Black

Voltage:

12/24 VDC Field Selectable

Optional Battery Backup

Description	Product Name	2025 List	Product Code	Qty.
7 Amp Hour Battery Backup				
12VDC battery for security, access, surveillance and fire applications	2-679-1001	\$74.00	054313	1
12 Amp Hour Battery Backup				
12VDC battery for security, access, surveillance and fire applications	2-679-1002	\$163.68	054310	1

Components

Description	Product Name	2025 List	Product Code	Qty.
12VDC/24VDC Power Supply & Charger				
6A power supply (12VDC or 24VDC output)	2-679-1162	\$914.94	Contact Hager	1
12VDC/24VDC Power Supply & Charger				
10A power supply (12VDC output)	2-679-1163	\$785.04	Contact Hager	1
12VDC/24VDC Power Supply & Charger				
10A power supply (24VDC output)	2-679-1164	\$740.25	Contact Hager	1
Access Power Controller, 4 Fused Relay Outputs, FAI, Board				
Converts one (1) 12 to 24 VAC or VDC input into four (4) independently controlled fuse protected outputs	2-679-0997	\$168.17	100202401	1
Access Power Controller, 8 Fused Relay Outputs, FAI, Board				
Converts one (1) 12 to 24 VAC or VDC input into eight (8) independently controlled fuse protected outputs	2-679-0998	\$227.11	Contact Hager	1

continued on next page

Voltage Regulator					
Converts a 24VDC input into a regulated 5VDC or 12VDC selectable output (6A)	2-679-0999	\$190.01	Contact Hager	1	
Power Distribution Module, 8 Fused Outputs					
Designed to steer the power from either two (2) low voltage AC or DC power sources	2-679-1000	\$127.78	Contact Hager	1	
Dual Input Fused Access Power Controller					
Designed to steer the power from two (2) independent low voltage 12 or 24 VDC power sources into eight (8) independently controlled fuse protected outputs	2-679-1005	\$357.06	Contact Hager	1	
PSU Network Communication Module					
<i>Compatible with 2-679-0994, 2-679-0995, 2-679-0994</i>	2-679-1006	\$342.86	Contact Hager	1	
Enables power supply status monitoring and control of two (2) power supply/chargers over a LAN/WAN or USB connection					
PSU Network Power Distribution Module					
<i>Retrofits with most currently installed multi-output power supply/chargers</i>	2-679-1007	\$547.65	Contact Hager	1	
Facilitates monitoring, reporting and control of one (1) or two (2) low voltage AC or supervised DC power supply/chargers over the network					

KS Specific Control Units

KS control units are used to control KS wall readers

Description	Product Name	2025 List	Product Code	Qty.
Controller				
Please refer to CUC1B0				

KS Specific IQ Hubs

IQ hubs connects up to 16 openings using the desired communication platform.

Description	Product Name	2025 List	Product Code	Qty.
IQ Hubs - BLUEnet				
Ethernet/POE	IQ21W300KS	\$468.00	012062	1
Ethernet/Wi-Fi Dongle	IQ21W2USKS	\$468.00	012045	1
<i>plug-in transformer/power supply included</i>				
IQ Hubs - Ethernet/POE				
Ethernet/POE	IQ22W300KS	\$468.00	085652	1
Ethernet	IQ22W4USKS	\$468.00	092568	1

KS Specific Subscriptions

Necessary for users to receive every system alert notification, entries messaging, and real-time system requests such as blocking and unblocking users, access group changes, and so on. Mobile guest keys allows the system administrator to send access rights to a guest's smartphone.

Initial Subscription Activations

Description	Product Name	2025 List	Product Code	Qty.
Annual Vouchers				
Medium	VOUCHKS-M	\$715.00	092556	1
<i>Users: 1-50</i>				
<i>Mobile Guest Keys: included in the 1-50 user limit</i>				
<i>IQ Hubs: 15</i>				
Large	VOUCHKS-L	\$740.00	085321	1
<i>Users: 51-150</i>				
<i>Mobile Guest Keys: included in the 51-150 user limit</i>				
<i>IQ Hubs: 25</i>				
XLarge	VOUCHKS-XL	\$1,200.00	085322	1
<i>Users: 151-300</i>				
<i>Mobile Guest Keys: included in the 151-300 user limit</i>				
<i>IQ Hubs: 50</i>				
XXLarge	VOUCHKS-XXL	\$2,340.00	085323	1
<i>Users: 300-800</i>				
<i>Mobile Guest Keys: included in the 300-800 user limit</i>				
<i>IQ Hubs: Unlimited</i>				

For systems larger than 800 users, please contact Hager's Access Control department

continued on next page

KS Specific User Access Tags

Available only in 4K

Description	Product Name	2025 List	Product Code	Qty.
KS Only				
White	PFD04KWKS-5	\$144.29	85613	5
Blue	PFD04KBKS-5	\$144.29	85584	5
Green	PFD04KGKS-5	\$144.29	85577	5
Silver	PFD04KSKS-5	\$144.29	85578	5
Red	PFD04KRKS-5	\$144.29	85579	5
Multi-Colored Pack	PFD04KMCKS-5	\$144.29	92557	5
KS & SVN Compatible				
White	PFD04KWSVNKS-5	\$147.67	085510	5
Blue	PFD04KBSVNKS-5	\$147.67	Contact Hager	5
Green	PFD04KGSVNKS-5	\$147.67	Contact Hager	5
Silver	PFD04KSSVNKS-5	\$147.67	085428	5
Red	PFD04KRSVNKS-5	\$147.67	Contact Hager	5
Multi-Colored Pack	PFD04KMCSVNKS-5	\$147.67	085422	5

KS Specific Cards

4K Mifare Smart cards

Description	Product Name	2025 List	Product Code	Qty.
KS Only				
KS Only	PCD04KBKS-5	\$144.29	100492	5
KS + SVN Compatible	PCD04KBSVNKS-5	\$144.29	100493	5
Maintenance Card				
Card used to attach new access points	PCD04KKS0	\$16.74	085412	1

Platform Description	SAN	SVN	RFnet	BLUEnet	KS
	Stand Alone Network where the PPD transfers data between the lock and database.	Salto Virtual Network is a true data on card system where the user credentials are updated at online locks and those updates are passed on to the offline locks by the credential.	Wireless communication using the ZigBee (IEEE 802.15) energy management protocol and allows real-time control, monitoring and reporting. Provides real-time control for Wide Body, AElement, and GEO locks.	Bluetooth communication (4.1) using allows real-time control, monitoring and reporting. Provides real-time control for Mini, AElement, Fusion and NEO locks. Allows users to use their smartphones as their credential.	Cloud based access control system designed to give the administrator control from their smartphone, tablet, or PC and without system network requirements.
Most Commonly Used	where the end user budget is the greatest concern	where controlled access and audit trails are desired	when real-time control of openings such as lockdown and monitoring of these openings.		when the system admin wants to provide remote access to a user
examples	churches that have too many brass keys in circulation	multi-family and assisted living facilities that want to grant differing access rights and capture event history	education facilities, some areas of healthcare facilities, and high security facilities		commonly found in retail and rental properties

Locking Hardware					Environment
Wide Body	•	•		•	Indoor & Outdoor
Mini	•	•		•	Indoor Only
AElement	•	•	•	•	Indoor Only
Fusion	•	•		•	Indoor Only
GEO	•	•	•		Indoor Only
NEO	•	•		•	Indoor & Outdoor
Exit Trim	•	•		•	Indoor & Outdoor
Glass Door Lock	•	•	•		Indoor Only
Locker Lock	•	•		•	Indoor Only

Local Network (Server) - Required Components

Wall Reader		•			
Control Unit		•			
Gateways			•	•	
Nodes			•	•	
PPD	•	•	•	•	
NCoder	•	•	•	•	

Local Network (Server) Software Modules

SPACE-OPT-0021		•			
SPACE-OPT-0033				•	

Cloud - Required Components

Wall Reader					•
Control Unit					•
IQ Hub					•
Voucher					•

Credentials

Card	•	•	•	•	•
Wristband	•	•	•	•	
Key FOB	•	•	•	•	•
Mobile (iOS & Android)				•	•

Infrastructure Design

Users		4 Million			Unlimited
Openings		65,000			Unlimited
Nodes per Gateway & Readers per Control Unit		One primary CU and four auxiliary CU per IP. Each CU controls 2 readers.	One Gateway and six nodes per IP. Each controls 16 openings (112 openings per IP)	BLUEnet - same as RFnet SVN+Flex - 2 flex locks per node and a total of 10 flex locks per gateway	

Notes:

