

## TABLE OF CONTENTS

**A****Accessories, 4500 Series Grade 1**

|                                                             |       |
|-------------------------------------------------------------|-------|
| Alarm Kit .....                                             | 26    |
| Alarm Kit Latchbolt Monitor Switch .....                    | 29    |
| Alarm Kit Tamper Switch.....                                | 29    |
| Concealed Vertical Rod Bottom Latch Assembly.....           | 29    |
| Concealed Vertical Rod Top Latch Assembly.....              | 29    |
| Cylinder Cup Spacer 45PN/47PN.....                          | 28    |
| Cylinder Dogging Conversion Kit .....                       | 24    |
| End Cap Replacement Packs (4500/4600 standard & flush) .... | 26-27 |
| Extension Rod Kit - 24".....                                | 25    |
| Extension Rod Kit - 36".....                                | 25    |
| Hex Key for Dogging.....                                    | 29    |
| Less Bottom Rod Fire Bolt Kit.....                          | 28    |
| Less Bottom Rod Replacement Head Cover Plug .....           | 28    |
| Photoluminescent Push Bar .....                             | 29    |
| Replacement Head Covers .....                               | 25    |
| Rod to Rod Connector .....                                  | 28    |
| Rod Guide Replacement Pack.....                             | 26    |
| Spring Cage/Hanging Pin Replacement Pack.....               | 27    |
| Surface Vertical Rod Top Latch Assembly .....               | 24    |
| Surface Vertical Rod Bottom Latch Assembly .....            | 24    |
| Screwpacks .....                                            | 27-28 |
| Top or Bottom Latch Cover Replacement Pack.....             | 27    |
| Top or Bottom Rod Replacement Kits .....                    | 24    |

**Accessories, 4600 Series Grade 1 Narrow Stile**

|                                                     |    |
|-----------------------------------------------------|----|
| Alarm Kit.....                                      | 37 |
| Alarm Kit Latchbolt Monitor Switch.....             | 37 |
| Alarm Kit Tamper Switch.....                        | 37 |
| Cylinder Dogging Conversion Kit.....                | 37 |
| End Cap Replacement Packs (standard and flush)..... | 39 |
| Hex Key for Dogging.....                            | 39 |
| Rim Replacement Head Cover.....                     | 36 |

**Accessories, 4700 Series Standard Duty**

|                                     |       |
|-------------------------------------|-------|
| Bottom Latch Assembly.....          | 47    |
| Bottom Latch Cover .....            | 49    |
| Cylinder Cup Spacer 45PN/47PN ..... | 28    |
| End Cap Replacement Pack.....       | 50    |
| Extension Rod Kit - 24".....        | 48    |
| Extension Rod Kit - 36".....        | 48    |
| Hex Key for Dogging.....            | 50    |
| Replacement Dogging Plates .....    | 48    |
| Replacement Head Covers.....        | 48    |
| Rod to Rod Connector .....          | 50    |
| Rod Guide Replacement .....         | 50    |
| Screwpacks .....                    | 49-50 |
| Top Latch Assembly.....             | 47    |
| Top Latch Cover.....                | 47    |

|                                        |    |
|----------------------------------------|----|
| Top or Bottom Rod Replacement Kit..... | 47 |
| Trim Hanging Pin.....                  | 47 |

**C****Cylinders**

|                                 |    |
|---------------------------------|----|
| Cylinder Collar, 4500 Trim..... | 53 |
| Cylinder Collar, 4700 Trim..... | 53 |
| Mortise.....                    | 52 |
| Retaining Cup.....              | 53 |
| Rim.....                        | 52 |

**E****Exit Devices, Grade 1**

|                                                                           |     |
|---------------------------------------------------------------------------|-----|
| How to Order .....                                                        | 6   |
| 4500 Rim Device .....                                                     | 9   |
| 4500 Mortise Lock Exit Device.....                                        | 13  |
| 4500 Concealed Vertical Rod Device .....                                  | 11  |
| 4500 Concealed Vertical Rod Device Less Bottom Rod .....                  | 12  |
| 4500 Dummy Push Pad Device.....                                           | 13  |
| 4500 Surface Vertical Rod Device.....                                     | 10  |
| 4500 Surface Vertical Rod Device Less Bottom Rod.....                     | 9   |
| 4500 Electric Modifications, Power Supplies, and Alarmed<br>Devices ..... | 4-5 |

**Exit Devices, Grade 1 Narrow Stile**

|                                                                           |     |
|---------------------------------------------------------------------------|-----|
| How to Order .....                                                        | 7   |
| 4600 Narrow Stile Rim Device.....                                         | 30  |
| 4600 Concealed Vertical Rod Device .....                                  | 30  |
| 4600 Concealed Vertical Rod Device Less Bottom Rod .....                  | 32  |
| 4600 Electric Modifications, Power Supplies, and Alarmed<br>Devices ..... | 4-5 |
| 4500/4600 Dummy Push Pad Device .....                                     | 13  |

**Exit Devices, Standard Duty**

|                                       |    |
|---------------------------------------|----|
| How to Order .....                    | 8  |
| 4700 Rim Device .....                 | 41 |
| 4700 Surface Vertical Rod Device..... | 41 |

**M****Mullions**

|                                                   |    |
|---------------------------------------------------|----|
| Mullion Set - Keyed Removable.....                | 51 |
| Mullion Set - Non-Keyed Removable .....           | 50 |
| Mullion Tube - Keyed Removable .....              | 48 |
| Mullion Tube - Non-Keyed Removable .....          | 51 |
| Stabilizer - Non-Keyed & Keyed Removable .....    | 51 |
| Stabilizer - Non-Keyed & Keyed Removable .....    | 51 |
| Top/Bottom Bracket Set - Keyed Removable.....     | 51 |
| Top/Bottom Bracket Set - Non-Keyed Removable..... | 50 |



## Exit Devices

### S

#### Shim Kit, 4500 Series Grade 1

|                                      |    |
|--------------------------------------|----|
| Shim Kit, Rim Device .....           | 24 |
| Shim Kit, Surface Vertical Rod ..... | 25 |

#### Shim Kit, 4600 Series Grade 1 Narrow Stile

|                                         |    |
|-----------------------------------------|----|
| Shim Kit, Narrow Stile Rim Device ..... | 38 |
|-----------------------------------------|----|

#### Shim Kit, 4700 Series Standard Duty

|                                      |    |
|--------------------------------------|----|
| Shim Kit, Rim Device .....           | 47 |
| Shim Kit, Surface Vertical Rod ..... | 47 |

#### Strikes, 4500 Series Grade 1

|                                                       |    |
|-------------------------------------------------------|----|
| Concealed Vertical Rod, Top Strike, Fire Rated .....  | 26 |
| Concealed Vertical Rod, Top Strike, Standard .....    | 26 |
| Double Door Strike, Standard .....                    | 23 |
| Mortise Device, Fire Rated .....                      | 29 |
| Mortise Device, Standard .....                        | 29 |
| Mullion, Strikes .....                                | 51 |
| Rim Device, Fire Rated .....                          | 23 |
| Rim Device, Standard .....                            | 23 |
| Surface Vertical Rod, Bottom Strike, Fire Rated ..... | 23 |
| Surface Vertical Rod, Bottom Strike, Standard .....   | 23 |
| Surface Vertical Rod, Top Strike, Fire Rated .....    | 23 |
| Surface Vertical Rod, Top Strike, Standard .....      | 23 |
| Threshold Strike, Standard .....                      | 23 |

#### Strikes, 4600 Series Grade 1 Narrow Stile

|                        |    |
|------------------------|----|
| Blade Stop .....       | 38 |
| Rim, Fire Rated .....  | 38 |
| Rim, Standard .....    | 38 |
| Semi-Flush Mount ..... | 38 |
| Single Rabbet .....    | 38 |

#### Strikes, 4700 Series Standard Duty

|                                                     |    |
|-----------------------------------------------------|----|
| Double Door Strike, Standard .....                  | 47 |
| Mullion, Strikes .....                              | 51 |
| Rim Device, Standard .....                          | 47 |
| Surface Vertical Rod, Bottom Strike, Standard ..... | 47 |
| Surface Vertical Rod, Top Strike, Standard .....    | 47 |
| Threshold Strike, Standard .....                    | 47 |

### T

#### Trim, 4500 Series Grade 1

|                                         |       |
|-----------------------------------------|-------|
| Anti-Vandal Pull .....                  | 23    |
| Blank Escutcheon .....                  | 14-15 |
| Blank Escutcheon, Mortise (MB) .....    | 15    |
| Cylinder Escutcheon .....               | 16-17 |
| Cylinder Escutcheon, Mortise (MC) ..... | 17    |
| Dummy Trim .....                        | 18    |
| Dummy Trim, Mortise (MD) .....          | 19    |
| Night Latch .....                       | 20-21 |
| Night Latch, Mortise (MN) .....         | 21    |
| Pull Plate Trim .....                   | 22    |

#### Trim, 4600 Series Grade 1 Narrow Stile

|                           |    |
|---------------------------|----|
| Blank Escutcheon .....    | 33 |
| Cylinder Escutcheon ..... | 34 |
| Dummy Trim .....          | 35 |
| Night Latch .....         | 36 |

#### Trim, 4700 Series Standard Duty

|                                |    |
|--------------------------------|----|
| Blank Escutcheon .....         | 42 |
| Cylinder Escutcheon .....      | 42 |
| Dummy Trim .....               | 43 |
| Key-In-Lever Trim .....        | 44 |
| Night Latch .....              | 43 |
| Pull Plate Trim .....          | 46 |
| Raised Lip - Dummy .....       | 46 |
| Raised Lip - Night Latch ..... | 46 |



### **INTRODUCTION**

Every model in Hager's line of exit devices is designed and engineered to assure you and your customers years of superior performance. Hager exit devices use fewer moving parts and are constructed with high-quality features.

Hager exit devices were designed with ease of installation in mind. We package our exit devices for convenience and versatility, with thru-bolts included for every model, slotted strikes, and non-handed designs. Hager offers escutcheon trim available in four functions, along with many other trim options.

### **Cancellation Notification**

Cancellation for made-to-order items must be communicated within 48 hours of order placement.



## Exit Devices

### ELECTRIC MODIFICATIONS - For use with 4500 Series and 4600 Series exit devices

| FUNCTION                                                                             | FUNCTION # | DESCRIPTION                                                                                                                                                                                                                                                                                                                                 | ADD TO LIST PRICE |
|--------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Request to Exit                                                                      | RX         | Used to shunt an alarm, activate an alarm, provide release of magnetic locks, or signal a console.                                                                                                                                                                                                                                          | \$383.12          |
| Dual Request to Exit                                                                 | RX2        | Features two SPDT switches                                                                                                                                                                                                                                                                                                                  | \$460.00          |
| Latchbolt Monitoring                                                                 | LM         | An internal SPDT switch that monitors the latchbolt to signal both egress and access of an opening                                                                                                                                                                                                                                          | \$383.12          |
| Latchbolt Monitoring/Request to Exit                                                 | RXLM       | Two internal SPDT switches that monitor the latchbolt and the pushbar simultaneously                                                                                                                                                                                                                                                        | \$475.36          |
| Electric Trim*                                                                       | ET*        | Provides the means of locking or unlocking outside lever trim controls remotely. Trim works with both 12V or 24V and is field selectable between Fail Safe and Fail Secure.                                                                                                                                                                 | \$706.04          |
| Authorized Ingress/Key Monitoring*                                                   | AI*        | An internal SPDT switch that monitors the operation of the outside trim. Must be ordered with the device.                                                                                                                                                                                                                                   | \$398.48          |
| Request to Exit/Authorized Ingress*                                                  | RXAI*      | Two internal SPDT switches that monitors the pushbar and outside trim simultaneously. Must be ordered with the device.                                                                                                                                                                                                                      | \$475.36          |
| Delayed Egress                                                                       | DE         | Delays egress for 15 or 30 seconds when unauthorized egress is initiated. Wall mount controller (2-679-0630) provides digital countdown display with verbal instructions or alarm tone only and must be ordered separately, list price \$1,011.20. Requires 3902 Mortise Cylinder, 1-1/8" long. Longer cylinders can be used with a collar. | \$1,678.27        |
| Onboard Delayed Egress                                                               | OBDE       | Delays egress for 15 or 30 seconds when unauthorized egress is initiated. Required 3902 Mortise Cylinder, 1-1/8" long. Longer cylinders can be used with a collar.                                                                                                                                                                          | \$3,767.65        |
| Motor Driven Electric Latch Retraction                                               | MLR        | Provides the means of locking or unlocking exit devices remotely using an electric motor. Recommend Hager 2903 or 2904 Power Supply.                                                                                                                                                                                                        | \$1,437.95        |
| Motor Driven Electric Latch Retraction with Request to Exit                          | MLRX       | Provides the means of locking or unlocking exit devices remotely using an electric motor, along with an SPDT switch. Recommend Hager 2903 or 2904 Power Supply.                                                                                                                                                                             | \$1,952.50        |
| Motor Driven Electric Latch Retraction with Request to Exit and Latchbolt Monitoring | MLRXLM     | Provides the means of locking or unlocking exit devices remotely using an electric motor, along with two internal SPDT switches that monitor the pushbar and latchbolt simultaneously. Recommend Hager 2903 or 2904 Power Supply.                                                                                                           | \$1,952.50        |
| Motor Driven Electric Latch Retraction with Latchbolt Monitoring                     | MLRLM      | Provides the means of locking or unlocking exit devices remotely using an electric motor along with an internal SPDT switch that monitors the latchbolt. Recommend Hager 2903 or 2904 Power Supply.                                                                                                                                         | \$1,550.81        |
| Electrified Mortise Exit Device                                                      | ELEU       | Provides the means of locking or unlocking outside lever trim controls remotely. . Field selectable between Fail Safe (EL) or Fail Secure (EU). Works with both 12V and 24V.                                                                                                                                                                | \$706.04          |

\*Available on 4500 Series only.



## POWER SUPPLIES

| PRODUCT # | DESCRIPTION                                                                                                                                                       | LIST PRICE                                 |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| 2903      | Provides 24 Volt DC power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls | Reference Electrified Products for Pricing |
| 2904      | Provides 24 Volt DC power and control for openings with an electrified locking device and automatic door operator                                                 | Reference Electrified Products for Pricing |
| 2908      | Provides up to 1 amp of 12 or 24 Volt DC power.                                                                                                                   | Reference Electrified Products for Pricing |
| 2909      | Provides up to 2 amps of 12 or 24 Volt DC power.                                                                                                                  | Reference Electrified Products for Pricing |

## QUICK CONNECT

Available for use with 4500 and 4600 Series Electrifications ED, LM, MLR, RX and AI (4500 only). Compatible with Hager Quick Connect Harness Cables which can plug into Hager hinges with quick connect for quick and accurate wiring of the door. No additional charge.

## ALARMED DEVICES

### 4501/4601 ALK - Alarm Kit

Add \$444.63 to the list price of the device

### 4501/4601 ALM - ALK with Latch Monitor Switch (recommended for use with SVR devices)

Add \$597.01 to the list price of the device

### 4501/4601 ALT - ALK with Tamper Switch

Add \$597.01 to the list price of the device

### 4501/4601 ALL - ALK with Latch Monitor and Tamper Switch

Add \$749.38 to the list price of the device

Note: Alarm kit components may be purchased separately.



## Exit Devices

### 4500 SERIES HOW TO ORDER

| 4501                 | RIM                                                          | FR                                         | 36"                          | US3           | 1-3/4"                | ALK                                                                                                  |
|----------------------|--------------------------------------------------------------|--------------------------------------------|------------------------------|---------------|-----------------------|------------------------------------------------------------------------------------------------------|
|                      | <b>Type</b>                                                  |                                            |                              | <b>Finish</b> |                       | <b>Electric Modifications</b>                                                                        |
|                      | RIM - Rim Device                                             |                                            |                              | US3           |                       | AI - Authorized Ingress <sup>3</sup>                                                                 |
|                      | SVR - Surface Vertical Rod                                   |                                            |                              | US4           |                       | ALK - Alarm Kit                                                                                      |
|                      | LBR - Surface Vertical Rod<br>Less Bottom Rod <sup>1</sup>   |                                            |                              | US10B         |                       | ALL - Alarm Kit w/ Tamper Switch and Latch Monitor                                                   |
|                      | CVR - Concealed Vertical Rod                                 |                                            |                              | US26          |                       | ALM - Alarm Kit w/ Latch Monitor                                                                     |
|                      | CLB - Concealed Vertical Rod<br>Less Bottom Rod <sup>1</sup> |                                            |                              | US26D         |                       | ALT - Alarm Kit w/ Tamper Switch                                                                     |
|                      | DMY - Dummy Push Pad                                         |                                            | <b>Door Size<sup>2</sup></b> | US32D         |                       | DE - Delayed Egress                                                                                  |
|                      | MRT - Mortise Device (MC, MB, MD)                            |                                            | 36"                          | BLK           |                       | OBDE - Onboarded Delayed Egress                                                                      |
|                      | MRTN - Mortise Night Latch Device (MN)                       |                                            | 48"                          |               |                       | LM - Latchbolt Monitor <sup>3</sup>                                                                  |
| <b>Product Group</b> |                                                              | <b>Rating</b>                              | 36" x 84"                    |               | <b>Door Thickness</b> | RX - Request to Exit                                                                                 |
| 4500 Series, Grade 1 |                                                              | FR - Fire-Rated                            | 36" x 96"                    |               | 1-5/8"                | RX2 - Dual Request to Exit                                                                           |
|                      |                                                              | O - Non-Fire Rated                         | 48" x 84"                    |               | 1-3/4"                | RXAI - Request to Exit w/ Authorized Ingress <sup>3</sup>                                            |
|                      |                                                              | CD - Cylinder Dogging                      | 48" x 96"                    |               | 2"                    | RXLM - Request to Exit w/ Latchbolt Monitor <sup>3</sup>                                             |
|                      |                                                              | CDW - Cylinder Dogging and Windstorm Rated |                              |               | 2-1/2"                | MLR - Motor Driven Electric Latch Retraction                                                         |
|                      |                                                              | LD - Less Dogging                          |                              |               | 3"                    | MLRX - Motor Driven Electric Latch Retraction w/ Request to Exit                                     |
|                      |                                                              | WR - Windstorm Rated                       |                              |               |                       | MLRLM - Motor Driven Electric Latch Retraction w/Latchbolt Monitoring <sup>3</sup>                   |
|                      |                                                              | FW - Windstorm and Fire-Rated              |                              |               |                       | MLRXL - Motor Driven Electric Latch Retraction w/Request to Exit & Latchbolt Monitoring <sup>3</sup> |
|                      |                                                              |                                            |                              |               |                       | ELEU - Fail Secure/Fail Safe, 12/24 Volt <sup>6</sup>                                                |

### 4500 SERIES TRIM

| 45                        | CE                                                    | ARC                         | US3                          | 1-3/4"                | TW                       |
|---------------------------|-------------------------------------------------------|-----------------------------|------------------------------|-----------------------|--------------------------|
| <b>Product Group</b>      | <b>Trim/Function</b>                                  | <b>Lever Style</b>          | <b>Finish</b>                | <b>Door Thickness</b> | <b>Options</b>           |
| 45 - 4500 Series, Grade 1 |                                                       | ARC - Archer                | US3                          | 1-5/8"                | TW - Tactile Warning     |
| BE -                      | Blank Escutcheon                                      | AUG - August                | US4                          | 1-3/4"                | A- Antimicrobial Coating |
|                           | Function 14, always operable                          | WLM- William                | US10B                        | 2"                    | (US26D and US32D only)   |
| CE -                      | Cylinder Escutcheon                                   | WTN - Withnell              | US26                         | 2-1/2"                |                          |
|                           | Function 08, key locks/unlocks                        | CHA - Charles               | US26D                        | 3"                    |                          |
| DT -                      | Dummy Trim                                            | JHN - Johnston <sup>5</sup> | US32D (pull plate trim only) |                       |                          |
|                           | Function 02, pull when dogged down                    | JOS - Joshua                | BLK                          |                       |                          |
| ET -                      | Electric Escutcheon Trim (E05/E06)                    | LOU - Louis                 |                              |                       |                          |
| NL -                      | Night Latch (1-3/4" to 2-1/2" doors)                  | WRN - Warren <sup>5</sup>   |                              |                       |                          |
|                           | Function 03, key retracts latchbolt                   |                             |                              |                       |                          |
| PD -                      | Pull Plate Dummy Trim (Not available for CVR device)  |                             |                              |                       |                          |
|                           | Function 02, pull when dogged down                    |                             |                              |                       |                          |
| PN -                      | Pull Plate Night Latch (Not available for CVR device) |                             |                              |                       |                          |
|                           | Function 03, key retracts latchbolt                   |                             |                              |                       |                          |
| PT -                      | Thumbpiece Entrance (Not available for CVR device)    |                             |                              |                       |                          |
|                           | Function 05, key locks or unlocks thumbpiece          |                             |                              |                       |                          |
| MB -                      | Mortise Blank Escutcheon <sup>4</sup>                 |                             |                              |                       |                          |
|                           | Function 14, always operable                          |                             |                              |                       |                          |
| MC -                      | Mortise Cylinder Escutcheon <sup>4</sup>              |                             |                              |                       |                          |
|                           | Function 08, key locks/unlocks                        |                             |                              |                       |                          |
| MD -                      | Mortise Dummy Trim <sup>4</sup>                       |                             |                              |                       |                          |
|                           | Function 02, pull when dogged down                    |                             |                              |                       |                          |
| MN -                      | Mortise Night Latch <sup>4</sup>                      |                             |                              |                       |                          |
|                           | Function 03, key retracts latchbolt                   |                             |                              |                       |                          |

<sup>1</sup>Fire-rated LBR and CLB devices must be ordered in pairs of vertical rod devices or can be used in conjunction with an approved automatic or constant latching flush bolt. When ordering pairs, specify one device LBR and second device LBR with fire bolt, for example: 4501 LBR Fire 36" x 84" plus 4501 LBR Fire 36" x 84" EO with bolt OR 4501 LBR Fire 36" x 84" plus an approved automatic constant latching flush bolt.

<sup>2</sup>24" door size available with extended lead times. Add \$506.16 to 36" list price. For additional information contact Hager customer service.

<sup>3</sup>Not available on Mortise Exit Devices.

<sup>4</sup>Mortise trim does not match centerline of other 4500 Series trim. Cannot be used with 4500 Series Rim or Vertical Rod devices.

<sup>5</sup>Johnston and Warren lever designs are handed. Specify LHR/RH or RHR/LH when ordering.

<sup>6</sup>Only applicable to 4501 MRTN devices.

Notes:

- Mortise cylinder 3902 is required for use with cylinder escutcheon trim and pull plate with thumbpiece trim and is sold separately.
- Rim cylinder with long tailpiece 3901 is required for use with night latch trim and is sold separately.
- For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
- If using shim kit, specify total door thickness including shims.
- ET Trim and EU/EL work with both 12V or 24V and are field-selectable between Fail Safe (EL) or Fail Secure (EU).



## 4600 SERIES HOW TO ORDER

| 4601                                         | RIM                                                                                                                       | FR                                                                                                                | 36"                       | US3                                                                                | 1-3/4"                                                                                                              | MLR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Group</b><br>4600 Series, Grade 1 | <b>Type</b><br>RIM - Rim Device<br>CVR - Concealed Vertical Rod Device<br>CLB - Concealed Vertical Rod<br>Less Bottom Rod | <b>Rating</b><br>FR - Fire Rated <sup>6</sup><br>O - Non-Fire Rated<br>CD - Cylinder Dogging<br>LD - Less Dogging | <b>Size</b><br>36"<br>48" | <b>Finish</b><br>US3<br>US4<br>US10B<br>US26<br>US26D<br>US32D<br>BLK <sup>1</sup> | <b>Door Thickness</b><br>1-5/8" <sup>6</sup><br>1-3/4"<br>2" <sup>6</sup><br>2-1/2" <sup>6</sup><br>3" <sup>6</sup> | <b>Electric Modifications</b><br>ALK - Alarm Kit*<br>ALL - Alarm Kit w/ Tamper Switch and Latch Monitor*<br>ALM - Alarm Kit w/ Latch Monitor*<br>ALT - Alarm Kit w/ Tamper Switch*<br>DE - Delayed Egress<br>LM - Latchbolt Monitor*<br>RX - Request to Exit<br>RX2 - Dual Request to Exit<br>RXLM - Request to Exit w/ Latchbolt Monitor*<br>MLR - Motor Driven Electric Latch Retraction<br>MLRX - Motor Driven Electric Latch Retraction w/ Request to Exit<br>MLRLM - Motor Driven Latch Retraction with Latchbolt Monitoring<br>MLRXLM - Motor Driven Electric Latch Retraction with Request to Exit and Latchbolt Monitoring* |

## 4600 SERIES TRIM

| 46                                                                                                                                                                                                                                                                                                                        | CE                                                                               | ARC                                                                                   | US3                                                          | 1-3/4"                                                          | TW                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------|
| <b>Trim/Function</b><br>BE - Blank Escutcheon<br>Function 14, always operable<br>CE - Cylinder Escutcheon <sup>2</sup><br>Function 08, key locks/unlocks lever<br>DT - Dummy Trim<br>Function 02, pull when dogged down<br>NL - Night Latch <sup>3</sup> (1-3/4" thick doors only)<br>Function 03, key retracts latchbolt | <b>Options</b><br>TW - Tactile Warning<br>A - Antimicrobial Coating (US26D only) | <b>Lever Style</b><br>ARC - Archer<br>AUG - August<br>WLM - William<br>WTN - Withnell | <b>Finish</b><br>US3<br>US4<br>US10B<br>US26<br>US26D<br>BLK | <b>Door Thickness</b><br>1-5/8"<br>1-3/4"<br>2"<br>2-1/2"<br>3" | <b>Product Group</b><br>46 - 4600 Series, Grade 1 |

## Notes:

1. Mortise cylinder 3902 with 3976 L cam is required for use with cylinder escutcheon trim is sold separately.
2. Rim cylinder 3901 with long tailpiece is required for use with night latch trim and is sold separately.
3. For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
4. If using shim kit, specify total door thickness including shims.
5. Not available on 4600 CVR or CLB\*



## Exit Devices

### 4700 SERIES HOW TO ORDER

| 4701                       | RIM                        | FR                 | 36"         | US3           | 2"                    |
|----------------------------|----------------------------|--------------------|-------------|---------------|-----------------------|
| <b>Product Group</b>       | <b>Type</b>                |                    | <b>Size</b> | <b>Finish</b> | <b>Door Thickness</b> |
|                            | RIM - Rim Device           |                    |             |               |                       |
| 4700 Series, Standard Duty | SVR - Surface Vertical Rod |                    | 36"         | US3           | 1-5/8"                |
|                            |                            |                    | 48"         | US32D         | 1-3/4"                |
|                            |                            | <b>Rating</b>      | 36" x 84"   | ALM           | 2"                    |
|                            |                            |                    | 36" x 96"   | DBZ           | 2-1/4"                |
|                            |                            | FR - Fire Rated    | 48" x 84"   |               |                       |
|                            |                            | 0 - Non-Fire Rated | 48" x 96"   |               |                       |


### 4700 SERIES TRIM

| 47                              | CE                                                                                                           | RH                      | ARC                | US3           | 2"                    | TW                        |
|---------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|---------------|-----------------------|---------------------------|
| <b>Product Group</b>            | <b>Trim/Function</b>                                                                                         |                         | <b>Lever Style</b> | <b>Finish</b> | <b>Door Thickness</b> | <b>Options</b>            |
|                                 | CE - Cylinder Escutcheon                                                                                     |                         |                    |               |                       |                           |
| 47 - 4700 Series, Standard Duty | Function 08, key locks/unlocks                                                                               |                         | ARC - Archer       | US3           | 1-5/8"                | TW - Tactile Warning      |
|                                 | BE - Blank Escutcheon                                                                                        |                         | AUG - August       | US32D         | 1-3/4"                | A - Antimicrobial Coating |
|                                 | Function 14, always operable                                                                                 | RH - Right Handed / LHR | WTN - Withnell     | ALM           | 2"                    |                           |
|                                 | NL - Night Latch                                                                                             | LH - Left Handed / RHR  | APL - Apollo knob  | DBZ           | 2-1/4"                |                           |
|                                 | Function 03, key retracts latchbolt                                                                          |                         |                    |               |                       |                           |
|                                 | DT - Dummy Trim                                                                                              |                         |                    |               |                       |                           |
|                                 | Function 02, pull when dogged down                                                                           |                         |                    |               |                       |                           |
|                                 | KD- Key in Lever - Dummy Trim                                                                                |                         |                    |               |                       |                           |
|                                 | Function 02, entrance by trim when actuating bar is locked down                                              |                         |                    |               |                       |                           |
|                                 | KE- Key in Lever - Entrance                                                                                  |                         |                    |               |                       |                           |
|                                 | Function 08, entrance by trim (key locks or unlocks trim)                                                    |                         |                    |               |                       |                           |
|                                 | KN- Key in Lever - Night Latch                                                                               |                         |                    |               |                       |                           |
|                                 | Function 03, entrance by trim when latch bolt is released by key; removable when locked                      |                         |                    |               |                       |                           |
|                                 | KP- Key in Lever - Passage                                                                                   |                         |                    |               |                       |                           |
|                                 | Function 14, entrance by trim when latch bolt is released by lever; always active; no cylinder               |                         |                    |               |                       |                           |
|                                 | PD- Pull Plate Dummy Trim                                                                                    |                         |                    |               |                       |                           |
|                                 | Function 02, pull when dogged down                                                                           |                         |                    |               |                       |                           |
|                                 | PN- Pull Plate Night Latch                                                                                   |                         |                    |               |                       |                           |
|                                 | Function 03, key retracts latchbolt                                                                          |                         |                    |               |                       |                           |
|                                 | RD- Raised Lip Pull - Dummy Trim                                                                             |                         |                    |               |                       |                           |
|                                 | Function 02, pull when dogged down                                                                           |                         |                    |               |                       |                           |
|                                 | RN- Raised Lip Pull - Night Latch                                                                            |                         |                    |               |                       |                           |
|                                 | Function 03, key retracts latches                                                                            |                         |                    |               |                       |                           |
|                                 | BT- Thumbpiece Pull Plate, Passage                                                                           |                         |                    |               |                       |                           |
|                                 | Function 15, entrance by trim when latch is released by thumbpiece. Thumbpiece is always active; no cylinder |                         |                    |               |                       |                           |
|                                 | PT- Thumbpiece Pull Plate, Entrance                                                                          |                         |                    |               |                       |                           |
|                                 | Function 05, entrance by thumbpiece. Key locks or unlocks thumb piece                                        |                         |                    |               |                       |                           |

#### Notes:

1. Handing is required for the 4700 Series trim.
2. Cylinders sold separately.
3. For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
4. Maximum door thickness compatibility for key-in-lever (Entrance, Night Latch, and Passage) trim is 1-3/4" (44 mm)



**4501 RIM**

Grade 1

Non-Handed

Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately.


Severe Windstorm Rated device, add \$69.02 to list price and specify WR.

Refer to page 4 & 5 for electric modification pricing.

Anti-microbial coating - add \$59.73 to list price.

Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price.

| Description  | Length                 | Finish | List     | List Fire Rated | Case Qty. |
|--------------|------------------------|--------|----------|-----------------|-----------|
| 4501 RIM     | 36"<br>Exit Only       | US3    | 1,314.12 | 1,500.81        | 3         |
|              |                        | US4    | 1,314.12 | 1,500.81        |           |
|              |                        | US10B  | 1,314.12 | 1,500.81        |           |
|              |                        | US26   | 1,314.12 | 1,500.81        |           |
|              |                        | US26D  | 1,268.74 | 1,500.81        |           |
|              |                        | US32D  | 1,314.12 | 1,500.81        |           |
|              |                        | BLK    | 1,314.12 | 1,500.81        |           |
|              |                        | US3    | 1,361.05 | 1,558.82        |           |
|              |                        | US4    | 1,361.05 | 1,558.82        |           |
|              |                        | US10B  | 1,361.05 | 1,558.82        |           |
| 4501 RIM     | 48"<br>Exit Only       | US26   | 1,361.05 | 1,558.82        | 3         |
|              |                        | US26D  | 1,328.05 | 1,509.84        |           |
|              |                        | US32D  | 1,558.82 | 1,558.82        |           |
|              |                        | BLK    | 1,361.05 | 1,558.82        |           |
|              |                        | US3    | 1,936.23 | 2,098.46        |           |
|              |                        | US4    | 1,936.23 | 2,098.46        |           |
|              |                        | US10B  | 1,936.23 | 2,098.46        |           |
|              |                        | US26   | 1,936.23 | 2,098.46        |           |
|              |                        | US26D  | 1,788.08 | 1,962.17        |           |
|              |                        | US32D  | 1,936.23 | 2,098.46        |           |
| 4501 SVR LBR | 36" x 84"<br>Exit Only | BLK    | 1,936.23 | 2,098.46        | 3         |
|              |                        | US3    | 2,008.25 | 2,192.83        |           |
|              |                        | US4    | 2,008.25 | 2,192.83        |           |
|              |                        | US10B  | 2,008.25 | 2,192.83        |           |
|              |                        | US26   | 2,008.25 | 2,192.83        |           |
|              |                        | US26D  | 1,903.39 | 2,075.41        |           |
|              |                        | US32D  | 2,008.25 | 2,192.83        |           |
|              |                        | US3    | 2,075.41 | 2,251.55        |           |
|              |                        | US4    | 2,075.41 | 2,251.55        |           |
|              |                        | US10B  | 2,075.41 | 2,251.55        |           |
| 4501 SVR LBR | 48" x 84"<br>Exit Only | US26   | 2,075.41 | 2,251.55        | 3         |
|              |                        | US26D  | 1,962.16 | 2,251.55        |           |
|              |                        | US32D  | 2,075.41 | 2,251.55        |           |
|              |                        | US3    | 2,112.42 | 2,285.72        |           |
|              |                        | US4    | 2,112.42 | 2,285.72        |           |
|              |                        | US10B  | 2,112.42 | 2,285.72        |           |
|              |                        | US26   | 2,112.42 | 2,285.72        |           |
|              |                        | US26D  | 2,075.41 | 2,192.83        |           |
|              |                        | US32D  | 2,112.42 | 2,285.72        |           |
|              |                        | US3    | 2,112.42 | 2,285.72        |           |

**4501 SVR LBR**

Grade 1

Non-Handed

Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately.

Fire rated LBR devices must be ordered in pairs of less bottom rod vertical rod devices and with a spring loaded fire latch (Part # 2-649-0166 - add \$64.47 to list price) to ensure the device's fire rating.


Refer to page 4 for electric modification.

Refer to page 29 for extension rod kits for doors over 8 feet in height. Note that these are not fire rated for the LBR.

Anti-microbial coating - add \$59.73 to list price.




## Exit Devices - 4500



| Description                                                                                                                                                                                 | Length     | Finish | List     | List Fire Rated | Case Qty. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|----------|-----------------|-----------|
| <b>4501 SVR</b>                                                                                                                                                                             |            | US3    | 1,936.23 | 2,098.46        | 3         |
| Grade 1                                                                                                                                                                                     |            |        |          |                 |           |
| Non-Handed                                                                                                                                                                                  | 36" x 84"  |        |          |                 |           |
| Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required. | Exit Only  | US4    | 1,936.23 | 2,098.46        |           |
| Severe Windstorm Rated device, add \$69.02 to list price and specify WR.                                                                                                                    |            | US10B  | 1,936.23 | 2,098.46        |           |
| Refer to page 4 for electric modification.                                                                                                                                                  |            | US26   | 1,936.23 | 2,098.46        |           |
| Refer to page 29 for extension rod kits for doors over 8 feet in height.                                                                                                                    |            | US26D  | 1,862.96 | 1,962.17        |           |
| Anti-microbial coating - add \$59.73 to list price.                                                                                                                                         |            | US32D  | 1,936.23 | 2,098.46        |           |
| Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price                                                                                                                       |            | BLK    | 1,936.23 | 2,098.46        |           |
|                                                                                                                                                                                             |            | US3    | 2,008.25 | 2,192.83        | 3         |
|                                                                                                                                                                                             | 36" x 96"  |        |          |                 |           |
|                                                                                                                                                                                             | Exit Only  | US4    | 2,008.25 | 2,192.83        |           |
|                                                                                                                                                                                             |            | US10B  | 2,008.25 | 2,192.83        |           |
|                                                                                                                                                                                             |            | US26   | 2,008.25 | 2,192.83        |           |
|                                                                                                                                                                                             |            | US26D  | 1,903.39 | 2,075.41        |           |
|                                                                                                                                                                                             |            | US32D  | 2,008.25 | 2,192.83        |           |
|                                                                                                                                                                                             |            | US3    |          | 2,301.16        | 3         |
|                                                                                                                                                                                             | 36" x 120" |        |          |                 |           |
|                                                                                                                                                                                             | Exit Only  | US4    |          | 2,301.16        |           |
|                                                                                                                                                                                             |            | US26   |          | 2,301.16        |           |
|                                                                                                                                                                                             |            | US26D  |          | 2,143.16        |           |
|                                                                                                                                                                                             |            | US32D  |          | 2,301.16        |           |
|                                                                                                                                                                                             |            | US3    | 2,075.41 | 2,251.55        | 3         |
|                                                                                                                                                                                             | 48" x 84"  |        |          |                 |           |
|                                                                                                                                                                                             | Exit Only  | US4    | 2,075.41 | 2,251.55        |           |
|                                                                                                                                                                                             |            | US10B  | 2,075.41 | 2,251.55        |           |
|                                                                                                                                                                                             |            | US26   | 2,075.41 | 2,251.55        |           |
|                                                                                                                                                                                             |            | US26D  | 1,962.16 | 2,192.83        |           |
|                                                                                                                                                                                             |            | US32D  | 2,075.41 | 2,251.55        |           |
|                                                                                                                                                                                             |            | US3    | 2,112.42 | 2,285.72        | 3         |
|                                                                                                                                                                                             | 48" x 96"  |        |          |                 |           |
|                                                                                                                                                                                             | Exit Only  | US4    | 2,112.42 | 2,285.72        |           |
|                                                                                                                                                                                             |            | US10B  | 2,112.42 | 2,285.72        |           |
|                                                                                                                                                                                             |            | US26   | 2,112.42 | 2,285.72        |           |
|                                                                                                                                                                                             |            | US26D  | 2,075.41 | 2,232.83        |           |
|                                                                                                                                                                                             |            | US32D  | 2,112.42 | 2,285.72        |           |
|                                                                                                                                                                                             |            | US3    |          | 2,398.34        | 3         |
|                                                                                                                                                                                             | 48" x 120" |        |          |                 |           |
|                                                                                                                                                                                             | Exit Only  | US4    |          | 2,398.34        |           |
|                                                                                                                                                                                             |            | US10B  |          | 2,398.34        |           |
|                                                                                                                                                                                             |            | US26   |          | 2,398.34        |           |
|                                                                                                                                                                                             |            | US26D  |          | 2,251.55        |           |
|                                                                                                                                                                                             |            | US32D  |          | 2,398.34        |           |





| Description                                                                                                                   | Length                 | Finish | List     | List Fire Rated | Case Qty. |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------|--------|----------|-----------------|-----------|
| <b>4501 CVR</b>                                                                                                               |                        | US3    | 2,434.01 | 2,727.55        | 3         |
| Grade 1 - for wood or metal doors                                                                                             |                        | US4    | 2,434.01 | 2,727.55        |           |
| Non-Handed                                                                                                                    |                        | US10B  | 2,434.01 | 2,727.55        |           |
| Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately. | 36" x 84"<br>Exit Only | US26   | 2,434.01 | 2,727.55        |           |
|                                                                                                                               |                        | US26D  | 2,434.01 | 2,727.55        |           |
|                                                                                                                               |                        | US32D  | 2,434.01 | 2,727.55        |           |
|                                                                                                                               |                        |        |          |                 |           |
| Refer to page 4 for electric modification pricing.                                                                            |                        | US3    | 2,485.67 | 2,779.28        | 3         |
|                                                                                                                               |                        | US4    | 2,485.67 | 2,779.28        |           |
| Refer to page 29 for extension rod kits for doors over 8 feet in height.                                                      |                        | US10B  | 2,485.67 | 2,779.28        |           |
|                                                                                                                               | 36" x 96"<br>Exit Only | US26   | 2,485.67 | 2,779.28        |           |
| Anti-microbial coating - add \$59.73 to list price.                                                                           |                        | US26D  | 2,485.67 | 2,779.28        |           |
|                                                                                                                               |                        | US32D  | 2,485.67 | 2,779.28        |           |
|                                                                                                                               |                        |        |          |                 |           |
|                                                                                                                               |                        | US3    | 2,533.24 | 2,826.78        | 3         |
|                                                                                                                               |                        | US4    | 2,533.24 | 2,826.78        | -         |
|                                                                                                                               | 48" x 84"<br>Exit Only | US10B  | 2,533.24 | 2,826.78        | -         |
|                                                                                                                               |                        | US26   | 2,533.24 | 2,826.78        | -         |
|                                                                                                                               |                        | US26D  | 2,533.24 | 2,826.78        |           |
|                                                                                                                               |                        | US32D  | 2,533.24 | 2,826.78        |           |
|                                                                                                                               |                        | US3    | 2,584.91 | 2,878.51        | 3         |
|                                                                                                                               |                        | US4    | 2,584.91 | 2,878.51        |           |
|                                                                                                                               | 48" x 96"<br>Exit Only | US10B  | 2,584.91 | 2,878.51        |           |
|                                                                                                                               |                        | US26   | 2,584.91 | 2,878.51        |           |
|                                                                                                                               |                        | US26D  | 2,584.91 | 2,878.51        |           |
|                                                                                                                               |                        | US32D  | 2,584.91 | 2,878.51        |           |




## Exit Devices - 4500



| Description                                                                                                                                                                                                   | Length    | Finish | List     | List Fire Rated | Case Qty. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|----------|-----------------|-----------|
| <b>4501CLB</b>                                                                                                                                                                                                |           | US3    | 2,434.01 | 2,727.55        | 3         |
| Grade 1 - for wood or metal doors                                                                                                                                                                             |           | US4    | 2,434.01 | 2,727.55        |           |
| Non-Handed                                                                                                                                                                                                    | 36" x 84" | US10B  | 2,434.01 | 2,727.55        |           |
| Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately.                                                                                 | Exit Only | US26   | 2,434.01 | 2,727.55        |           |
|                                                                                                                                                                                                               |           | US26D  | 2,434.01 | 2,727.55        |           |
|                                                                                                                                                                                                               |           | US32D  | 2,434.01 | 2,727.55        |           |
| Fire rated LBR devices must be ordered in pairs of less bottom rod vertical rod devices and with a spring loaded fire bolt (Part # 2-649-0166, add \$70.68 to list price) to ensure the device's fire rating. | 36" x 96" | US3    | 2,485.67 | 2,779.28        | 3         |
|                                                                                                                                                                                                               | Exit Only | US4    | 2,485.67 | 2,779.28        |           |
|                                                                                                                                                                                                               |           | US10B  | 2,485.67 | 2,779.28        |           |
|                                                                                                                                                                                                               |           | US26   | 2,485.67 | 2,779.28        |           |
| Refer to page 4 for electric modification pricing.                                                                                                                                                            |           | US26D  | 2,485.67 | 2,779.28        |           |
|                                                                                                                                                                                                               |           | US32D  | 2,485.67 | 2,779.28        |           |
| Refer to page 29 for extension rod kits for doors over 8 feet in height                                                                                                                                       | 48" x 84" | US3    | 2,533.24 | 2826.78         | 3         |
|                                                                                                                                                                                                               | Exit Only | US4    | 2,533.24 | 2826.78         |           |
|                                                                                                                                                                                                               |           | US10B  | 2,533.24 | 2826.78         |           |
|                                                                                                                                                                                                               |           | US26   | 2,533.24 | 2826.78         |           |
|                                                                                                                                                                                                               |           | US26D  | 2,533.24 | 2826.78         |           |
|                                                                                                                                                                                                               |           | US32D  | 2,533.24 | 2826.78         |           |
| Anti-microbial coating - add \$59.73 to list price.                                                                                                                                                           | 48" x 96" | US3    | 2,584.91 | 2,878.51        | 3         |
|                                                                                                                                                                                                               | Exit Only | US4    | 2,584.91 | 2,878.51        |           |
|                                                                                                                                                                                                               |           | US10B  | 2,584.91 | 2,878.51        |           |
|                                                                                                                                                                                                               |           | US26   | 2,584.91 | 2,878.51        |           |
|                                                                                                                                                                                                               |           | US26D  | 2,584.91 | 2,878.51        |           |
|                                                                                                                                                                                                               |           | US32D  | 2,584.91 | 2,878.51        |           |



**Mortise Lock Exit Devices****4501 M****(Pair with MB, MC, MD trim)**

Grade 1

Non-Handed

Cylinder Dogging (specify CD), add \$55.13 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required.

Refer to page 4 for electric modification pricing. Anti-microbial coating - add \$59.73 to list price. Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price.

**4501 N****(Pair with MN trim)****4501D**


Dummy Push Pad

Non-handed

For use with 4500 and 4600 Series Exit Devices

Anti-microbial coating - add \$59.72 to list price.

| Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Length           | Finish | List     | List Fire Rated | Case Qty. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------|----------|-----------------|-----------|
| <b>Mortise Lock Exit Devices</b><br><b>4501 M</b><br><b>(Pair with MB, MC, MD trim)</b><br>Grade 1<br>Non-Handed<br>Cylinder Dogging (specify CD), add \$55.13 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required.<br>Refer to page 4 for electric modification pricing. Anti-microbial coating - add \$59.73 to list price.<br>Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price. | 36"<br>Exit Only | US3    | 2,442.39 | 2,684.91        | 3         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US4    | 2,442.39 | 2,684.91        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US10B  | 2,442.39 | 2,684.91        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US26   | 2,442.39 | 2,684.91        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US26D  | 2,357.75 | 2,594.06        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 48"<br>Exit Only | US32D  | 2,442.39 | 2,684.91        | 3         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US3    | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US4    | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US10B  | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US26   | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 36"<br>Exit Only | US26D  | 2,389.95 | 2,623.38        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US32D  | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US3    | 2,442.39 | 2,684.91        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US4    | 2,442.39 | 2,684.91        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US10B  | 2,442.39 | 2,684.91        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 48"<br>Exit Only | US26   | 2,442.39 | 2,684.91        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US26D  | 2,357.75 | 2,623.38        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US32D  | 2,442.39 | 2,684.91        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US3    | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US4    | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 36"              | US10B  | 2,474.46 | 2,717.11        | 3         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US26   | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US26D  | 2,388.91 | 2,623.38        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US32D  | 2,474.46 | 2,717.11        |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 48"              | US3    | 828.32   |                 | 3         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US10B  | 828.32   |                 |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US26D  | 726.97   |                 |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US32D  | 828.32   |                 |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 48"              | US3    | 860.53   |                 | 3         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US10B  | 860.53   |                 |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US26D  | 759.18   |                 |           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | US32D  | 860.53   |                 |           |



## Exit Devices - 4500



| Description                                                                                                                            | Function              | Finish | LHR List | RHR List | Case Qty. |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|----------|----------|-----------|
| <b>45BE</b><br>Blank Escutcheon<br>Tactile Warning - add \$54.29 to list price.<br>Anti-microbial coating - add \$59.73 to list price. |                       |        |          |          |           |
| <b>Archer Lever</b>                                                                                                                    | 14<br>Always Operable | US3    | 645.27   |          | 6         |
|                                                                                                                                        |                       | US4    | 645.27   |          |           |
|                                                                                                                                        |                       | US10B  | 645.27   |          |           |
|                                                                                                                                        |                       | US26   | 645.27   |          |           |
|                                                                                                                                        |                       | US26D  | 621.08   |          |           |
|                                                                                                                                        |                       | BLK    | 645.27   |          |           |
| <b>August Lever</b>                                                                                                                    |                       | US3    | 645.27   |          | 6         |
|                                                                                                                                        |                       | US4    | 645.27   |          |           |
|                                                                                                                                        |                       | US10B  | 645.27   |          |           |
|                                                                                                                                        |                       | US26   | 645.27   |          |           |
|                                                                                                                                        |                       | US26D  | 621.08   |          |           |
|                                                                                                                                        |                       | BLK    | 645.27   |          |           |
| <b>Charles Lever</b>                                                                                                                   |                       | US3    | 645.27   |          | 6         |
|                                                                                                                                        |                       | US4    | 645.27   |          |           |
|                                                                                                                                        |                       | US10B  | 645.27   |          |           |
|                                                                                                                                        |                       | US26   | 645.27   |          |           |
|                                                                                                                                        |                       | US26D  | 621.08   |          |           |
| <b>Johnston Lever</b><br>Must specify handing                                                                                          |                       | US3    | 645.27   |          | 6         |
|                                                                                                                                        |                       | US4    | 645.27   |          |           |
|                                                                                                                                        |                       | US10B  | 645.27   |          |           |
|                                                                                                                                        |                       | US26   | 645.27   |          |           |
|                                                                                                                                        |                       | US26D  | 621.08   |          |           |
| <b>Joshua Lever</b>                                                                                                                    |                       | US3    | 645.27   |          | 6         |
|                                                                                                                                        |                       | US4    | 645.27   |          |           |
|                                                                                                                                        |                       | US10B  | 645.27   |          |           |
|                                                                                                                                        |                       | US26   | 645.27   |          |           |
|                                                                                                                                        |                       | US26D  | 621.08   |          |           |
| <b>Warren Lever</b><br>Must specify handing                                                                                            |                       | US3    | 645.27   | 645.27   | 6         |
|                                                                                                                                        |                       | US4    | 645.27   | 645.27   |           |
|                                                                                                                                        |                       | US10B  | 645.27   | 645.27   |           |
|                                                                                                                                        |                       | US26   | 645.27   | 645.27   |           |
|                                                                                                                                        |                       | US26D  | 621.08   | 621.08   |           |
| <b>William Lever</b>                                                                                                                   |                       | US3    | 645.27   |          | 6         |
|                                                                                                                                        |                       | US4    | 645.27   |          |           |
|                                                                                                                                        |                       | US10   | 645.27   |          |           |
|                                                                                                                                        |                       | US26   | 645.27   |          |           |
|                                                                                                                                        |                       | US26D  | 621.08   |          |           |



| Description                                                      | Function              | Finish | LHR List | RHR List | Case Qty. |
|------------------------------------------------------------------|-----------------------|--------|----------|----------|-----------|
| Withnell Lever                                                   |                       | US3    | 645.27   |          | 6         |
|                                                                  |                       | US4    | 645.27   |          |           |
|                                                                  |                       | US10B  | 645.27   |          |           |
|                                                                  |                       | US26   | 645.27   |          |           |
|                                                                  |                       | US26D  | 621.08   |          |           |
|                                                                  |                       | BLK    | 645.27   |          |           |
| <hr/>                                                            |                       |        |          |          |           |
| 45MB                                                             |                       |        |          |          |           |
| Blank Escutcheon for use with 4501M Mortise Lock Exit Device     |                       |        |          |          |           |
| Mortise trim does not match centerline of other 4500 Series trim |                       |        |          |          |           |
| Tactile Warning - add \$54.29 to list price.                     |                       |        |          |          |           |
| Anti-microbial coating - add \$59.73 to list price.              |                       |        |          |          |           |
| Archer Lever                                                     | 14<br>Always Operable | US3    | 645.27   |          | 6         |
|                                                                  |                       | US4    | 645.27   |          |           |
|                                                                  |                       | US10B  | 645.27   |          |           |
|                                                                  |                       | US26   | 645.27   |          |           |
|                                                                  |                       | US26D  | 621.08   |          |           |
|                                                                  |                       |        |          |          |           |
| August Lever                                                     |                       | US3    | 645.27   |          | 6         |
|                                                                  |                       | US4    | 645.27   |          |           |
|                                                                  |                       | US10B  | 645.27   |          |           |
|                                                                  |                       | US26   | 645.27   |          |           |
|                                                                  |                       | US26D  | 621.08   |          |           |
|                                                                  |                       |        |          |          |           |
| William Lever                                                    |                       | US3    | 645.27   |          | 6         |
|                                                                  |                       | US4    | 645.27   |          |           |
|                                                                  |                       | US10B  | 645.27   |          |           |
|                                                                  |                       | US26   | 645.27   |          |           |
|                                                                  |                       | US26D  | 621.08   |          |           |
|                                                                  |                       |        |          |          |           |
| Withnell Lever                                                   |                       | US3    | 645.27   | -        | 6         |
|                                                                  |                       | US4    | 645.27   | 163599   |           |
|                                                                  |                       | US10B  | 645.27   | 163558   |           |
|                                                                  |                       | US26   | 645.27   | 163702   |           |
|                                                                  |                       | US26D  | 621.08   | 163561   |           |
|                                                                  |                       |        |          |          |           |



## Exit Devices - 4500



### 45CE

Cylinder Escutcheon

Requires a 3902 mortise cylinder (with standard cam) sold separately

Tactile Warning - add \$54.29 to list price.

Anti-microbial coating - add \$59.73 to list price.

Refer to page 4 for electric modification pricing.

### Archer Lever

US3 645.27 6

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08

08  
Key locks or unlocks  
lever BLK 645.27

### August Lever

US3 645.27 6

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08

BLK 645.27

### Charles Lever

US3 645.27

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08

### Johnston Lever

US3 645.27 645.27 6

US4 645.27 645.27

US10B 645.27 645.27

US26 645.27 645.27

US26D 621.08 621.08

### Joshua Lever

US3 645.27 6

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08

### Warren Lever

US3 645.27 645.27 6

US4 645.27 645.27

US10B 645.27 645.27

US26 645.27 645.27

US26D 621.08 621.08

### William Lever

US3 645.27 6

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08



| Description                                                                  | Function                   | Finish | LHR List | RHR List | Case Qty. |
|------------------------------------------------------------------------------|----------------------------|--------|----------|----------|-----------|
| Withnell Lever                                                               |                            | US3    | 645.27   |          | 6         |
|                                                                              |                            | US4    | 645.27   |          |           |
|                                                                              |                            | US10B  | 645.27   |          |           |
|                                                                              |                            | US26   | 645.27   |          |           |
|                                                                              |                            | US26D  | 621.08   |          |           |
|                                                                              |                            | BLK    | 645.27   |          |           |
| <hr/>                                                                        |                            |        |          |          |           |
| 45MC                                                                         |                            |        |          |          |           |
| Cylinder Escutcheon for use with 4501M Mortise Lock Exit Device              |                            |        |          |          |           |
| Mortise trim does not match centerline of other 4500 Series trim             |                            |        |          |          |           |
| Requires a 3902 mortise cylinder (1-5/8" with standard cam) sold separately. |                            |        |          |          |           |
| Tactile Warning - add \$54.29 to list price.                                 |                            |        |          |          |           |
| Anti-microbial coating - add \$59.73 to list price.                          |                            |        |          |          |           |
| Archer Lever                                                                 |                            | US3    | 645.27   |          |           |
|                                                                              |                            | US4    | 645.27   |          |           |
|                                                                              |                            | US10B  | 645.27   |          |           |
|                                                                              |                            | US26   | 645.27   |          |           |
|                                                                              |                            | US26D  | 621.08   |          |           |
| August Lever                                                                 |                            | US3    | 645.27   |          |           |
|                                                                              |                            | US4    | 645.27   |          |           |
|                                                                              |                            | US10B  | 645.27   |          |           |
|                                                                              |                            | US26   | 645.27   |          |           |
|                                                                              | 08                         | US26D  | 621.08   |          |           |
| William Lever                                                                | Key locks or unlocks lever |        | US3      | 645.27   |           |
|                                                                              |                            |        | US4      | 645.27   |           |
|                                                                              |                            |        | US10B    | 645.27   |           |
|                                                                              |                            |        | US26     | 645.27   |           |
|                                                                              |                            |        | US26D    | 621.08   |           |
| Withnell Lever                                                               |                            | US3    | 645.27   |          |           |
|                                                                              |                            | US4    | 645.27   |          |           |
|                                                                              |                            | US10B  | 645.27   |          |           |
|                                                                              |                            | US26   | 645.27   |          |           |
|                                                                              |                            | US26D  | 621.08   |          |           |



## Exit Devices - 4500



| Description                                                                                                                      | Function                        | Finish | LHR List | RHR List | Case Qty. |
|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------|----------|----------|-----------|
| <b>45DT</b><br>Dummy Trim<br>Tactile Warning - add \$54.29 to list price.<br>Anti-microbial coating - add \$59.73 to list price. |                                 |        |          |          |           |
| <b>Archer Lever</b>                                                                                                              |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                  | 02                              | US4    | 645.27   |          |           |
|                                                                                                                                  | Pull when device is dogged down | US10B  | 645.27   |          |           |
|                                                                                                                                  |                                 | US26   | 645.27   |          |           |
|                                                                                                                                  |                                 | US26D  | 621.08   |          |           |
| <b>August Lever</b>                                                                                                              |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                  |                                 | US4    | 645.27   |          |           |
|                                                                                                                                  |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                  |                                 | US26   | 645.27   |          |           |
|                                                                                                                                  |                                 | US26D  | 621.08   |          |           |
| <b>Charles Lever</b>                                                                                                             |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                  |                                 | US4    | 645.27   |          |           |
|                                                                                                                                  |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                  |                                 | US26   | 645.27   |          |           |
|                                                                                                                                  |                                 | US26D  | 621.08   |          |           |
| <b>Johnston Lever</b><br>Must specify handing                                                                                    |                                 | US3    | 645.27   | 645.27   | 6         |
|                                                                                                                                  |                                 | US4    | 645.27   | 645.27   |           |
|                                                                                                                                  |                                 | US10B  | 645.27   | 645.27   |           |
|                                                                                                                                  |                                 | US26   | 645.27   | 645.27   |           |
|                                                                                                                                  |                                 | US26D  | 621.08   | 621.08   |           |
| <b>Joshua Lever</b>                                                                                                              |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                  |                                 | US4    | 645.27   |          |           |
|                                                                                                                                  |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                  |                                 | US26   | 645.27   |          |           |
|                                                                                                                                  |                                 | US26D  | 621.08   |          |           |
| <b>Warren Lever</b><br>Must specify handing                                                                                      |                                 | US3    | 645.27   | 645.27   |           |
|                                                                                                                                  |                                 | US4    | 645.27   | 645.27   |           |
|                                                                                                                                  |                                 | US10B  | 645.27   | 645.27   |           |
|                                                                                                                                  |                                 | US26   | 645.27   | 645.27   |           |
|                                                                                                                                  |                                 | US26D  | 621.08   | 621.08   |           |
| <b>William Lever</b>                                                                                                             |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                  |                                 | US4    | 645.27   |          |           |
|                                                                                                                                  |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                  |                                 | US26   | 645.27   |          |           |
|                                                                                                                                  |                                 | US26D  | 621.08   |          |           |
| <b>Withnell Lever</b>                                                                                                            |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                  |                                 | US4    | 645.27   |          |           |
|                                                                                                                                  |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                  |                                 | US26   | 645.27   |          |           |
|                                                                                                                                  |                                 | US26D  | 621.08   |          |           |





| Description                                                      | Function                                 | Finish | LHR List | RHR List | Case Qty. |
|------------------------------------------------------------------|------------------------------------------|--------|----------|----------|-----------|
| <b>45MD</b>                                                      |                                          |        |          |          |           |
| Dummy Trim for use with 4501M Mortise Lock Exit Device           |                                          |        |          |          |           |
| Mortise trim does not match centerline of other 4500 Series trim |                                          |        |          |          |           |
| Tactile Warning - add \$54.29 to list price.                     |                                          |        |          |          |           |
| Anti-microbial coating - add \$59.73 to list price.              |                                          |        |          |          |           |
| <b>Archer Lever</b>                                              |                                          | US3    | 645.27   |          |           |
|                                                                  |                                          | US4    | 645.27   |          |           |
|                                                                  |                                          | US10B  | 645.27   |          |           |
|                                                                  |                                          | US26   | 645.27   |          |           |
|                                                                  |                                          | US26D  | 621.08   |          |           |
| <b>August Lever</b>                                              |                                          | US3    | 645.27   |          |           |
|                                                                  |                                          | US4    | 645.27   |          |           |
|                                                                  |                                          | US10B  | 645.27   |          |           |
|                                                                  |                                          | US26   | 645.27   |          |           |
|                                                                  |                                          | US26D  | 621.08   |          |           |
| <b>William Lever</b>                                             | 02<br>Pull when device is<br>dogged down | US3    | 645.27   |          |           |
|                                                                  |                                          | US4    | 645.27   |          |           |
|                                                                  |                                          | US10B  | 645.27   |          |           |
|                                                                  |                                          | US26   | 645.27   |          |           |
|                                                                  |                                          | US26D  | 621.08   |          |           |
| <b>Withnell Lever</b>                                            |                                          | US3    | 645.27   |          |           |
|                                                                  |                                          | US4    | 645.27   |          |           |
|                                                                  |                                          | US10B  | 645.27   |          |           |
|                                                                  |                                          | US26   | 645.27   |          |           |
|                                                                  |                                          | US26D  | 621.08   |          |           |



## Exit Devices - 4500



| Description                                                                                                                                                                                                                                                        | Function                        | Finish | LHR List | RHR List | Case Qty. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------|----------|----------|-----------|
| <b>45NL</b><br>Night Latch<br>Requires a 3901 rim cylinder (with long tailpiece) sold separately.<br>Tactile Warning - add \$54.29 to list price.<br>Anti-microbial coating - add \$59.73 to list price.<br>Maximum door thickness compatibility is 2-1/2" (38 mm) |                                 |        |          |          |           |
| <b>Archer Lever</b>                                                                                                                                                                                                                                                | 03<br>Key retracts<br>latchbolt | US3    | 645.27   |          | 6         |
|                                                                                                                                                                                                                                                                    |                                 | US4    | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26   | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26D  | 621.08   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | BLK    | 645.27   |          |           |
| <b>August Lever</b>                                                                                                                                                                                                                                                |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                                                                                                                                                    |                                 | US4    | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26   | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26D  | 621.08   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | BLK    | 645.27   |          |           |
| <b>Charles Lever</b>                                                                                                                                                                                                                                               |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                                                                                                                                                    |                                 | US4    | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26   | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26D  | 621.08   |          |           |
| <b>Johnston Lever</b><br>Must specify handing                                                                                                                                                                                                                      |                                 | US3    | 645.27   | 645.27   | 6         |
|                                                                                                                                                                                                                                                                    |                                 | US4    | 645.27   | 645.27   |           |
|                                                                                                                                                                                                                                                                    |                                 | US10B  | 645.27   | 645.27   |           |
|                                                                                                                                                                                                                                                                    |                                 | US26   | 645.27   | 645.27   |           |
|                                                                                                                                                                                                                                                                    |                                 | US26D  | 621.08   | 621.08   |           |
| <b>Joshua Lever</b>                                                                                                                                                                                                                                                |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                                                                                                                                                    |                                 | US4    | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26   | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26D  | 621.08   |          |           |
| <b>Warren Lever</b><br>Must specify handing                                                                                                                                                                                                                        |                                 | US3    | 645.27   | 645.27   | 6         |
|                                                                                                                                                                                                                                                                    |                                 | US4    | 645.27   | 645.27   |           |
|                                                                                                                                                                                                                                                                    |                                 | US10B  | 645.27   | 645.27   |           |
|                                                                                                                                                                                                                                                                    |                                 | US26   | 645.27   | 645.27   |           |
|                                                                                                                                                                                                                                                                    |                                 | US26D  | 621.08   | 621.08   |           |
| <b>William Lever</b>                                                                                                                                                                                                                                               |                                 | US3    | 645.27   |          | 6         |
|                                                                                                                                                                                                                                                                    |                                 | US4    | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US10B  | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26   | 645.27   |          |           |
|                                                                                                                                                                                                                                                                    |                                 | US26D  | 621.08   |          |           |



| Description    | Function | Finish | LHR List | RHR List | Case Qty. |
|----------------|----------|--------|----------|----------|-----------|
| Withnell Lever |          | US3    | 645.27   |          | 6         |
|                |          | US4    | 645.27   |          |           |
|                |          | US10B  | 645.27   |          |           |
|                |          | US26   | 645.27   |          |           |
|                |          | US26D  | 621.08   |          |           |
|                |          | BLK    | 645.27   |          |           |

| Description | Function | Finish | List | Case Qty. |
|-------------|----------|--------|------|-----------|
|-------------|----------|--------|------|-----------|

**45MN**

Night Latch for use with 4501N Mortise Lock Exit Device

Mortise trim does not match centerline of other 4500 Series trim

Requires a 3902 mortise cylinder (1-5/8" with standard cam) sold separately.

Tactile Warning - add \$54.29 to list price.

Anti-microbial coating - add \$59.73 to list price.

Maximum door thickness compatibility is 2-1/2" (38 mm)

**Archer Lever**

|       |        |   |
|-------|--------|---|
| US3   | 645.27 | 6 |
| US4   | 645.27 |   |
| US10B | 645.27 |   |
| US26  | 645.27 |   |
| US26D | 621.08 |   |

**August Lever**

|       |        |   |
|-------|--------|---|
| US3   | 645.27 | 6 |
| US4   | 645.27 |   |
| US10B | 645.27 |   |
| US26  | 645.27 |   |
| US26D | 621.08 |   |

03

**William Lever**

Key retracts latchbolt

|       |        |   |
|-------|--------|---|
| US3   | 645.27 | 6 |
| US4   | 645.27 |   |
| US10B | 645.27 |   |
| US26  | 645.27 |   |
| US26D | 621.08 |   |

**Withnell Lever**

|       |        |   |
|-------|--------|---|
| US3   | 645.27 | 6 |
| US4   | 645.27 |   |
| US10B | 645.27 |   |
| US26  | 645.27 |   |
| US26D | 621.08 |   |



## Exit Devices - 4500



| Description                                                                                       | Function                            | Finish | List   | Case Qty. |
|---------------------------------------------------------------------------------------------------|-------------------------------------|--------|--------|-----------|
| <b>45PD</b><br>Pull Plate - Dummy Trim                                                            |                                     | US3    | 175.45 | 12        |
|                                                                                                   |                                     | US4    | 175.45 |           |
| For use with 4500 RIM, SVR, LBR, ad CLB devices.<br>Not for CVR.                                  | 02                                  | US10B  | 175.45 |           |
| Tactile Warning - add \$54.29 to list price.                                                      | Pull when device is<br>dogged down  | US26   | 175.45 |           |
| Anti-microbial coating - add \$59.73 to list price.                                               |                                     | US26D  | 175.45 |           |
|                                                                                                   |                                     | US32D  | 175.45 |           |
| <b>45PN</b><br>Pull Plate - Night Latch                                                           |                                     | US3    | 196.31 | 12        |
|                                                                                                   |                                     | US4    | 196.31 |           |
| For use with 4500 RIM, SVR, LBR, ad CLB devices.<br>Not for CVR.                                  | 03                                  | US10B  | 196.31 |           |
| Requires a 3901 rim cylinder (sold separately)                                                    | Key retracts latchbolt              | US26   | 196.31 |           |
| Includes retaining cup for 161 door prep.                                                         |                                     | US26D  | 196.31 |           |
| Tactile Warning - add \$54.29 to list price.                                                      |                                     | US32D  | 196.31 |           |
| Anti-microbial coating - add \$59.73 to list price.                                               |                                     |        |        |           |
| <b>45PT</b><br>Pull Plate - Thumbpiece                                                            |                                     |        |        |           |
| For use with 4501 Rim device.Requires a 3902<br>mortise cylinder (sold separately)                | 05                                  |        |        |           |
| Tactile Warning - add \$54.29 to list price.                                                      | Key locks or unlocks<br>thumb piece | US32D  | 426.18 | 6         |
| Anti-microbial coating - add \$59.73 to list price.                                               |                                     |        |        |           |
| <b>313SE</b>                                                                                      | Dummy                               | US32D  | 389.80 |           |
| Anti-Vandal Pull for 4500 Rim device<br>Material: 11 GA stainless steel Max Projection:<br>1-7/8" |                                     |        |        |           |
| Size: 6-11/32 x 11"                                                                               | NL. cy. cutout LHR                  | US32D  | 389.80 |           |
| Door Thickness: 1-3/4" - 2" Fasteners: 1/4"                                                       |                                     |        |        |           |
| FPHMS with finish washers                                                                         |                                     |        |        |           |
| Rim cylinder 3901 sold separately Retaining cup<br>2-649-0137 for 161 prep sold separately        |                                     |        |        |           |
|                                                                                                   | NL. cy. cutout LHR                  | US32D  | 389.80 |           |



| Description                                                                                                                                                                                                                                                                                                                        | Function           | Finish | List   | Case Qty. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|--------|-----------|
| <b>313LE</b><br>Anti-Vandal Pull w/Latchguard for 4500 Rim Device<br>Material: 11 GA stainless steel<br>Max Projection: 1-7/8"<br>Size: 6-11/32 x 1 1/2"<br>Door Thickness: 1-3/4" - 2"<br>Fasteners: 1/4" FPHMS with finish washers<br>Rim cylinder 3901 sold separately<br>Retaining cup 2-649-0137 for 161 prep sold separately | Dummy              | US32D  | 389.80 |           |
|                                                                                                                                                                                                                                                                                                                                    | NL. cy. cutout LHR | US32D  | 389.80 |           |
|                                                                                                                                                                                                                                                                                                                                    | NL. cy. cutout LHR | US32D  | 389.80 |           |
| <b>4915</b><br>Threshold strike for use with 4500 or 4700 Series.<br>Optional - order separately.<br>Not for fire-rated doors.                                                                                                                                                                                                     |                    | US32D  | 32.91  | 48        |
| <b>4920</b><br>Strike for use with 4500 Series or 4600 Series Rim exit device.<br>Included with device. Not for fire-rated doors.                                                                                                                                                                                                  |                    | US32D  | 92.32  | 24        |
| <b>4920F</b><br>Fire rated strike for use with 4500 Series or 4600 Series fire rated Rim exit device.<br>Included with fire rated device.                                                                                                                                                                                          |                    | US32D  | 127.98 | 24        |
| <b>4921</b><br>Double door strike for 4500 Surface Vertical Rod and Rim exit device.<br>Optional - order separately<br>Not for fire-rated doors.                                                                                                                                                                                   |                    | US3    | 92.32  | 24        |
|                                                                                                                                                                                                                                                                                                                                    |                    | US4    | 92.32  |           |
|                                                                                                                                                                                                                                                                                                                                    |                    | US10B  | 92.32  |           |
|                                                                                                                                                                                                                                                                                                                                    |                    | US26   | 92.32  |           |
|                                                                                                                                                                                                                                                                                                                                    |                    | US32D  | 92.32  |           |
| <b>4923</b><br>Top strike for use with 4500 Series Surface Vertical Rod device. Included with device.                                                                                                                                                                                                                              |                    | US32D  | 58.77  | 24        |
| <b>4923F</b><br>Fire rated top strike for use with 4500 Series Surface Vertical Rod device. Included with fire rated device.                                                                                                                                                                                                       |                    | US32D  | 72.03  | 24        |
| <b>4924</b><br>Bottom strike for use with 4500 Series Vertical Rod devices. Included with panic rated device.                                                                                                                                                                                                                      |                    | US32D  | 72.03  | 12        |
| <b>4924F</b><br>Fire rated bottom strike for use with 4500 Series Vertical Rod device. Included with fire rated device.                                                                                                                                                                                                            |                    | US32D  | 83.13  | 12        |




## Exit Devices - 4500



| Description                                                                                                                                                                                                           |     | Finish | List  | Case Qty. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|-------|-----------|
| <b>4926</b><br>Cylinder Dogging Conversion Kit for panic rated 4500 device<br><br>Requires a 3902 mortise cylinder (with standard cam) sold separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required. | 36" | US3    | 60.18 | 48        |
|                                                                                                                                                                                                                       |     | US4    | 60.18 |           |
|                                                                                                                                                                                                                       |     | US10B  | 60.18 |           |
|                                                                                                                                                                                                                       |     | US26   | 60.18 |           |
|                                                                                                                                                                                                                       |     | US26D  | 60.18 |           |
|                                                                                                                                                                                                                       |     | US32D  | 60.18 |           |
|                                                                                                                                                                                                                       | 48" | US3    | 64.41 | 36        |
|                                                                                                                                                                                                                       |     | US4    | 64.41 |           |
|                                                                                                                                                                                                                       |     | US10B  | 64.41 |           |
|                                                                                                                                                                                                                       |     | US26   | 64.41 |           |
|                                                                                                                                                                                                                       |     | US26D  | 64.41 |           |
|                                                                                                                                                                                                                       |     | US32D  | 64.41 |           |

| Description                                                                                                                                               |  | Finish | List   | Case Qty. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------|--------|-----------|
| <b>4927</b><br>Bottom Latch Assembly for use with 4500 Series SVR<br><br>Includes latch, cover and screws.<br>Included with device.                       |  | US3    | 127.98 | 24        |
|                                                                                                                                                           |  | US4    | 127.98 |           |
|                                                                                                                                                           |  | US10B  | 127.98 |           |
|                                                                                                                                                           |  | US26   | 127.98 |           |
|                                                                                                                                                           |  | US26D  | 127.98 |           |
|                                                                                                                                                           |  | US32D  | 127.98 |           |
| <b>4928</b><br>Top Latch Assembly for use with 4500 Series SVR and LBR Devices<br><br>Includes latch, cover and screws.<br>Included with device.          |  | US3    | 127.98 | 24        |
|                                                                                                                                                           |  | US4    | 127.98 |           |
|                                                                                                                                                           |  | US10B  | 127.98 |           |
|                                                                                                                                                           |  | US26   | 127.98 |           |
|                                                                                                                                                           |  | US26D  | 127.98 |           |
|                                                                                                                                                           |  | US32D  | 127.98 |           |
| <b>4929</b><br>SVR/LBR Rod Replacement Kit (top or bottom)<br><br>Includes: One (1) each 45-1/4" 1149 mm) rod, rod connector, and appropriate fasteners.  |  | US3    | 60.18  | 24        |
|                                                                                                                                                           |  | US4    | 60.18  |           |
|                                                                                                                                                           |  | US10B  | 60.18  |           |
|                                                                                                                                                           |  | US26   | 60.18  |           |
|                                                                                                                                                           |  | US26D  | 60.18  |           |
|                                                                                                                                                           |  | US32D  | 60.18  |           |
| <b>4929C</b><br>CVR/CLB Rod Replacement Kit (top or bottom)<br><br>Includes One (1) each 46-5/8" (1184 mm) rod, rod connector, and appropriate fasteners. |  | US26D  | 60.18  | 24        |
|                                                                                                                                                           |  |        |        |           |
| <b>4930R</b><br>Shim Kit for 4500 Rim Device<br><br>Packaged 2 ea. 1/8" shims                                                                             |  | US3    | 109.10 | 24        |
|                                                                                                                                                           |  | US4    | 109.10 |           |
|                                                                                                                                                           |  | US10B  | 109.10 |           |
|                                                                                                                                                           |  | US26   | 109.10 |           |
|                                                                                                                                                           |  | US26D  | 109.10 |           |
|                                                                                                                                                           |  | US32D  | 127.98 |           |



**4930S**

Shim Kit for 4500 Surface Vertical Rod Device

Packaged 2 ea. 1/8" shims

|       |        |
|-------|--------|
| US3   | 109.10 |
| US4   | 109.10 |
| US10B | 109.10 |
| US26  | 109.10 |
| US26D | 109.10 |
| US32D | 127.98 |

24

**4932C**

Replacement Head Cover for 4500 CVR Device

|       |        |
|-------|--------|
| US3   | 109.10 |
| US4   | 109.10 |
| US10B | 109.10 |
| US26  | 109.10 |
| US26D | 109.10 |
| US32D | 127.98 |

20

**4932R**

Replacement Head Cover for 4500 Rim Device

|       |        |
|-------|--------|
| US3   | 109.10 |
| US4   | 109.10 |
| US10B | 109.10 |
| US26  | 109.10 |
| US26D | 109.10 |
| US32D | 127.98 |

20

**4932S**

Replacement Head Cover for 4500 SVR Device

|       |        |
|-------|--------|
| US3   | 109.10 |
| US4   | 109.10 |
| US10B | 109.10 |
| US26  | 109.10 |
| US26D | 109.10 |
| US32D | 127.98 |

20

**4936**

24" Extension Rod Kit

Includes 24" extension rod, rod connector, rod guide, and wood and machine screws

|       |       |
|-------|-------|
| US3   | 38.48 |
| US4   | 38.48 |
| US10B | 38.48 |
| US26  | 38.48 |
| US26D | 38.48 |
| US32D | 38.48 |

24

**4937**

36" Extension Rod Kit

Includes 36" extension rod, rod connector, rod guide, and wood and machine screws

|       |       |
|-------|-------|
| US3   | 43.41 |
| US4   | 43.41 |
| US10B | 43.41 |
| US26  | 43.41 |
| US26D | 43.41 |
| US32D | 43.41 |

24



## Exit Devices - 4500



**4940**  
Alarm Kit for 4500 Series  
  
Latchbolt monitor switch and tamper switch available.  
See page 29

36"

US3

513.78

24

US4

513.78

US10B

513.78

US26

513.78

US26D

513.78

US32D

513.78

48"

US3

513.78

24

US4

513.78

US10B

513.78

US26

513.78

US26D

513.78

US32D

513.78



**4945**  
Top Strike Standard for 4501 CVR

US32D

59.48



**4945F**  
Fire Rated Top Strike for 4501 CVR

US32D

73.43



**2-649-0031**  
Rod Guide Replacement Pack

US3

11.97

**2-649-0032**  
Rod Guide Replacement Pack

US4

11.97

**2-649-0034**  
Rod Guide Replacement Pack

US10B

11.97

**2-649-0035**  
Rod Guide Replacement Pack

US26

11.97

**2-649-0036**  
Rod Guide Replacement Pack

US26D

11.97

**2-649-0037**  
Rod Guide Replacement Pack

US32D

11.97

US3

38.48

US4

38.48

US10B

38.48

US26

38.48

US26D

38.48

US32D

38.48

BLK

38.48

Note: All end caps come with bracket and fasteners



**2-649-0038**  
End Cap Replacement Pack - Flanged

**2-649-0041**  
End Cap Replacement Pack - Flanged


**2-649-0042**  
End Cap Replacement Pack - Flanged

**2-649-0044**  
End Cap Replacement Pack - Flanged

**2-649-0534**  
End Cap Replacement Pack - Flanged




| Description                                                                      | Function | Finish | List  | Case Qty. |
|----------------------------------------------------------------------------------|----------|--------|-------|-----------|
| <b>2-649-0218</b><br>Flush End Cap                                               |          | US3    | 44.81 |           |
| <b>2-649-0220</b><br>Flush End Cap                                               |          | US4    | 44.81 |           |
| <b>2-649-0215</b><br>Flush End Cap                                               |          | US10B  | 44.81 |           |
| <b>2-649-0216</b><br>Flush End Cap                                               |          | US26   | 44.81 |           |
| <b>2-649-0217</b><br>Flush End Cap                                               |          | US26D  | 44.81 |           |
| <b>100206801</b><br>Flush End Cap                                                |          | BLK    | 44.81 |           |
| <b>2-649-0219</b><br>Flush End Cap                                               |          | US32D  | 44.81 |           |
| Note: All end caps come with bracket and fasteners                               |          |        |       |           |
| <b>2-649-0049</b><br>Spring Cage and Handing Pin for 4500 Series Escutcheon Trim |          | -      | 18.24 |           |
| <b>2-649-0060</b><br>Top or Bottom Latch Cover Replacement Pack                  |          | US3    | 68.57 |           |
| <b>2-649-0061</b><br>Top or Bottom Latch Cover Replacement Pack                  |          | US4    | 68.57 |           |
| <b>2-649-0063</b><br>Top or Bottom Latch Cover Replacement Pack                  |          | US10B  | 68.57 |           |
| <b>2-649-0064</b><br>Top or Bottom Latch Cover Replacement Pack                  |          | US26   | 68.57 |           |
| <b>2-649-0065</b><br>Top or Bottom Latch Cover Replacement Pack                  |          | US26D  | 68.57 |           |
| <b>2-649-0066</b><br>Top or Bottom Latch Cover Replacement Pack                  |          | US32D  | 68.57 |           |
| <b>2-649-0074</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide        |          | US3    | 10.50 |           |
| <b>2-649-0075</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide        |          | US4    | 10.50 |           |
| <b>2-649-0077</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide        |          | US10B  | 10.50 |           |
| <b>2-649-0078</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide        |          | US26   | 10.50 |           |
| <b>2-649-0079</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide        |          | US26D  | 10.50 |           |
| <b>2-649-0080</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide        |          | US32D  | 10.50 |           |



## Exit Devices - 4500


|                                                                                     | Description                                                                                                                                                      | Function | Finish | List   | Case Qty. |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|--------|-----------|
|                                                                                     | <b>2-649-0081</b><br>SVR Screwpack - Top and bottom strike                                                                                                       |          | -      | 6.33   |           |
|                                                                                     | <b>2-649-0082</b><br>Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)                                                                   |          | US3    | 18.95  |           |
|                                                                                     | <b>2-649-0083</b><br>Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)                                                                   |          | US4    | 18.95  |           |
|    | <b>2-649-0085</b><br>Screwpack - Chassis, end cap, head cover, rim strike 4500 & 4600 Series)                                                                    |          | US10B  | 18.95  |           |
|                                                                                     | <b>2-649-0086</b><br>Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)                                                                   |          | US26   | 18.95  |           |
|                                                                                     | <b>2-649-0087</b><br>Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)                                                                   |          | US26D  | 18.95  |           |
|                                                                                     | <b>2-649-0088</b><br>Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)                                                                   |          | US32D  | 18.95  |           |
|    | <b>2-649-0166</b><br>Firebolt Kit for Fire Rated 4500 Series LBR and CLB devices.<br>Includes fire bolt, plastic plug, head cover plug, screws, and instructions |          | -      | 70.68  |           |
|                                                                                     | Must use firebolt with fire rated pairs of less bottom rod vertical rod devices to ensure the device's fire rating.                                              |          |        |        |           |
|   | <b>2-649-0167</b><br>LBR Replacement Head Cover Plug<br>Shipped standard if device ordered as LBR                                                                |          | -      | 10.50  |           |
|                                                                                     | <b>2-649-0168</b><br>Latchbolt Monitor Switch for 4940 and 4941 Alarm Kits                                                                                       |          | -      | 176.25 |           |
|  | <b>2-649-0177</b><br>Rod to Rod Connector                                                                                                                        |          | US3    | 10.50  |           |
|                                                                                     | <b>2-649-0178</b><br>Rod to Rod Connector                                                                                                                        |          | US4    | 10.50  |           |
|                                                                                     | <b>2-649-0180</b><br>Rod to Rod Connector                                                                                                                        |          | US10B  | 10.50  |           |
|                                                                                     | <b>2-649-0181</b><br>Rod to Rod Connector                                                                                                                        |          | US26   | 10.50  |           |
|                                                                                     | <b>2-649-0182</b><br>Rod to Rod Connector                                                                                                                        |          | US26D  | 10.50  |           |
|                                                                                     | <b>2-649-0183</b><br>Rod to Rod Connector                                                                                                                        |          | US32D  | 10.50  |           |
|  | <b>2-649-0406</b><br>45PN/47PN Cylinder Cup Spacer                                                                                                               |          |        | 11.26  |           |



| Description                                                         | Function | Finish | List   | Case Qty. |
|---------------------------------------------------------------------|----------|--------|--------|-----------|
| <b>2-649-1074</b><br>Hex Key for Dogging 5/32"<br>10 pack           |          | -      | 7.75   |           |
| <b>2-649-1090</b><br>Tamper Switch for 4940 and 4941 alarm kits     |          | -      | 176.25 |           |
| <b>2-649-1108</b><br>4501 CVR Top Latch Assembly Replacement Kit    |          | -      | 106.13 |           |
| <b>2-649-1109</b><br>4501 CVR Bottom Latch Assembly Replacement Kit |          | -      | 106.13 |           |
| <b>2-649-0440</b><br>4500 Series Mortise Exit Strike                |          | US10B  | 32.20  |           |
| <b>2-649-0441</b><br>4500 Series Mortise Exit Strike                |          | US26D  | 32.20  |           |
| <b>2-649-0442</b><br>4500 Series Mortise Exit Strike                |          | US32D  | 32.20  |           |
| <b>2-649-0443</b><br>4500 Series Fire Rated Mortise Exit Strike     |          | US10B  | 32.20  |           |
| <b>2-649-0444</b><br>4500 Series Fire Rated Mortise Exit Strike     |          | US26D  | 32.20  |           |
| <b>2-649-0445</b><br>4500 Series Fire Rated Mortise Exit Strike     |          | US32D  | 32.20  |           |
| <b>2-649-0250</b><br>4500/4600 Series 36" Photoluminescent Push Bar |          |        | 320.11 |           |
| <b>2-649-0257</b><br>4500/4600 Series 48" Photoluminescent Push Bar |          | -      | 384.13 |           |



## Exit Devices - 4600



| Description                                                            | Function  | Finish | List     | List Fire Rated | Case Qty. |
|------------------------------------------------------------------------|-----------|--------|----------|-----------------|-----------|
| <b>4601 RIM</b>                                                        | 36"       | US3    | 1,828.61 | 2,044.62        | 3         |
| Narrow Stile Rim                                                       | Exit Only | US4    | 1,828.61 | 2,044.62        |           |
| Grade 1                                                                |           | US10B  | 1,828.61 | 2,044.62        |           |
| Non-Handed                                                             |           | US26   | 1,828.61 | 2,044.62        |           |
|                                                                        |           | US26D  | 1,674.83 | 1,875.47        |           |
| Cylinder Dogging (specify CD), add                                     |           | US32D  | 1,828.61 | 2,044.62        |           |
| \$55.18 to list price. 3902 mortise cylinder with standard             | 48"       | US3    | 1,883.16 | 2,103.26        | 3         |
| cam must be ordered separately. Cylinder length                        | Exit Only | US4    | 1,883.16 | 2,103.26        |           |
| ordered separately. Cylinder length of 1-1/8" (29mm) -                 |           | US10B  | 1,883.16 | 2,103.26        |           |
| 1-3/8" (35mm) is required.                                             |           | US26   | 1,883.16 | 2,103.26        |           |
| Refer to page 4 for electric modification pricing.                     |           | US26D  | 1,723.80 | 1,933.47        |           |
| Anti-microbial coating, add \$59.73                                    |           | US32D  | 1,883.16 | 2,103.26        |           |
| Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price. |           |        |          |                 |           |






| Description                              | Function  | Finish | List     | Case Qty. |
|------------------------------------------|-----------|--------|----------|-----------|
| <b>4601 CVR (Non-Fire Rated)</b>         | 36" x 84" | US3    | 2,586.50 | 3         |
| Grade 1                                  | Exit Only | US4    | 2,548.09 |           |
| Non-Handed                               |           | US10B  | 2,548.09 |           |
|                                          |           | US26   | 2,586.50 |           |
| Cylinder Dogging (specify CD), add       |           | US26D  | 2,522.48 |           |
| \$54.29 to list price. 3902 mortise      |           | US32D  | 2,548.09 |           |
| cylinder with standard cam must be       |           | BLK    | 2,548.09 |           |
| ordered separately. Cylinder length      |           |        |          |           |
| of 1-1/8" (29mm) - 1-3/8" (35mm)         | 36" x 96" | US3    | 2,637.72 | 3         |
| is required.                             | Exit Only | US4    | 2,599.31 |           |
| Refer to page 4 for electric             |           | US10B  | 2,599.31 |           |
| modification pricing.                    |           | US26   | 2,637.72 |           |
|                                          |           | US26D  | 2,573.70 |           |
| Refer to page 25 for extension rod       |           | US32D  | 2,599.31 |           |
| kits for doors over 8 feet in height.    |           | BLK    | 2,599.31 |           |
| to list price.                           | 48" x 84" | US3    | 2,663.34 | 3         |
| Anti-microbial add \$59.73 to list price | Exit Only | US4    | 2,637.72 |           |
|                                          |           | US10B  | 2,663.34 |           |
|                                          |           | US26   | 2,663.34 |           |
|                                          |           | US26D  | 2,599.31 |           |
| Less dogging (specify LD-NON FIRE        |           | US32D  | 2,637.72 |           |
| RATED ONLY), add \$50.54 list price.     |           | BLK    | 2,637.72 |           |
|                                          | 48" x 96" | US3    | 2,714.55 | 3         |
|                                          | Exit Only | US4    | 2,688.94 |           |
|                                          |           | US10B  | 2,714.55 |           |
|                                          |           | US26   | 2,714.55 |           |
|                                          |           | US26D  | 2,650.52 |           |
|                                          |           | US32D  | 2,688.94 |           |
|                                          |           | BLK    | 2,688.94 |           |



## Exit Devices - 4600



| Description                              | Function  | Finish | List     | Case Qty. |
|------------------------------------------|-----------|--------|----------|-----------|
| <b>4601 CLB (Non-Fire Rated)</b>         | 36" x 84" | US3    | 2,586.50 | 3         |
| Grade 1                                  | Exit Only | US4    | 2,548.09 |           |
| Non-Handed                               |           | US10B  | 2,548.09 |           |
|                                          |           | US26   | 2,586.50 |           |
| Cylinder Dogging (specify CD), add       |           | US26D  | 2,522.48 |           |
| \$54.29 to list price. 3902 mortise      |           | US32D  | 2,548.09 |           |
| cylinder with standard cam must be       |           | BLK    | 2,548.09 |           |
| ordered separately. Cylinder length      |           |        |          |           |
| of 1-1/8" (29mm) - 1-3/8" (35mm)         | 36" x 96" | US3    | 2,637.72 | 3         |
| is required.                             | Exit Only | US4    | 2,599.31 |           |
| Refer to page 4 for electric             |           | US10B  | 2,599.31 |           |
| modification pricing.                    |           | US26   | 2,637.72 |           |
|                                          |           | US26D  | 2,573.70 |           |
| Refer to page 25 for extension rod       |           | US32D  | 2,599.31 |           |
| kits for doors over 8 feet in height.    |           | BLK    | 2,599.31 |           |
| to list price.                           | 48" x 84" | US3    | 2,663.34 | 3         |
|                                          | Exit Only | US4    | 2,637.72 |           |
| Anti-microbial add \$59.73 to list price |           | US10B  | 2,663.34 |           |
|                                          |           | US26   | 2,663.34 |           |
|                                          |           | US26D  | 2,599.31 |           |
| Less dogging (specify LD-NON FIRE        |           | US32D  | 2,637.72 |           |
| RATED ONLY), add \$50.54 list price.     |           | BLK    | 2,637.72 |           |
|                                          | 48" x 96" | US3    | 2,714.55 | 3         |
|                                          | Exit Only | US4    | 2,688.94 |           |
|                                          |           | US10B  | 2,714.55 |           |
|                                          |           | US26   | 2,714.55 |           |
|                                          |           | US26D  | 2,650.52 |           |
|                                          |           | US32D  | 2,688.94 |           |
|                                          |           | BLK    | 2,688.94 |           |





| Description                                                                                      | Function | Finish | List   | Case Qty. |
|--------------------------------------------------------------------------------------------------|----------|--------|--------|-----------|
| <b>46BE Blank Escutcheon</b>                                                                     |          |        |        |           |
| Tactile Warning - add \$54.29 to list price. Anti-microbial coating - add \$59.73 to list price. |          | US3    | 645.27 | 6         |
| <b>Archer Lever</b>                                                                              |          | US4    | 645.27 |           |
|                                                                                                  |          | US10B  | 645.27 |           |
|                                                                                                  |          | US26   | 645.27 |           |
|                                                                                                  |          | US26D  | 619.79 |           |
| <b>August Lever</b>                                                                              |          | US3    | 645.27 | 6         |
|                                                                                                  |          | US4    | 645.27 |           |
|                                                                                                  |          | US10B  | 645.27 |           |
|                                                                                                  |          | US26   | 645.27 |           |
|                                                                                                  |          | US26D  | 619.79 |           |
| <b>William Lever</b>                                                                             |          | US3    | 645.27 | 6         |
|                                                                                                  |          | US4    | 645.27 |           |
|                                                                                                  |          | US10B  | 645.27 |           |
|                                                                                                  |          | US26   | 645.27 |           |
|                                                                                                  |          | US26D  | 619.79 |           |
| <b>Withnell Lever</b>                                                                            |          | US3    | 645.27 | 6         |
|                                                                                                  |          | US4    | 645.27 |           |
|                                                                                                  |          | US10B  | 645.27 |           |
|                                                                                                  |          | US26   | 645.27 |           |
|                                                                                                  |          | US26D  | 619.79 |           |

14  
Always operable



Exit Devices - 4600



| Description                                                         | Function                         | Finish | List   | Case Qty. |
|---------------------------------------------------------------------|----------------------------------|--------|--------|-----------|
| <b>46CE</b>                                                         |                                  |        |        |           |
| Cylinder Escutcheon                                                 |                                  |        |        |           |
| Requires a 3902 mortise cylinder (with 3976 L cam) sold separately. |                                  |        |        |           |
| Tactile Warning - add \$54.29 to list price.                        |                                  |        |        |           |
| Anti-microbial coating - add \$59.73 to list price.                 |                                  |        |        |           |
| Archer Lever                                                        |                                  | US3    | 645.27 | 6         |
|                                                                     |                                  | US4    | 645.27 |           |
|                                                                     |                                  | US10B  | 645.27 |           |
|                                                                     |                                  | US26   | 645.27 |           |
|                                                                     |                                  | US26D  | 619.79 |           |
| August Lever                                                        |                                  | US3    | 645.27 | 6         |
|                                                                     |                                  | US4    | 645.27 |           |
|                                                                     |                                  | US10B  | 645.27 |           |
|                                                                     |                                  | US26   | 645.27 |           |
|                                                                     |                                  | US26D  | 619.79 |           |
| William Lever                                                       | 08<br>Key locks or unlocks lever | US3    | 645.27 | 6         |
|                                                                     |                                  | US4    | 645.27 |           |
|                                                                     |                                  | US10B  | 645.27 |           |
|                                                                     |                                  | US26   | 645.27 |           |
|                                                                     |                                  | US26D  | 619.79 |           |
| Withnell Lever                                                      |                                  | US3    | 645.27 | 6         |
|                                                                     |                                  | US4    | 645.27 |           |
|                                                                     |                                  | US10B  | 645.27 |           |
|                                                                     |                                  | US26   | 645.27 |           |
|                                                                     |                                  | US26D  | 619.79 |           |





| Description                                                                                                                   | Function                                 | Finish | List   | Case Qty. |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|--------|--------|-----------|
| <b>46DT</b><br>Dummy Trim<br>Tactile Warning - add \$54.29 to list price. Anti-microbial coating - add \$59.73 to list price. |                                          |        |        |           |
| <b>Archer Lever</b>                                                                                                           |                                          | US3    | 645.27 | 6         |
|                                                                                                                               |                                          | US4    | 645.27 |           |
|                                                                                                                               |                                          | US10B  | 645.27 |           |
|                                                                                                                               |                                          | US26   | 645.27 |           |
|                                                                                                                               |                                          | US26D  | 619.79 |           |
| <b>August Lever</b>                                                                                                           |                                          | US3    | 645.27 | 6         |
|                                                                                                                               |                                          | US4    | 645.27 |           |
|                                                                                                                               |                                          | US10B  | 645.27 |           |
|                                                                                                                               |                                          | US26   | 645.27 |           |
|                                                                                                                               |                                          | US26D  | 619.79 |           |
| <b>William Lever</b>                                                                                                          | 02<br>Pull when device is<br>dogged down | US3    | 645.27 | 6         |
|                                                                                                                               |                                          | US4    | 645.27 |           |
|                                                                                                                               |                                          | US10B  | 645.27 |           |
|                                                                                                                               |                                          | US26   | 645.27 |           |
|                                                                                                                               |                                          | US26D  | 619.79 |           |
| <b>Withnell Lever</b>                                                                                                         |                                          | US3    | 645.27 | 6         |
|                                                                                                                               |                                          | US4    | 645.27 |           |
|                                                                                                                               |                                          | US10B  | 645.27 |           |
|                                                                                                                               |                                          | US26   | 645.27 |           |
|                                                                                                                               |                                          | US26D  | 619.79 |           |



## Exit Devices - 4600



| Description                                                                                                                                                                                                                                                        | Function                     | Finish | List   | Case Qty. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|--------|--------|-----------|
| <b>46NL</b><br>Night Latch<br>Requires a 3901 rim cylinder (with long tailpiece) sold separately.<br>Maximum door thickness compatibility is 2-1/2" (38mm).<br>Tactile Warning - add \$54.29 to list price.<br>Anti-microbial coating - add \$59.73 to list price. |                              |        |        |           |
| <b>Archer Lever</b>                                                                                                                                                                                                                                                |                              | US3    | 645.27 | 6         |
|                                                                                                                                                                                                                                                                    |                              | US4    | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US10B  | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US26   | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US26D  | 619.79 |           |
| <b>August Lever</b>                                                                                                                                                                                                                                                |                              | US3    | 645.27 | 6         |
|                                                                                                                                                                                                                                                                    |                              | US4    | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US10B  | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US26   | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US26D  | 619.79 |           |
| <b>William Lever</b>                                                                                                                                                                                                                                               | 03<br>Key Retracts Latchbolt | US3    | 645.27 | 6         |
|                                                                                                                                                                                                                                                                    |                              | US4    | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US10B  | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US26   | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US26D  | 619.79 |           |
| <b>Withnell Lever</b>                                                                                                                                                                                                                                              |                              | US3    | 645.27 | 6         |
|                                                                                                                                                                                                                                                                    |                              | US4    | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US10B  | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US26   | 645.27 |           |
|                                                                                                                                                                                                                                                                    |                              | US26D  | 619.79 |           |
| <b>4920</b><br>Strike for use with 4500 or 4600 Series Rim Exit Device.<br>Optional - order separately                                                                                                                                                             |                              |        |        |           |
|                                                                                                                                                                                                                                                                    |                              | US32D  | 92.32  | 24        |
| <b>4920F</b><br>Fire rated strike for use with 4500 or 4600 Series Fire Rated Rim Exit Device.<br>Included standard with fire rated device.                                                                                                                        |                              |        |        |           |
|                                                                                                                                                                                                                                                                    |                              | US32D  | 127.98 | 24        |



|                                                                                     | Description                                | Function | Finish | List   | Case Qty. |
|-------------------------------------------------------------------------------------|--------------------------------------------|----------|--------|--------|-----------|
|    | <b>4925C</b>                               |          | US10B  | 49.09  | 48        |
|                                                                                     | Cylinder Dogging Conversion Kit for        | 36"      | US26   | 49.09  |           |
|                                                                                     | Panic Rated 4600 Series CVR and CLB        |          | US26D  | 49.09  |           |
|                                                                                     | Device.                                    |          | US32D  | 49.09  |           |
|                                                                                     | Requires a 3902 mortise cylinder (with     | 48"      | US10B  | 51.55  | 36        |
|                                                                                     | standard cam) sold separately.             |          | US26   | 51.55  |           |
|                                                                                     | Cylinder length of 1-1/8" (29mm) -         |          | US26D  | 51.55  |           |
|                                                                                     | 1-3/8" (35mm) is required.                 |          | US32D  | 51.55  |           |
|    | <b>4925R</b>                               |          | US3    | 55.95  | 48        |
|                                                                                     | Cylinder Dogging Conversion Kit for        | 36"      | US4    | 55.95  |           |
|                                                                                     | Panic Rated 4600 Series Rim Device.        |          | US10B  | 55.95  |           |
|                                                                                     |                                            |          | US26   | 55.95  |           |
|                                                                                     | Requires a 3902 mortise cylinder (with     |          | US26D  | 55.95  |           |
|                                                                                     | standard cam) sold separately.             |          | US32D  | 55.95  |           |
|                                                                                     | Cylinder length of 1-1/8" (29mm) -         | 48"      | US3    | 58.77  | 36        |
|                                                                                     | 1-3/8" (35mm) is required.                 |          | US4    | 58.77  |           |
|                                                                                     |                                            |          | US10B  | 58.77  |           |
|                                                                                     |                                            |          | US26   | 58.77  |           |
|                                                                                     |                                            |          | US26D  | 58.77  |           |
|                                                                                     |                                            |          | US32D  | 58.77  |           |
|  | <b>4941 R</b>                              | 36"      | US3    | 466.98 |           |
|                                                                                     | Alarm Kit for 4600 Series Rim Device       |          | US4    | 466.98 |           |
|                                                                                     | Latchbolt monitor switch and tamper switch |          | US10B  | 466.98 |           |
|                                                                                     | available.                                 |          | US26   | 466.98 |           |
|                                                                                     |                                            |          | US26D  | 466.98 |           |
|                                                                                     |                                            |          | US32D  | 466.98 |           |
|                                                                                     |                                            | 48"      | US3    | 466.98 |           |
|                                                                                     |                                            |          | US4    | 466.98 |           |
|                                                                                     |                                            |          | US10B  | 466.98 |           |
|                                                                                     |                                            |          | US26   | 466.98 |           |
|                                                                                     |                                            |          | US26D  | 466.98 |           |
|                                                                                     |                                            |          | US32D  | 466.98 |           |



## Exit Devices - 4600

|                                                                                     | Description                                                                                                              | Function | Finish | List   | Case Qty. |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|----------|--------|--------|-----------|
|    | <b>4950</b><br>Blade stop strike for use with 4600 Series Rim Exit Device.<br>Included standard with panic rated device. |          | US32D  | 92.32  | 24        |
|                                                                                     | <b>4951</b><br>Single rabbet strike for use with 4600 Series Rim Exit Device<br>Optional - order separately              |          | US32D  | 92.32  | 24        |
|                                                                                     | <b>4952</b><br>Semi-flush mount strike for use with 4600 Series Rim Exit Device<br>Optional - order separately           |          | US32D  | 92.32  | 24        |
|    | <b>4960R</b><br>Shim Kit for 4600 Series Rim Exit Device<br><br>Packaged 2 each 1/8" shims                               |          | US3    | 99.36  | 24        |
|                                                                                     |                                                                                                                          |          | US4    | 99.36  |           |
|                                                                                     |                                                                                                                          |          | US10B  | 99.36  |           |
|                                                                                     |                                                                                                                          |          | US26   | 99.36  |           |
|                                                                                     |                                                                                                                          |          | US26D  | 99.36  |           |
|                                                                                     |                                                                                                                          |          | US32D  | 116.84 |           |
|   | <b>4965R</b><br>Replacement Head Cover for 4600 Series Rim Exit Device                                                   |          | US3    | 99.36  | 20        |
|                                                                                     |                                                                                                                          |          | US4    | 99.36  |           |
|                                                                                     |                                                                                                                          |          | US10B  | 99.36  |           |
|                                                                                     |                                                                                                                          |          | US26   | 99.36  |           |
|                                                                                     |                                                                                                                          |          | US26D  | 99.36  |           |
|  | <b>4965C</b><br>Replacement Head Cover for 4600 CVR/CLB Device                                                           |          | US32D  | 116.84 |           |
|                                                                                     |                                                                                                                          |          | US10B  | 99.36  | 20        |
|                                                                                     |                                                                                                                          |          | US26S  | 99.36  |           |
|                                                                                     |                                                                                                                          |          | US32D  | 116.84 |           |





|                                                         |  |
|---------------------------------------------------------|--|
| <b>2-649-0038</b><br>End Cap Replacement Pack - Flanged |  |
| <b>2-649-0039</b><br>End Cap Replacement Pack - Flanged |  |
| <b>2-649-0041</b><br>End Cap Replacement Pack - Flanged |  |
| <b>2-649-0042</b><br>End Cap Replacement Pack - Flanged |  |
| <b>2-649-0043</b><br>End Cap Replacement Pack - Flanged |  |
| <b>2-649-0044</b><br>End Cap Replacement Pack - Flanged |  |
| <b>2-649-0554</b><br>End Cap Replacement Pack - Flanged |  |

|       |       |
|-------|-------|
| US3   | 38.48 |
| US4   | 38.48 |
| US10B | 38.48 |
| US26  | 38.48 |
| US26D | 38.48 |
| US32D | 38.48 |
| BLK   | 38.48 |



|                                    |  |
|------------------------------------|--|
| <b>2-649-0218</b><br>Flush End Cap |  |
| <b>2-649-0220</b><br>Flush End Cap |  |
| <b>2-649-0215</b><br>Flush End Cap |  |
| <b>2-649-0216</b><br>Flush End Cap |  |
| <b>2-649-0217</b><br>Flush End Cap |  |
| <b>2-649-0218</b><br>Flush End Cap |  |
| 100206801<br>Flush End Cap         |  |

|       |       |
|-------|-------|
| US3   | 44.81 |
| US4   | 44.81 |
| US10B | 44.81 |
| US26  | 44.81 |
| US26D | 44.81 |
| US32D | 44.81 |
| BLK   | 44.81 |

Note: All end caps come with bracket and fasteners

|                                                                               |  |
|-------------------------------------------------------------------------------|--|
| <b>2-649-0168</b><br>Latchbolt Monitor Switch for 4940 and 4941<br>Alarm Kits |  |
|-------------------------------------------------------------------------------|--|

- 176.25

|                                                           |  |
|-----------------------------------------------------------|--|
| <b>2-649-1074</b><br>Hex Key for Dogging 5/32"<br>10 pack |  |
|-----------------------------------------------------------|--|

- 7.75

|                                                                 |  |
|-----------------------------------------------------------------|--|
| <b>2-649-1090</b><br>Tamper Switch for 4940 and 4941 Alarm Kits |  |
|-----------------------------------------------------------------|--|


- 176.25




## Exit Devices - 4600

|                                                                                    | Description                                                                  | Function | Finish | List   | Case Qty. |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------|--------|--------|-----------|
|  | <b>4929C</b><br>4929 CVR/CLB Rod Replacement PK 46-5/8"<br>US26D (4500/4600) |          |        | 60.18  |           |
|                                                                                    | <b>2-649-0596</b><br>4600 CVR Bottom Strike Packaged Assembly                |          |        | 36.61  |           |
|                                                                                    | <b>2-649-0598</b><br>4600 CVR Top Strike Packed Assembly                     |          |        | 36.61  |           |
|                                                                                    | <b>2-649-0581</b><br>4600 CVR Top Latch Assembly (no screws)                 |          |        | 122.66 |           |
|                                                                                    | <b>2-649-0582</b><br>4600 CVR Bottom Latch Assembly (no screws)              |          |        | 126.50 |           |
|                                                                                    | <b>2-649-0580</b><br>4600 CVR Rod Connector Pack                             |          |        | 19.78  |           |
|                                                                                    | <b>2-649-0597</b><br>4600 Exit Device Chassis Screw Pack                     |          |        | 7.91   |           |
|                                                                                    | <b>2-649-0598</b><br>4600 CVR Latch Screw Pack, 26D                          |          | 26D    | 6.59   |           |
|                                                                                    | <b>2-649-0589</b><br>4600 CVR Latch Screw Pack, 32D                          |          | 32D    | 6.59   |           |
|                                                                                    | <b>2-649-0583</b><br>4600 CVR Latch Screw Pack, US3                          |          | US3    | 6.59   |           |
|                                                                                    | <b>2-649-0584</b><br>4600 CVR Latch Screw Pack, US4                          |          | US4    | 6.59   |           |
|                                                                                    | <b>2-649-0586</b><br>4600 CVR Latch Screw Pack, US10B                        |          | US10B  | 6.59   |           |
|                                                                                    | <b>2-649-0587</b><br>4600 CVR Latch Screw Pack, US26                         |          | US26   | 6.59   |           |
|                                                                                    | <b>2-649-0590</b><br>4600 CVR Latch Screw Pack, BLK                          |          | BLK    | 6.59   |           |







| Description                                                                                                                                                                                                 | Length                 | Finish | List     | List Fire Rated | Case Qty. |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|--------|----------|-----------------|-----------|
| 4701 Rim<br>Standard Duty<br>Non-Handed                                                                                                                                                                     | 36"<br>Exit Only       | ALM    | 399.88   | 549.44          | 3         |
|                                                                                                                                                                                                             |                        | DBZ    | 399.88   | 549.44          |           |
|                                                                                                                                                                                                             |                        | US3    | 673.90   | 827.68          |           |
|                                                                                                                                                                                                             |                        | US32D  | 673.90   | 827.68          |           |
|                                                                                                                                                                                                             |                        | BLK    | 399.88   | 549.44          |           |
|                                                                                                                                                                                                             | 48"<br>Exit Only       | ALM    | 450.21   | 601.88          | 3         |
|                                                                                                                                                                                                             |                        | DBZ    | 450.21   | 601.88          |           |
|                                                                                                                                                                                                             |                        | US3    | 724.22   | 875.89          |           |
|                                                                                                                                                                                                             |                        | US32D  | 724.22   | 875.89          |           |
|                                                                                                                                                                                                             |                        | BLK    | 450.21   | 601.88          |           |
| 4701 SVR<br>Standard Duty<br>Non-Handed<br><br>SVR panic devices available on 10' openings. Order extension rod kits separately.<br><br>Less dogging (specify L-NON FIRE RATED ONLY) add \$50.54 list price | 36" x 84"<br>Exit Only | ALM    | 650.08   | 898.30          | 3         |
|                                                                                                                                                                                                             |                        | DBZ    | 650.08   | 898.30          |           |
|                                                                                                                                                                                                             |                        | US3    | 925.57   | 1,174.37        |           |
|                                                                                                                                                                                                             |                        | US32D  | 925.57   | 1,174.37        |           |
|                                                                                                                                                                                                             |                        | BLK    | 650.08   | 898.30          |           |
|                                                                                                                                                                                                             | 36" x 96"<br>Exit Only | ALM    | 701.88   | 950.03          | 3         |
|                                                                                                                                                                                                             |                        | DBZ    | 701.88   | 950.03          |           |
|                                                                                                                                                                                                             |                        | US3    | 973.72   | 1,224.73        |           |
|                                                                                                                                                                                                             |                        | US32D  | 973.72   | 1,224.73        |           |
|                                                                                                                                                                                                             | 48" x 84"<br>Exit Only | ALM    | 724.22   | 973.72          | 3         |
|                                                                                                                                                                                                             |                        | DBZ    | 724.22   | 973.72          |           |
|                                                                                                                                                                                                             |                        | US3    | 980.05   | 1,247.73        |           |
|                                                                                                                                                                                                             |                        | US32D  | 980.05   | 1,247.73        |           |
|                                                                                                                                                                                                             | 48" x 96"<br>Exit Only | ALM    | 749.38   | 999.59          | 3         |
|                                                                                                                                                                                                             |                        | DBZ    | 749.38   | 999.59          |           |
|                                                                                                                                                                                                             |                        | US3    | 1,025.51 | 1,275.71        |           |
|                                                                                                                                                                                                             |                        | US32D  | 1,025.51 | 1,275.71        |           |



## Exit Devices - 4700




| Description                                                                                                                                                                                                                                                               | Function              | Finish | LHR List | RHR List | Case Qty. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|----------|----------|-----------|
| <b>47BE</b><br>Blank Escutcheon<br>Must specify handing<br>Steel body, zinc lever (US32D has stainless steel cover).<br>For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.<br>Tactile Warning - add \$54.29 to list price of item. |                       |        |          |          |           |
| <b>Archer Lever</b>                                                                                                                                                                                                                                                       |                       | ALM    | 305.83   | 305.83   | 6         |
|                                                                                                                                                                                                                                                                           |                       | DBZ    | 305.83   | 305.83   |           |
|                                                                                                                                                                                                                                                                           |                       | US3    | 334.15   | 334.15   |           |
|                                                                                                                                                                                                                                                                           |                       | US32D  | 334.15   | 334.15   |           |
| <b>August Lever</b>                                                                                                                                                                                                                                                       | 14<br>Always operable | ALM    | 305.83   | 305.83   | 6         |
|                                                                                                                                                                                                                                                                           |                       | DBZ    | 305.83   | 305.83   |           |
|                                                                                                                                                                                                                                                                           |                       | US3    | 334.15   | 334.15   |           |
|                                                                                                                                                                                                                                                                           |                       | US32D  | 334.15   | 334.15   |           |
| <b>Withnell Lever</b>                                                                                                                                                                                                                                                     |                       | ALM    | 305.83   | 305.83   | 6         |
|                                                                                                                                                                                                                                                                           |                       | DBZ    | 305.83   | 305.83   |           |
|                                                                                                                                                                                                                                                                           |                       | US3    | 334.15   | 334.15   |           |
|                                                                                                                                                                                                                                                                           |                       | US32D  | 334.15   | 334.15   |           |
|                                                                                                                                                                                                                                                                           |                       | BLK    |          | 305.83   |           |



|                                                                                                                                                                                                                                                                                                                                                       |                                  |       |        |        |   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-------|--------|--------|---|
| <b>47CE</b><br>Cylinder Escutcheon<br>Must specify handing<br>Requires a 3902 mortise cylinder (with standard cam) sold separately.<br>Steel body, zinc lever (US32D has stainless steel cover).<br>For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.<br>Tactile Warning - add \$54.29 to list price of item. |                                  |       |        |        |   |
| <b>Archer Lever</b>                                                                                                                                                                                                                                                                                                                                   |                                  | ALM   | 305.83 | 305.83 | 6 |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | DBZ   | 305.83 | 305.83 |   |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | US3   | 334.15 | 334.15 |   |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | US32D | 334.15 | 334.15 |   |
| <b>August Lever</b>                                                                                                                                                                                                                                                                                                                                   | 08<br>Key locks or unlocks lever | ALM   | 305.83 | 305.83 | 6 |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | DBZ   | 305.83 | 305.83 |   |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | US3   | 334.15 | 334.15 |   |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | US32D | 334.15 | 334.15 |   |
| <b>Withnell Lever</b>                                                                                                                                                                                                                                                                                                                                 |                                  | ALM   | 305.83 | 305.83 | 6 |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | DBZ   | 305.83 | 305.83 |   |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | US3   | 334.15 | 334.15 |   |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | US32D | 334.15 | 334.15 |   |
|                                                                                                                                                                                                                                                                                                                                                       |                                  | BLK   |        | 305.83 |   |



**47DT**

Dummy Trim

Must specify handing

Steel body, zinc lever (US32D has stainless steel cover).

For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.

Tactile Warning - add \$54.29 to list price of item.

**Archer Lever**

|       |        |        |   |
|-------|--------|--------|---|
| ALM   | 305.73 | 305.73 | 6 |
| DBZ   | 305.83 | 305.83 |   |
| US3   | 334.15 | 334.15 |   |
| US32D | 334.15 | 334.15 |   |

**August Lever**

02  
Pull when device is  
dogged down

|       |        |        |   |
|-------|--------|--------|---|
| ALM   | 305.73 | 305.73 | 6 |
| DBZ   | 305.83 | 305.83 |   |
| US3   | 334.15 | 334.15 |   |
| US32D | 334.15 | 334.15 |   |

**Withnell Lever**

|       |        |        |   |
|-------|--------|--------|---|
| ALM   | 305.73 | 305.73 | 6 |
| DBZ   | 305.83 | 305.83 |   |
| US3   | 334.15 | 334.15 |   |
| US32D | 334.15 | 334.15 |   |

**47NL**

Night Latch

Must specify handing

Requires a 3902 mortise cylinder (sold separately) with standard cam.

Steel body, zinc lever (US32D has stainless steel cover).

For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.

Tactile Warning - add \$54.29 to list price of item.

**Archer Lever**

|       |        |        |   |
|-------|--------|--------|---|
| ALM   | 305.83 | 305.83 | 6 |
| DBZ   | 305.83 | 305.83 |   |
| US3   | 334.15 | 334.15 |   |
| US32D | 334.15 | 334.15 |   |


**August Lever**

03  
Key retracts  
latchbolt

|       |        |        |   |
|-------|--------|--------|---|
| ALM   | 305.83 | 305.83 | 6 |
| DBZ   | 305.83 | 305.83 |   |
| US3   | 334.15 | 334.15 |   |
| US32D | 334.15 | 334.15 |   |

**Withnell Lever**

|       |        |        |   |
|-------|--------|--------|---|
| ALM   | 305.83 | 305.83 | 6 |
| DBZ   | 305.83 | 305.83 |   |
| US3   | 334.15 | 334.15 |   |
| US32D | 334.15 | 334.15 |   |
| BLK   |        | 305.83 |   |



## Exit Devices - 4700



**47KD**  
 Dummy Trim  
 Steel body and zinc lever (US32D stainless steel rose).  
 Tactile Warning - add \$54.29 to list price of item.

### Archer Lever

|       |        |   |    |
|-------|--------|---|----|
| ALM   | 277.02 | - | 12 |
| DBZ   | 277.02 | - |    |
| US3   | 305.83 | - |    |
| US32D | 305.83 | - |    |

### August Lever

02  
 Entrance by trim  
 when device is  
 dogged down

|       |        |   |    |
|-------|--------|---|----|
| ALM   | 277.02 | - | 12 |
| DBZ   | 277.02 | - |    |
| US3   | 305.83 | - |    |
| US32D | 305.83 | - |    |

### Withnell Lever

|       |        |   |    |
|-------|--------|---|----|
| ALM   | 277.02 | - | 12 |
| DBZ   | 277.02 | - |    |
| US3   | 305.83 | - |    |
| US32D | 305.83 | - |    |



**47KE**  
 Entrance  
 Fixed cylinder standard or SFIC housing option for levers (SFIC cores sold separately, refer to locks section).  
 Steel body and zinc lever or knob (US32D stainless steel rose).  
 Tactile Warning - add \$54.29 to list price of item.

### Archer Lever

|       |        |        |    |
|-------|--------|--------|----|
| ALM   | 305.83 | 305.83 | 12 |
| DBZ   | 305.83 | 305.83 |    |
| US3   | 334.15 | 334.15 |    |
| US32D | 334.15 | 334.15 |    |

### August Lever

08  
 Entrance by trim  
 key locks or unlocks  
 trim

|       |        |        |    |
|-------|--------|--------|----|
| ALM   | 305.83 | 305.83 | 12 |
| DBZ   | 305.83 | 305.83 |    |
| US3   | 334.15 | 334.15 |    |
| US32D | 334.15 | 334.15 |    |

### Withnell Lever

|       |        |        |    |
|-------|--------|--------|----|
| ALM   | 305.83 | 305.83 | 12 |
| DBZ   | 305.83 | 305.83 |    |
| US3   | 334.15 | 334.15 |    |
| US32D | 334.15 | 334.15 |    |

### Apollo Knob (not ADA compliant)

|       |        |        |    |
|-------|--------|--------|----|
| US32D | 334.15 | 334.15 | 12 |
|-------|--------|--------|----|



**47KN****Night Latch**

Fixed cylinder standard or SFIC housing option for levers (SFIC cores sold separately, refer to locks section).

Steel body, zinc lever or knob (US32D stainless steel rose).

Tactile Warning - add \$54.29 to list price of item.

**Archer Lever**

ALM 305.83 12

DBZ 305.83

US3 334.15

US32D 334.15

**August Lever**

ALM 305.83 12

DBZ 305.83

US3 334.15

US32D 334.15

**Withnell Lever**

ALM 305.83 12

DBZ 305.83

US3 334.15

US32D 334.15

**Apollo Knob (not ADA compliant)**

US32D 334.15 12

**47KP****Passage**

Steel body, zinc lever (US32D stainless steel rose).

Tactile Warning - add \$54.29 to list price of item.

**Archer Lever**

ALM 277.02 12

DBZ 277.02

US3 305.83

US32D 305.83

**August Lever**

ALM 277.02 12

DBZ 277.02

US3 305.83

US32D 305.83

**Withnell Lever**

ALM 277.02 12

DBZ 277.02

US3 305.83

US32D 305.83



## Exit Devices - 4700



### 47BT

Pull Plate

Thumb Piece Passage

Tactile Warning - add \$54.29 to list price of item.

14  
Always operable

US32D

337.47

337.47

6



### 47PT

Pull Plate

Thumb Piece Entrance

Tactile Warning - add \$54.29 to list price of item.

05  
Key locks or unlocks  
thumb piece

US32D

337.47

337.47

6



### 47PD

Pull Plate - Dummy Trim

Plated steel for ALM, DBZ, and US3. Stainless steel for US32D.

Tactile Warning - add \$54.29 to list price of item.

02  
Pull when device is  
dogged down

ALM

137.83

12

DBZ

137.83

US3

137.83

US32D

137.83



### 47PN

Pull Plate - Night Latch

Requires a 3901 rim cylinder (sold separately). Includes retaining cup for 161 door prep.

Plated steel for ALM, DBZ, and US3. Stainless steel for US32D.

Tactile Warning - add \$54.29 to list price of item

03  
Key retracts  
latchbolt

ALM

157.63

12

DBZ

158.70

US3

158.70

US32D

158.71



### 47RD

Raised Lip Pull - Dummy Trim

Plated steel for ALM, DBZ, and US3. Stainless steel for US32D.

Tactile Warning - add \$54.29 to list price of item.

02  
Pull when device is  
dogged down

ALM

76.70

12

DBZ

76.70

US3

76.70

US32D

76.70



### 47RN

Raised Lip Pull - Night Latch

Requires a 3901 rim cylinder (sold separately).

Tactile Warning - add \$54.29 to list price of item.

03  
Key retracts  
latchbolt

ALM

85.45

12

DBZ

85.45

US3





85.45

US32D

85.45

Plated steel for ALM, DBZ, and US3.  
Stainless steel for US32D.




|                                                                                     | Description                                                                                                                                                                           | Finish                     | List                             | Case Qty. |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------|-----------|
|    | <b>4910</b><br>Strike for use with 4700 Rim Exit Device<br>Included standard with device.                                                                                             | US32D                      | 88.87                            | 24        |
|    | <b>4911</b><br>Double door strike for 4700 Surface Vertical Rod and Rim Exit Device. Not for fire-rated door.<br>Optional - order separately.                                         | DBZ<br>US3<br>US32D        | 79.77<br>79.77<br>79.77          | 24        |
|    | <b>4913</b><br>Top strike for 4700 Surface Vertical Rod Exit Device<br>Included standard with device.                                                                                 | US32D                      | 56.66                            | 24        |
|    | <b>4914</b><br>Bottom strike for 4700 Surface Vertical Rod Exit Device<br>Included standard with device.                                                                              | US32D                      | 56.66                            | 24        |
|    | <b>4915</b><br>Threshold strike for use with 4500 Series or Not for fire-rated doors.<br>Optional order separately.                                                                   | 4700 Series.<br>US32D      | 32.91                            | 48        |
|    | <b>4917</b><br>Bottom Latch Assembly<br>Includes latch, cover and screws.<br>Included standard with panic rated devices.                                                              | ALM<br>DBZ<br>US3<br>US32D | 82.23<br>82.23<br>82.23<br>82.23 | 50        |
|  | <b>4917F</b><br>Bottom Latch Assembly<br>Includes latch, cover and screws.<br>Included standard with fire-rated devices.                                                              | ALM<br>DBZ<br>US3<br>US32D | 82.23<br>82.23<br>82.23<br>82.23 | 50        |
|  | <b>4918</b><br>Top Latch Assembly<br>Includes latch, cover and screws.<br>Included standard with device.                                                                              | ALM<br>DBZ<br>US3<br>US32D | 82.23<br>82.23<br>82.23<br>82.23 | 50        |
|  | <b>4919</b><br>Rod Replacement Kit (top or bottom)<br>Includes rod (47-1/4"), rod guide, rod connector assembly and all appropriate screws.                                           | ALM<br>DBZ<br>US3<br>US32D | 42.00<br>42.00<br>42.00<br>42.00 | 24        |
|  | <b>4931R</b><br>Shim Kit for 4700 Series Rim Device<br>Packaged 2 ea. 1/8" shims.<br>If using with 47BE, 47CE, 47NL trim, please specify thickness (door plus shim).                  | ALM<br>DBZ<br>US3<br>US32D | 72.79<br>72.79<br>82.23<br>82.23 | 24        |
|  | <b>4931S</b><br>Shim Kit for 4700 Series Surface Vertical Rod Device<br>Packaged 2 ea. 1/8" shims.<br>If using with 47BE, 47CE, 47NL trim, please specify thickness (door plus shim). | ALM<br>DBZ<br>US3<br>US32D | 72.79<br>72.79<br>82.23<br>82.23 | 24        |



## Exit Devices - 4700

|                                                                                     | Description                                                                                                                                                                          | Finish | List  | Case Qty. |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------|-----------|
|    | <b>4933R</b><br>Replacement Head Cover for 4700 Series<br>Rim Device                                                                                                                 | ALM    | 52.44 | 20        |
|                                                                                     |                                                                                                                                                                                      | DBZ    | 52.44 |           |
|                                                                                     |                                                                                                                                                                                      | US3    | 60.88 |           |
|                                                                                     |                                                                                                                                                                                      | US32D  | 60.88 |           |
|    | <b>4933S</b><br>Replacement Head Cover for 4700 Series<br>SVR Device                                                                                                                 | ALM    | 52.44 | 20        |
|                                                                                     |                                                                                                                                                                                      | DBZ    | 52.44 |           |
|                                                                                     |                                                                                                                                                                                      | US3    | 60.88 |           |
|                                                                                     |                                                                                                                                                                                      | US32D  | 60.88 |           |
|    | <b>4934</b><br>Replacement Dogging Plate for 4700<br>Series Panic Rated Device                                                                                                       | 36"    | ALM   | 20        |
|                                                                                     |                                                                                                                                                                                      |        | DBZ   |           |
|                                                                                     |                                                                                                                                                                                      |        | US3   |           |
|                                                                                     |                                                                                                                                                                                      |        | US32D |           |
|                                                                                     | 48"                                                                                                                                                                                  | ALM    | 47.57 | 20        |
|                                                                                     |                                                                                                                                                                                      | DBZ    | 47.57 |           |
|                                                                                     |                                                                                                                                                                                      | US3    | 47.57 |           |
|                                                                                     |                                                                                                                                                                                      | US32D  | 47.57 |           |
|  | <b>4934F</b><br>Replacement Dogging Plate for 4700<br>Series Fire Rated Device                                                                                                       | 36"    | ALM   | 20        |
|                                                                                     |                                                                                                                                                                                      |        | DBZ   |           |
|                                                                                     |                                                                                                                                                                                      |        | US3   |           |
|                                                                                     |                                                                                                                                                                                      |        | US32D |           |
|                                                                                     | 48"                                                                                                                                                                                  | ALM    | 47.57 | 20        |
|                                                                                     |                                                                                                                                                                                      | DBZ    | 47.57 |           |
|                                                                                     |                                                                                                                                                                                      | US3    | 47.57 |           |
|                                                                                     |                                                                                                                                                                                      | US32D  | 47.57 |           |
|  | <b>4936</b><br>24" Extension Rod Kit<br>Includes 24" extension rod, rod connector, rod guide, and wood and<br>machine screws.<br>Fire rated up to 8' on Surface Vertical Rod device. | ALM    | 38.48 | 24        |
|                                                                                     |                                                                                                                                                                                      | DBZ    | 38.48 |           |
|                                                                                     |                                                                                                                                                                                      | US3    | 38.48 |           |
|                                                                                     |                                                                                                                                                                                      | US32D  | 38.48 |           |
|  | <b>4937</b><br>36" Extension Rod Kit<br>Includes 36" extension rod, rod connector, rod guide, and wood and<br>machine screws.<br>Fire rated up to 8' on Surface Vertical Rod device. | ALM    | 43.41 | 24        |
|                                                                                     |                                                                                                                                                                                      | DBZ    | 43.41 |           |
|                                                                                     |                                                                                                                                                                                      | US32D  | 43.41 |           |





| Description                                                               | Finish | List  | Case Qty. |
|---------------------------------------------------------------------------|--------|-------|-----------|
| <b>2-649-0010</b><br>Rod Guide Replacement                                | US3    | 10.50 |           |
| <b>2-649-0011</b><br>Rod Guide Replacement                                | US32D  | 10.50 |           |
| <b>2-649-0012</b><br>Rod Guide Replacement                                | DBZ    | 10.50 |           |
| <b>2-649-0013</b><br>Rod Guide Replacement                                | ALM    | 10.50 |           |
| <b>2-649-0014</b><br>Trim Hanging Pin - 5 pack                            | -      | 10.50 |           |
| <b>2-649-0021</b><br>Top Latch Cover                                      | ALM    | 45.56 |           |
| <b>2-649-0022</b><br>Top Latch Cover                                      | DBZ    | 45.56 |           |
| <b>2-649-0023</b><br>Top Latch Cover                                      | US3    | 45.56 |           |
| <b>2-649-0024</b><br>Top Latch Cover                                      | US32D  | 45.56 |           |
| <b>2-649-0025</b><br>Bottom Latch Cover                                   | ALM    | 45.56 |           |
| <b>2-649-0026</b><br>Bottom Latch Cover                                   | DBZ    | 45.56 |           |
| <b>2-649-0027</b><br>Bottom Latch Cover                                   | US3    | 45.56 |           |
| <b>2-649-0028</b><br>Bottom Latch Cover                                   | US32D  | 45.56 |           |
| <b>2-649-0095</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide | ALM    | 10.50 |           |
| <b>2-649-0096</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide | DBZ    | 10.50 |           |
| <b>2-649-0097</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide | US3    | 10.50 |           |
| <b>2-649-0098</b><br>SVR Screwpack - Latch, rod, rod connector, rod guide | US32D  | 10.50 |           |
| <b>2-649-0099</b><br>SVR Screwpack - Top and bottom strike                | -      | 8.41  |           |
| <b>2-649-0100</b><br>Screwpack - Chassis, end cap, head cover, rim strike | ALM    | 18.24 |           |
| <b>2-649-0101</b><br>Screwpack - Chassis, end cap, head cover, rim strike | DBZ    | 18.24 |           |
| <b>2-649-0102</b><br>Screwpack - Chassis, end cap, head cover, rim strike | US3    | 18.24 |           |
| <b>2-649-0103</b><br>Screwpack - Chassis, end cap, head cover, rim strike | US32D  | 18.24 |           |



## Exit Devices - 4700



| Description                                                              | Finish | List  | Case Qty. |
|--------------------------------------------------------------------------|--------|-------|-----------|
| <b>2-649-0141</b><br>Screwpack - 2" thick door, trim                     | -      | 3.53  |           |
| <b>2-649-0142</b><br>Screwpack - 2-1/4" thick door, trim                 | -      | 3.53  |           |
| <b>2-649-0144</b><br>End Cap Replacement Pack                            | ALM    | 22.47 |           |
| <b>2-649-0145</b><br>End Cap Replacement Pack                            | DBZ    | 22.47 |           |
| <b>2-649-0146</b><br>End Cap Replacement Pack                            | US3    | 22.47 |           |
| <b>2-649-0147</b><br>End Cap Replacement Pack                            | US32D  | 22.47 |           |
| Note: All end caps come with bracket and fasteners                       |        |       |           |
| <b>2-649-0164</b><br>Pack of 8 Screws, trim (4700), 1/4 - 20 x 3/4" PHMS | -      | 10.50 |           |
| <b>2-649-0177</b><br>Rod to Rod Connector                                | US3    | 10.50 |           |
| <b>2-649-0183</b><br>Rod to Rod Connector                                | US32D  | 10.50 |           |
| <b>2-649-0184</b><br>Rod to Rod Connector                                | ALM    | 10.50 |           |
| <b>2-649-0185</b><br>Rod to Rod Connector                                | DBZ    | 10.50 |           |
| <b>2-649-4703</b><br>Hex Key for Dogging 3/16"<br>10 pack                | -      | 7.75  |           |

| Description                                                        | Length | Finish | List   | List Fire Rated | Case Qty. |
|--------------------------------------------------------------------|--------|--------|--------|-----------------|-----------|
| <b>4900U</b><br>Non-Keyed Removable Mullion Set                    | 7'     | USP    | 661.28 | 989.08          | 1         |
| 11 Gauge Steel Tube, top bracket/ bottom bracket set               | 8'     | USP    | 661.28 | 989.08          | 1         |
| Fire rated mullion requires a fire rated strike (sold separately). | 10'    | USP    | 793.14 |                 | 1         |
| <b>4904</b><br>Top/Bottom Bracket Set<br>Removable (Non-Keyed)     |        | -      | 290.09 | 356.54          | 5         |
| <b>2-649-0600</b><br>NKR/KR Removable Mullion<br>Bottom Bracket    |        |        | 72.83  |                 |           |



|                                                                                     | Description                                                                                                               | Length | Finish | List     | List Fire Rated | Case Qty. |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------|--------|----------|-----------------|-----------|
|    | <b>4905</b><br>Mullion Tube (Non-Keyed)<br>11 Gauge Steel                                                                 | 7'     | USP    | 424.40   |                 | 1         |
|                                                                                     |                                                                                                                           | 8'     | USP    | 424.40   |                 | 1         |
|                                                                                     |                                                                                                                           | 10'    | USP    | 525.75   |                 | 1         |
|    | <b>4912</b><br>Fire rated strike for use with 4500 Series and 4600 Series Fire Rated Exit Device and Mullion              |        | US32D  |          | 207.20          | 24        |
|    | <b>4916</b><br>Fire rated strike for use with 4700 Series Fire Rated Exit Device and Mullion                              |        | US32D  |          | 181.76          | 24        |
|    | <b>4953</b><br>Mullion Stabilizer for use with 4900 Series Non-Keyed and Keyed Removable Mullion                          |        | US32D  |          | 71.39           | 12        |
|   | <b>4900X</b><br>Keyed Removable Mullion Set<br>11 gauge steel tube, top bracket/bottom bracket set.                       | 7'     | USP    | 1,363.80 | 1,614.07        | 1         |
|                                                                                     |                                                                                                                           | 8'     | USP    | 1,363.80 | 1,614.07        | 1         |
|                                                                                     | Requires a 3901 rim cylinder (sold separately).<br><br>Fire rated mullion requires a fire rated strike (sold separately). | 10'    | USP    | 1,572.14 |                 | 1         |
|  | <b>4903</b><br>Top/Bottom Bracket Set<br>Key Removable                                                                    |        | -      | 838.18   | 1,027.66        | 5         |
|                                                                                     | Requires a 3901 rim cylinder (sold separately).                                                                           |        |        |          |                 |           |
|  | <b>4912</b><br>Fire rated strike for use with 4500 Series and 4600 Series Fire Rated Exit Device and Mullion              |        | US32D  |          | 207.20          | 24        |
|  | <b>4916</b><br>Fire rated strike for use with 4700 Series Fire Rated Exit Device and Mullion                              |        | US32D  |          | 181.76          | 24        |
|  | <b>4953</b><br>Mullion Stabilizer for use with 4900 Series Non-Keyed and Keyed Removable Mullion                          |        | US32D  |          | 71.39           | 12        |



## Exit Devices - 4700

|                                                                                   | Description                                                                                                                                                          | Length | Finish | List  | Case Qty. |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|-------|-----------|
|   | <b>3901</b><br>Rim Cylinder                                                                                                                                          |        | US3    | 62.10 | 1         |
|                                                                                   | Fixed cylinder and Small Format Interchangeable Core housing available (SFIC cores sold separately). SFIC not available in US26. Dummy rim cylinders also available. |        | US4    | 65.95 |           |
|                                                                                   |                                                                                                                                                                      |        | US10B  | 62.10 |           |
|                                                                                   |                                                                                                                                                                      |        | US26   | 62.10 |           |
|                                                                                   | Shipped standard with long break-off tailpiece.                                                                                                                      |        | US26D  | 62.10 |           |
|                                                                                   | Specify 6-pin or 7-pin for SFIC housing.                                                                                                                             |        |        |       |           |
|                                                                                   | For additional cylinder information, please refer to the Locks - Cylinders/Keying sections.                                                                          |        | BLK    | 62.10 |           |
|  | <b>3902</b><br>Mortise Cylinder                                                                                                                                      |        | US3    | 62.10 | 1         |
|                                                                                   | Fixed cylinder and Small Format Interchangeable Core housing available (SFIC cores sold separately). Dummy mortise cylinders also available.                         |        | US4    | 65.95 |           |
|                                                                                   |                                                                                                                                                                      |        | US10B  | 62.10 |           |
|                                                                                   |                                                                                                                                                                      |        | US26   | 62.10 |           |
|                                                                                   | Shipped with Schlage C keyway, standard cam attached, and Adams Rite cam loose in box.                                                                               |        |        |       |           |
|                                                                                   | Specify length 1-1/8" or 1-1/4" for fixed cylinder or 1-1/4" (6-pin) or 1-3/8" (7-pin) for SFIC housing.                                                             |        | US26D  | 62.10 |           |
|                                                                                   | For mortise exit device trim specify 1-5/8" with standard cam for fixed cylinder (Schlage C Keyway) or SFIC housing.                                                 |        |        |       |           |
|                                                                                   | For mortise exit device x cylinder/optional pull, use 1-3/8" cylinder with 11/16" cylinder collar.                                                                   |        |        |       |           |
|                                                                                   | For additional cylinder information, please refer to the Locks - Cylinders/Keying sections.                                                                          |        | BLK    | 62.10 |           |





**2-649-0137**  
Retaining Cup  
For use with Rim cylinder and 161 prep

NF 12.62



**2-649-0045**  
7/16" Cylinder Collar (4500 Pull Plate Trim)

US3 23.52

**2-649-0046**  
7/16" Cylinder Collar (4500 Pull Plate Trim)

US4 23.52

**2-649-0048**  
7/16" Cylinder Collar (4500 Pull Plate Trim)

US10B 23.52

**2-649-0050**  
7/16" Cylinder Collar (4500 Pull Plate Trim)

US26 23.52

**2-649-0051**  
7/16" Cylinder Collar (4500 Pull Plate Trim)

US26D 23.52

**2-649-0052**  
7/16" Cylinder Collar (4500 Pull Plate Trim)

US32D 23.52

**2-649-0105**  
7/16" Cylinder Collar (4500 Pull Plate Trim)

BLK 47.04

Note: For use with 1-1/8" mortise cylinders

Note: All cylinder collars come with wave washer and spacer



**2-649-0053**  
11/16" Cylinder Collar (4500 Escutcheon Trim)

US3 23.52

**2-649-0054**  
11/16" Cylinder Collar (4500 Escutcheon Trim)

US4 23.52

**2-649-0056**  
11/16" Cylinder Collar (4500 Escutcheon Trim)

US10B 23.52

**2-649-0057**  
11/16" Cylinder Collar (4500 Escutcheon Trim)

US26 23.52

**2-649-0058**  
11/16" Cylinder Collar (4500 Escutcheon Trim)

US26D 23.52

**2-649-0059**  
11/16" Cylinder Collar (4500 Escutcheon Trim)

US32D 23.52

**2-649-0106**  
11/16" Cylinder Collar (4500 Escutcheon Trim)

BLK 47.04

Note: For use with 1-1/4" or 1-3/8" mortise cylinders

Note: All cylinder collars come with wave washer and spacer



Exit Devices - 4700



| Description                                                                | Length | Finish | List  | Case Qty. |
|----------------------------------------------------------------------------|--------|--------|-------|-----------|
| 2-647-0012<br>7/8" Cylinder Collar - 5, 6, 7 pin<br>(4700 Escutcheon Trim) |        | US3    | 23.52 |           |
| 2-647-0013<br>7/8" Cylinder Collar - 5, 6, 7 pin<br>(4700 Escutcheon Trim) |        | ALM    | 23.52 |           |
| 2-647-0014<br>7/8" Cylinder Collar - 5, 6, 7 pin<br>(4700 Escutcheon Trim) |        | DBZ    | 23.52 |           |
| 2-647-0015<br>7/8" Cylinder Collar - 5, 6, 7 pin<br>(4700 Escutcheon Trim) |        | US32D  | 23.52 |           |
| 2-647-0021<br>7/8" Cylinder Collar - 5, 6, 7 pin<br>(4700 Escutcheon Trim) |        | BLK    | 47.04 |           |

Note: For use with 1-1/8" mortise cylinders  
Note: All cylinder collars come with wave washer and spacer