



# STANDARD HARDWARE LOCATIONS



DECIMAL PARTS OF AN INCH  
 FRACTIONS OF AN INCH WITH DECIMAL EQUIVALENT

1/64 - .016	9/64 - .140	9/32 - .281	17/32 - .531	25/32 - .781
1/32 - .031	5/32 - .156	5/16 - .312	9/16 - .562	13/16 - .812
3/64 - .047	11/64 - .172	11/32 - .344	19/32 - .594	27/32 - .844
1/16 - .062	3/16 - .187	3/8 - .375	5/8 - .625	7/8 - .875
5/64 - .078	13/64 - .203	13/32 - .406	21/32 - .656	29/32 - .906
3/32 - .094	7/32 - .219	7/16 - .437	11/16 - .688	15/16 - .937
7/64 - .109	15/64 - .234	15/32 - .469	2 3/32 - .718	31/32 - .969
1/8 - .125	1/4 - .250	1/2 - .500	3/4 - .750	1 - 1.000


# STANDARD HARDWARE LOCATIONS



## DECIMAL PARTS OF AN INCH FRACTIONS OF AN INCH WITH DECIMAL EQUIVALENT

1/64 - .016	9/64 - .140	9/32 - .281	17/32 - .531	25/32 - .781
1/32 - .031	5/32 - .156	5/16 - .312	9/16 - .562	13/16 - .812
3/64 - .047	11/64 - .172	11/32 - .344	19/32 - .594	27/32 - .844
1/16 - .062	3/16 - .187	3/8 - .375	5/8 - .625	7/8 - .875
5/64 - .078	13/64 - .203	13/32 - .406	21/32 - .656	29/32 - .906
3/32 - .094	7/32 - .219	7/16 - .437	11/16 - .688	15/16 - .937
7/64 - .109	15/64 - .234	15/32 - .469	2 3/32 - .718	31/32 - .969
1/8 - .125	1/4 - .250	1/2 - .500	3/4 - .750	1 - 1.000


# STANDARD HARDWARE LOCATIONS



DECIMAL PARTS OF AN INCH  
FRACTIONS OF AN INCH WITH DECIMAL EQUIVALENT

1/64 - .016	9/64 - .140	9/32 - .281	17/32 - .531	25/32 - .781
1/32 - .031	5/32 - .156	5/16 - .312	9/16 - .562	13/16 - .812
3/64 - .047	11/64 - .172	11/32 - .344	19/32 - .594	27/32 - .844
1/16 - .062	3/16 - .187	3/8 - .375	5/8 - .625	7/8 - .875
5/64 - .078	13/64 - .203	13/32 - .406	21/32 - .656	29/32 - .906
3/32 - .094	7/32 - .219	7/16 - .437	11/16 - .688	15/16 - .937
7/64 - .109	15/64 - .234	15/32 - .469	2 3/32 - .718	31/32 - .969
1/8 - .125	1/4 - .250	1/2 - .500	3/4 - .750	1 - 1.000

# STANDARD HARDWARE LOCATIONS



## DECIMAL PARTS OF AN INCH FRACTIONS OF AN INCH WITH DECIMAL EQUIVALENT

1/64 - .016	9/64 - .140	9/32 - .281	17/32 - .531	25/32 - .781
1/32 - .031	5/32 - .156	5/16 - .312	9/16 - .562	13/16 - .812
3/64 - .047	11/64 - .172	11/32 - .344	19/32 - .594	27/32 - .844
1/16 - .062	3/16 - .187	3/8 - .375	5/8 - .625	7/8 - .875
5/64 - .078	13/64 - .203	13/32 - .406	21/32 - .656	29/32 - .906
3/32 - .094	7/32 - .219	7/16 - .437	11/16 - .688	15/16 - .937
7/64 - .109	15/64 - .234	15/32 - .469	2 3/32 - .718	31/32 - .969
1/8 - .125	1/4 - .250	1/2 - .500	3/4 - .750	1 - 1.000