
Template No. T Rev. '96 525

i (II.



SIZES: 5 x 4, 5 x 4 1/2, 5 x 5



EMN MAXIMUM
ELECTRICAL RATING
SWITCH
VOLTS 48V DC/AC
AMPERES 1.0A

DRILLING INSTRUCTIONS

NOTE A:
DRILL AND DEBURR Ø 1"
HOLE IN FRAME REINFORCEMENT
FOR WIRES.

-DO NOT SCALE-

CATALOG NUMBER				(F) DISTANCE FROM EDGE OF LEAF TO SWAGE LINE		
STEEL HINGES	NON- FERROUS HINGES	METAL GAUGE	(E) KNUCKLE DIAMETER	5 x 4	5 x 4 1/2	5 x 5
BB1279-EMN	BB1191-EMN	.145	41/64	1 5/8	1 7/8	2 1/8
AB700-EMN	AB800-EMN	.145	5/8	1 5/8	1 7/8	2 1/8
BB1168-EMN	BB1199-EMN	.190	47/64	1 9/16	1 13/16	2 1/16
AB750-EMN	AB850-EMN	.190	47/64	1 9/16	1 13/16	2 1/16

ALL DIMENSIONS ARE IN INCHES.

Machine Screw Size- 12-24 x 1/2" F.H. Wood Screw Size- No. 12 x 1 1/4" F.H.



NOTE: This hinge is intended to be used in the center position.

Hospital type and round corner template hinges conform to the above screw size and location. They are designated by "HT" and "RC" to catalog number.

Hager template hinges are made in size, gauge and with screw holes located to conform to ANSI-A156.7.

HAGER RESERVES THE RIGHT TO MAKE DESIGN CHANGES WITHOUT NOTICE. CALL HAGER ENGINEERING AT 1-800-325-9995 FOR LATEST REVISION DATE OF TEMPLATE. HAGER COMPANIES 139 VICTOR STREET P.O. BOX 12300 ST. LOUIS, MISSOURI 63157-0300 Template No.