
SIZES: $4 \frac{1}{2} \times 4 \frac{1}{2}$



EMN MAXIMUM ELECTRICAL RATING SWITCH **VOLTS** 48V DC/AC **AMPERES** 1.0A


DRILLING INSTRUCTIONS

NOTE A:

DRILL AND DEBURR Ø 1" HOLE IN FRAME REINFORCEMENT FOR WIRES.

NOTE B:

DRILL Ø 1/2" HOLES IN DOOR AND FRAME REINFORCEMENT FOR STUDS.



CATALOG NUMBER				(F) DISTANCE FROM EDGE
CTEEL	STAINLESS) ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(E)	OF LEAF TO SWAGE LINE
STEEL HINGES	STEEL HINGES	METAL GAUGE	KNUCKLE DIAMETER	4 1/2 × 4 1/2
HB950RSS-EMN	HB953RSS-EMN	.187	7/8	1 13/16

ALL DIMENSIONS ARE IN INCHES.

Machine Screw Size- $1/4-20 \times 1/2$ " F.H.



NOTE: This hinge is intended to be used in the center position.

Hospital type template hinges conform to the above screw size and location. They are designated by "HT" to catalog number.

Hager template hinges are made in size and with screw holes located to conform to ANSI-A156.7.

HAGER RESERVES THE RIGHT TO MAKE DESIGN CHANGES WITHOUT NOTICE. CALL HAGER ENGINEERING AT 1-800-325-9995 FOR LATEST REVISION DATE OF TEMPLATE.

HAGER COMPANIES 139 VICTOR STREET P.O. BOX 12300 ST. LOUIS, MISSOURI 63157-0300